

## Corrigendum

- As per the discussions/suggestions offered in the pre-bid meeting held on 04.09.2015 and as mutually agreed the following modifications/additional specifications were added in the Tender notification No. SPS/Chy/Lab Furniture/004/2015-16 dated 26.08.2015. This should be read along with the other terms & conditions as already published in the website.
1. The manufacturer should have at least one employee who is technically qualified by SEFA and the certificate to that effect should be provided along with the quotation.
  2. The vendors are requested to give prices for the furniture made with Burma Teak (1<sup>st</sup> quality in that) and Gana Teak (1<sup>st</sup> quality in that) separately in their quote.
  3. Vendors are requested to quote for the gas transfer lines from the point of cylinders to the bench tops. The points of cylinders are marked in the drawings provided with the tender notice.
  4. The vendors are requested to make the compliance sheet without fail and submit along with their quotation.
  5. The depth of the table frame (For all types of tables given in the technical specifications) should not be more than one inch with respect to the table top.
  6. The colour of the melamine sheets (wherever used in the furniture) should have ivory and blue color combinations. The front panels should have blue colour. The lamination should be done on both the sides.
  7. All the shelves (including reagent racks, island tables, wall tables and storage cabinets) should be laminated on both the sides with 0.8 mm thick melamine sheets.
  8. The shelves in the reagent cabinets should have raised edges.
  9. The student tables should be provided with the Granite tops supported with 18 mm thick plywood (BWP) sheets for better strength.
  10. All the metal tables should have H-type frame made with 60 mm x 40 mm erw hollow metal.
  11. For the **wall mount tables** in Labs F1, F2, F3 and S0 the valves for nitrogen in forged brass construction in **ONE** way design should be quoted. Whereas for island tables, two way valves should be quoted. (Please refer to the special note given in Page number 15 of our first tender document).
  12. For Instrument Tables in all the laboratories, the arrangement of under bench cabinets should be same as that of wall and island tables, except for lab G1. In lab G1, the arrangement should be of one drawer and two doors type and the Granite tops should be supported with 18 mm thick plywood (BWP) sheets for better strength.
  13. The deadline for submission of quotations (two bids) against our tender is herewith **EXTENDED TO 23-09-15** which was mutually agreed upon in the pre-bid meeting held on 04-09-2015 (FRI).
  14. In Lab G3, powder coated metal furniture should be quoted for the clean room. The specifications of this metal furniture should be same as that of other metal furniture as given in the technical specifications of our tender.
  15. **For any clarification please contact Dept. of Chemistry Ph: 044-22574200/4201.**