

## भारतीय प्रौद्योगिकी संस्थान मद्रास चेन्नै 600 036

## INDIAN INSTITUTE OF TECHNOLOGY MADRAS Chennai 600 036 भंडार एवं क्रय अनुभाग

## **STORES & PURCHASE SECTION**

दूरभाषः (044) 2257 8285 / 8286 / 8287 / 8288 फैक्सः (044) 2257 8292 / 2257 8082 Telephone : (044) 2257 8287,8285, 8288

email ID-<u>adstores@iitm.ac.in</u> GSTIN: 33AAAAI3615G1Z6



Dated:19.10.2017

G. Chitrapavai
Deputy Registrar (Stores & Purchase)

## **CORRIGENDUM**

Tender No. SPS /CE/Laboratory Furniture/007/2017-18
Supply & Fixing of "Laboratory Furniture"

In the tender document,

a) In Page No. 9 under specifications/details of the materials to be used for the construction of the Island Tables – Point No. (i) may be read as

| i.Reagent<br>Rack | <b>Island table</b> mounted reagent racks (height: 750mm x Width: 300mm) with double tier designed with at least 16mm grade BWR plywood (Kitply or equivalent) treated for fire retardation and termite proof. The loading area of the shelves should be lined with at least 1 mm thick fibre reinforced polymer (FRP) for good chemical resistance. |
|-------------------|--|
| Instead of        |  |
| i.Reagent<br>Rack | Wall mounted reagent racks with double tier designed with at least 16mm grade BWR plywood (Kitply or equivalent) treated for fire retardation and termite proof. The loading area of the shelves should be lined with at least 1mm thick fibre reinforced polymer (FRP) for good chemical resistance.  |

b) In Page No. 6 under Vendor Eligibility Criteria, Point No. 5 may be read as

5. A sample of island table has to be submitted on or before the due date of tender submission for quality evaluation purpose at the Ground Floor, Dept. of Civil Engg, IIT Madras.
Contact Person and Number: Ms. Shanthi/Mr. Ganesan – Civil Stores – 044 2257 5284
Dr. Shvia Nagendra – EWRE - 2257 4290

Instead of

5. A sample of island table has to be supplied on or before the due date of tender submission, for quality evaluation purpose.

All other conditions remains the same.

Sd/-Deputy Registrar Stores & Purchase