



INDIAN INSTITUTE OF TECHNOLOGY MADRAS  
ENGINEERING UNIT, CHENNAI – 600 036

**Financial Bid - Cover 2**

**Tender No: 43 / 2013 – 14 / Civil**

EXECUTIVE ENGINEER, Indian Institute of Technology Madras, Chennai - 600 036 invites sealed tenders, in two envelope system (Application for eligibility and Financial bid) for the following work from the contractors who satisfy the Eligibility Criteria.

**1. PARTICULARS OF WORK**

1.1 Name of Work: **Renovation and Minor repair works at Kitchen, bath and toilet repairs to floors and painting works in Residential buildings from 'D' type to 'Z' type quarters and non residential buildings such as Vanavani school, Postoffice, etc at residential zone for the year 2013-14**

1.2. Estimated Cost put to tender (For reference only): Rs.115.40 Lakhs

1.3. Earnest Money Deposit (EMD) : Rs.2, 31,000/-

:

1.4. Cost of Tender Document : Rs.1050/- including VAT

1.5. Time Period for Completion : 12 months

1.6. Validity of the Tender: 90 days from the date of opening of the tender

1.7. Date of Prebid Meeting : 20-12-2013 – 10.30am

1.8. Last date of receipt : 03 - 01 – 2014, Time: 3:00 PM

1.9 Date and Time of Opening of the applications for Eligibility (Cover 1) : 03-01- 2014 – 3.10pm

1.10 Date of Opening of the Financial bid (Cover 2): Will be intimated to all eligible applicants later but not later than 30 days from the opening of the Applications for eligibility

1.11 Place of submission of tenders: Office of the Executive Engineer,  
Engineering unit, Administrative Building 3rd Floor  
IIT Madras, Chennai – 600 036.

INDIAN INSTITUTE OF TECHNOLOGY MADRAS  
ENGINEERING UNIT, CHENNAI – 600 036

COVER - 2

**Tender No: 43 / 2013 – 14 / Civil**

INDEX

S.N	Description	Page No
1	Notice Inviting Tender	2-3
2	Tender	4-5
3	Acceptance of Tender	6
4	Conditions of Contract	7-15
5	Schedules	15-19
6	Additional Specifications	19-27
7	Statutory requirements	27
8	Forms	28-35
9	Special Condition for Protection of Environment	36
10	Special condition for safety at the site	37-41
11	Insurance	42-44
12	Progress report	45-47
13	C.P.W.D Form 8	48-99
14	C.P.W.D safety code	100-112
15	C.P.W.D contractors labour regulations	113-135
16	List of approved makes and brands	136-139
17	Bill of quantities	140-200

### **1.9. Deadline for submission of tender**

Tenders must be received by the Employer at the following address not later than **3.00 PM** on the date of opening mentioned. In the event of the specified date for the submission of the Tender being declared a holiday by the Employer, the Tenders will be received up to the appointed time on the next working day

### **1.12. Address for Submission of Tender**

The Executive Engineer(Civil)  
Engineering Unit, Administrative Building, 3<sup>rd</sup> floor,  
Indian Institute of Technology Madras  
Chennai – 600036.

1.13. The Employer may extend the deadline for submission of Tenders by issuing an amendment in writing in which case all rights and obligations of the Employer and the Tenderer previously subject to the original deadline will be subject to new deadline.

### **1.14. LATE TENDER**

Tenders received late will not be accepted.

## 2. TENDER

- 2.1. I/We have read and examined the notice inviting tender, schedules A & B, Specifications applicable, drawings, Conditions of contract and other documents and rules referred to in the conditions of contract and all other contents in the tender documents for the work.
- 2.2. I/We hereby tender for the execution of the work specified for the Indian Institute of Technology Madras, within the time specified in Schedule – 'F' and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in General Rules and Directions and in Clause 11 of Form 8 (General conditions of contract) and with such materials as are provided for, and in all respects in accordance with such conditions applicable.
- 2.3. I/We agree to keep the tender open for Ninety (90) days from the date of opening of tender and not to make any modifications in its terms and conditions
- 2.4. I/We agree that the EMD deposited by me/us be retained by IITM towards Security Deposit to ensure execution of all works referred to in the tender documents on the terms and conditions contained or referred to therein.
- 2.4. If I/We fail to furnish the prescribed performance guarantee as mentioned elsewhere within prescribed period, I/we agree that IITM shall, without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely.
- 2.5. I/we agree that in case of forfeiture of earnest money as aforesaid, I/we shall be debarred from participating in the re-tendering process of the work.
- 2.6. If I/we fail to commence work as specified in clause 3A of the contract, I/we agree that IITM shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money and the performance guarantee absolutely,
- 2.7. I/We agree to carry out such deviations as may be ordered, up to a maximum percentage mentioned in Schedule 'F' and those in excess of that limit at the rates to be

determined in accordance with the provision contained in Clause 12.2 and 12.3 of the contract.

2.8. I/we hereby declare that I/we shall treat the tender documents, drawings and other records connected with the work as secret / confidential documents and shall not communicate the information derived therefrom to any person other than a person to whom I/we am / are authorised to communicate the same or use the information in any manner prejudicial to the safety of the State.

2.9. I/We hereby certify that the tender document downloaded is the exact copy of the document published by the IITM and no alterations and additions have been made by me / us in the tender document.

Contractor

Dated

Signature of the Tenderer

Postal Address

Witness

Signature

Name

Postal Address

Occupation

### **3. Acceptance**

The above tender is accepted by me for an on behalf of the Board of Governors, IITM for a sum \_\_\_\_\_ of

Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_)

The letters referred to below shall form part of this contract Agreement:

- a)
- b)
- c)

For & on behalf of the Board of Governors, IITM.

Signature \_\_\_\_\_

Designation \_\_\_\_\_

Date \_\_\_\_\_

## **4. Conditions of contract**

### **4.1. Definitions**

In the contract, the following expressions shall, unless the context otherwise requires, have the meanings, hereby respectively assigned to them:-

1. The expression 'works' or 'work' shall, unless there be something either in the subject or context repugnant to such construction, be construed and taken to mean the works by or by virtue of the contract contracted to be executed, whether temporary or permanent, and whether original, altered, substituted or additional.
2. The 'Site' shall mean the land/or other places on, into or through which work is to be executed under the contract or any adjacent land, path or street through which work is to be executed under the contract or any adjacent land, path or street which may be allotted or used for the purpose of carrying out the contract.
3. The 'contractor' shall mean the individual, firm or company, whether incorporated or not, undertaking the works and shall include the legal personal representative of such individual or the persons composing such firm or company, or the successors of such firm or company and the permitted assignees of such individual, firm or company.
4. The 'Engineer-in-charge' means the Engineer who shall supervise and be in-charge of the work and who shall sign the contract on behalf of IIT as mentioned in Schedule 'F' hereunder.
5. 'Accepting Authority' shall mean the authority mentioned in Schedule.
6. 'Excepted Risks' are riots (other than those on account of contractor's employees), war, acts of God such as earthquake, lightening and unprecedented floods, and other such causes over which the contractor has no control and accepted as such by the Accepting Authority.
7. 'Market Rate' shall be the rate as decided by the Engineer-in-charge on the basis of the cost of materials and labour at the site where the work is to be executed plus the percentage mentioned in Schedule 'F' to cover all overheads and profits.
8. 'Schedules(s)' referred to in these conditions shall mean the relevant schedule(s) annexed to the tender papers or the standard schedule of Rates of the CPWD

mentioned in schedule 'F' hereunder, with the amendments thereto issued up to the date of receipt of the tender.

9. 'Department' means IITM which invites the tenders.
10. 'District specification' means the specifications followed by the state of Tamil Nadu in the area where the work is to be executed.
11. 'Tendered value' means the value of the entire work as stipulated in the letter of award.
12. 'Employer means IITM
13. Where the context so requires, words imparting the singular also include the plural and vice versa. Any reference to masculine gender shall whenever required shall refer to feminine gender and vice versa.
14. Wherever the expression "Divisional Officer" appears in the Clauses, it should be substituted by the expression "EXECUTIVE ENGINEER(CIVIL)
15. "Engineer in Charge" means EXECUTIVE ENGINEER(CIVIL), IITM, and the Engineer means the officer representing the Engineer-in-Charge of the Project.

#### **4.2. Authority to sign the tender document**

The tender must be signed by the person / persons competent to sign as indicated below. Same stipulations will also apply in the case of Receipt of payments for the work done.

1. If the Applicant is an individual, he should sign above his full typewritten name and current address.
2. If the Applicant is a proprietary firm, the Proprietor should sign above his full typewritten name and the full name of his firm with its current address.
3. If the Applicant is a firm in partnership, the Documents should be signed by all the Partners of the firm above their full typewritten names and current addresses.



Alternatively the Documents should be signed by a Partner holding Power of Attorney for the firm and in this case a certified copy of the Power of Attorney should accompany the tender documents. In both cases a certified copy of the Partnership Deed and current address of all the partners of the firms should be furnished.

4. If the Applicant is a limited Company, or a Corporation, the Documents shall be signed by a duly authorized person holding Power of Attorney for signing the Documents, accompanied by a copy of the Power of Attorney. The Applicant should also furnish a copy of the Memorandum of Articles of Association duly attested by a Public Notary

#### **4.3 .Instructions for filling the Bill of Quantities (Schedule A )**

1. Rate for each item shall be filled in words and figures and there shall be no discrepancy between the rate quoted in figures and words. However, if a discrepancy is found, the rate which corresponds with the amount worked out by the contractor shall unless otherwise proved, be taken as correct.
2. If the amount of an item is not worked out by the contractor or it does not correspond with the rates written either in figures or in words, then the rates quoted by the contractor in words shall be taken as correct.
3. Where the rates quoted by the contractor in figures and in words tally but the amount is not worked out correctly, the rates quoted by the contractor, will, unless otherwise proved, be taken as correct and not the amount.
4. If no rate has been quoted for any item(s), leaving space both in figure(s), words(s) and amount, it will be presumed that the contractor has included the cost of this / these item(s) in other items and rate for such items(s) will be considered as zero and work will be required to be executed accordingly.
5. Amount must be quoted in full rupees only.
6. Special care should be taken to write the rates in figures as well as in words and the amount in figures in such a way that interpolation is not possible. The total amount should be written both in figures and in words. In case of figures, the word 'Rs' should be written before the figure of 'Rupees' and the word ' P ' after the decimal figures, eg.' Rs 2.15P' and in case of words the word, "Rupees" should precede and the word 'Paise'

should be written at the end. Unless the rate is in whole rupees and followed by the word 'only', it should invariably be up to two decimal places. While quoting each rate in schedule of tender, the word 'only' should be written closely following the rate and it should not be written in the next line.

7. In the case of item Rate Tenders, only rates quoted shall be considered. Any tender containing percentage below/above the rates quoted is liable to be rejected
8. Tenders containing proposal for any alteration in the work or in the time allowed for carrying out the work, or which contain any other condition including conditional rebates, will be summarily rejected.
9. The officer inviting tenders shall have the right to reject all or any of the tenders and will not be bound to accept the lowest or any other tender.
10. The tender for the work shall not be witnessed by a Contractor or Contractors who himself / themselves has/have tendered for the same work. Failure to observe this condition would render tenders of the Contractor tendering, as well as witnessing the tender, liable to summary rejection.
11. In the case of any tender where unit rate of any item/items appear unrealistic, such tender will be considered as unbalanced and in case the tenderer is unable to provide satisfactory explanation, such tender is liable to be rejected.
12. The tenderers shall sign a declaration under the Official Secret Act, 1923, for maintaining secrecy of the tender documents, drawings or other records connected with the work given to them.

#### **4.4. Refund / forfeiture of EMD**

1. In the event of a tender being accepted, a receipt for the Earnest Money forwarded therewith shall thereupon be given to that Contractor.
2. In the event of a tender being rejected, the Earnest Money forwarded with such unaccepted tender shall thereupon be returned to the Contractor remitting the same, without any interest.
3. Tender for the work shall remain open for acceptance for a period of 90 days from the date of opening of the Tender.
4. If any tenderer withdraws his tender before the said period or issue of acceptance, whichever is earlier or makes any modification in the terms and conditions of the

tender which are not acceptable to the Institute, then IITM, shall without prejudice to any other right or remedy, be at liberty to forfeit 50 % of the said earnest money.

#### **4.5 Documents to be submitted upon acceptance of the tender.**

1. On acceptance of the tender, the name of the accredited representative(s) of the Contractor who would be responsible for taking instructions from the Engineer in Charge shall be communicated in writing to the Engineer in Charge.
2. The Contractor shall give a list of IITM employees related to him.

#### **4.6 Signing of Agreement.**

1. The successful contractor on acceptance of his tender shall within 14 days from the stipulated date of start of the work, sign the contract.
2. **Documents constituting the contract**
  - a. Non judicial stamp paper for value not less than Rs.100 containing the brief description of the contract duly signed by both parties to the contract.
  - b. The notice inviting tender, the financial bid and all other the documents including drawings, if any, forming the tender as issued at the time invitation of tender and acceptance thereof together with any correspondence leading thereto.
  - c. Decisions taken in the Pre-bid meeting if conducted.
  - d. Letter of acceptance
  - e. Letter of award (After submission of Performance Guarantee)

#### **4.7 Special conditions**

1. Child Labour is strictly prohibited.
2. Construction labour shall not be permitted (except staff for watch and ward) to stay inside the campus and no labour camp shall be allowed to be set up inside the campus.
3. The construction activities and storage of materials shall be restricted within the area earmarked around the proposed building, which shall be barricaded with materials approved by IITM.
4. The contractor shall abide by the restrictions imposed by the security wing of the Institute on the working and on movement of labour, materials etc. and nothing extra shall be payable on this account. The contractor shall arrange for necessary photo identity passes for the labour for entry into the campus. Advance action for obtaining

such passes shall be taken by the contractor and no claim on this account shall be entrained.

5. Movement of labour should be restricted to the areas where work is carried out. Workers should be made to confine themselves to the work areas and should not wander into the near by areas / buildings/ forest.
6. The work should be executed during day time only. If the work is required to be carried out in the night, necessary permission of the Engineer-in-charge shall be obtained. Contractor will make his own arrangement for lighting the area and no extra amount for carrying out the work during night is payable. To the extent possible engaging women labour in the night shift should be avoided
7. The work shall be carried out with least hindrance to the adjoining buildings and offices and the contractor will be responsible for any damage, caused to the existing fixtures, electric fittings, cables, roads, pipelines etc. in the course of execution and the contractor shall make good any such damages for which nothing extra is payable.
8. Water for construction shall be arranged by the contractor. The contractor will not be allowed to use any of the water resources available within the campus nor will be permitted to dig any bore well inside the campus.
9. No plot rent shall be charged for materials stocked in the institute land during the course of construction with the prior approval the Engineer. All such materials shall be removed at the time of completion of the work.
10. The contractor shall make his own arrangement for electricity required during the construction period.
11. Tenderers shall inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the site and shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not. Submission of a tender implies that the tenderer has read the complete contract documents and is aware of the conditions, specification of the work to be done and of the local conditions and other factors having a bearing on the execution of work. Any claim either for extra amount or for additional time for execution due to ignorance about the site and working condition is not payable.
12. All documents forming the contract shall be taken as mutually explanatory of one another, detailed drawings being followed in preference to small scale drawing and figured dimensions in preference to scaled.
13. In the case of discrepancy between the schedule of Quantities, the specifications and/or the Drawings, the following order of precedence shall be observed.

- i. Description of item in the Schedule of Quantities.
- ii. Particular Specifications and special conditions, if any
- iii. Drawings.
- iv. C.P.W.D Specifications
- v. Specifications of B.I.S.

14. If there are varying or conflicting provisions made in any one document forming part of the contract, the Engineer-in-charge shall be the deciding authority with regard to the interpretation of the documents and his decision shall be final and binding on the contractor.
15. Any error in description, quantity or rate in schedule of Quantities or any omission there from shall not vitiate the contract or release the contractor from the execution of the whole or any part of the works comprised therein according to drawings and specifications or from any of his obligations under the contract. All such variations, errors additions, substitutions etc shall be decided as per the terms of the contract
16. The building work shall be carried out complying in all respects with the requirements of relevant bye-laws of the local body under the jurisdiction of which the work is to be executed or as directed by the Engineer-in-Charge and nothing extra will be paid on this account.
17. The work of water supply, internal sanitary installations and drainage work etc. shall be carried out as per the local body bye-laws and the contractor shall produce necessary completion certificate from such authorities after completion of the work, if required.
18. Where CPWD specifications are not available for fittings and fixtures, the same should conform to bye-laws and specification of the local Body. The contractor should engage licensed plumbers for the work.
19. The contractor shall comply with all legal orders and directions of the local or public authority or municipality and abide by them.
20. The contractor shall give a performance test of the installation(s) as per specifications before the work is finally accepted and nothing extra whatsoever shall be payable to the contractor for the test.
21. Any cement slurry added over base surface (or) for continuation of concreting to obtain better bond between old and new concrete is deemed to have been included in the items and nothing extra shall be payable or extra cement considered in consumption on this account
22. The Rate for RCC works includes cost of concreting in sloped & curved roof, chajjas & beams and no extra rate shall be payable for concreting in such situations.
23. The rate for Centering & shuttering under concrete items will be the same for Centering & shuttering in curves & arches also unless specified otherwise in the BOQ.

24. The contractor should construct proper mortar bands of lean mix with adequate depth & size over the roof for flooding with water & proper curing. In case of Arches, wet gunny bags shall be used for a period of two weeks.
25. Holes and chase for water supply and drainage, etc, shall be provided as directed during progress of work without any claim for extra for finishing
26. The rate quoted for tiling on walls shall include providing the bevel edges for the corners or the PVC corner strips. No additional payment shall be payable on this account.
27. Sample of all materials, fixtures, flooring tiles, wall tiles, doors, windows, sanitary fittings, roofing sheets electrical fittings etc, shall be got approved in advance from the Engineer-in-Charge before taking up the respective work. The contractor shall produce all the materials in advance so that there is sufficient time for testing and approving the materials and clearance of the same before their use in work.
28. The contractor shall be furnished, free of cost one certified copy of the contract documents except Standard Specifications, Schedule of Rates and such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of these documents shall be used for any purpose other than that of this contract
29. For any dispute arising out of this agreement, the legal jurisdiction will be at Chennai in Tamil Nadu only.
30. It is not binding on the competent authority to accept the lowest or any other tender and any or all the tenders received can be rejected without assigning any reason.
31. Canvassing whether directly or indirectly, in connection with tender is strictly prohibited and the tenders of the contractors who resort to canvassing will be liable to rejection.
32. The competent authority reserves the right to accept part of the tender and the tenderer shall be bound to perform the same at the rates quoted.
33. The contractor shall associate an Electrical contractor of the appropriate class to carry out the electrical works. But it is the principal contractor who is responsible for completion of the Electrical work also as per contract. No agreement is created between the Electrical contractor associated by the tenderer and IITM in this regard.
34. Other agencies related to this project will also simultaneously execute their part of works and the contractor shall cooperate and allow smooth working of all such agencies. The contractor shall leave such holes, openings etc, for laying / burying of pipes, cable, conduits, clamps, boxes and hooks for fans etc. as may be required for other agencies. Conduits for electrical wiring shall be laid in such a way that they leave enough space for concreting and do not adversely affect the structural

members. The rates quoted for the items of work are deemed to include charges for coordinating with all such agencies and nothing extra is payable on this account.

35. The following events will take place in the Campus which may hinder the progress of work.

The duration of the events are

- a. Shaastra and Saar ang - 10 days (normally in January)
- b. Convocation - 2 days (normally in July)

The completion time stipulated in the contract is deemed to have included the above, if they happen during the duration of the contract.

## 5. SCHEDULES

**Schedule 'A'** - The Bill of Quantities enclosed in this document.

**Schedule 'B'** - Schedule of materials proposed to be issued to the tenderer

NO MATERIAL SHALL BE ISSUED TO THE TENDERER BY IITM

**Schedule 'C'**- Schedule of tools and plants proposed to be hired to the tenderer

NO TOOLS AND PLANTS SHALL BE HIRED TO THE CONTRATOR BY IITM

**Schedule 'D'** - Extra schedules for specific requirements / documents for the work, if any.

**Schedule 'E'**- Price escalation Clauses – 10C only applicable to this contract.

**Schedule 'F'**

Name of work: : Renovation and Minor repair works at Kitchen,bath and toilet repairs to floors and painting works in Residential buildings from 'D' typeto 'Z' type quarters and non residential buildings such as Vanavani school, Postoffice, etc at residential zone for the year 2013-14

Estimated cost of work : Rs.115.40 Lakhs

Earnest money : Rs.2,31,000/-

Performance Guarantee : 5% of the tendered value

Security Deposit : 5% of the tendered value

**General Rules and Directions:**

Officer inviting tender EXECUTIVE ENGINEER, IITM

Maximum percentage for quantity of items work  
to be executed beyond which rates are to be  
determined in accordance with clause 12.2 and 12.3. } See below

**Definition**

Engineer-in-charge EXECUTIVE ENGINEER

Accepting authority Director, IIT Madras

Percentage on cost of material and  
labour to cover all overheads and profit 15%

Standard schedule of rates CPWD DSR 2013

Department IIT Madras

Standard CPWD contract form CPWD form 8 with upto date  
Modification and correction

**Clause 1**



i.) Time allowed for submission of Performance Guarantee from the date of issue of letter of acceptance in days. 7 (seven)\_Days

(ii) Maximum allowable extension beyond the period provided above 7(Seven) Days.

### Clause 2

Authority for levying compensation under clause 2. SUPERINTENDING ENGINEER

### Clause 2a

Whether clause 2a shall be applicable : Yes applicable.

### Clause 5

Number of days from the date of issue of letter of acceptance for reckoning the date of start : 14 Days

**Milestones to be achieved shall be as given below. NOT APPLICABLE**

Sl no	Cumulative financial progress of work	Cumulative Time allowed from date of start to achieve each milestone	Amount to be with held in case of non- achievement of mile stone
1.			In the event of not achieving the necessary progress 1% of the tendered value of work will be withheld for each milestone.
2.			
3.			
4.			

Time allowed for execution of work : 12 months

Authority to give fair and reasonable

Extension of time for completion of work :EXECUTIVE ENGINEER, IITM

**Clause 6, 6A** : Clause 6A shall be applicable.

**Clause 7**

Gross work to be done with net

payment after adjustment of advances for material

collected, if any, since the last such payments: Rs. 10.00 Lakhs

for being eligible to interim payment.

**Clause 10A - List of Testing equipments to be provided as listed in this**

**document - NOT APPLICABLE**

Sl.No	Testing equipment / instruments	Quantity

**Whether Clause 10B (ii) shall be applicable**

: Yes

**Clause 10 CA and 10C**

**Clause 10C only applicable**

Clause 10 CA **NOT** applicable to this work.

Clause 10 CA and clause 10C shall be **NOT** applicable for the extended period of contract if the extension so granted is without levy of compensation

Materials covered under clause

1. Cement : Grey cement

2. Steel : Bars and Rods

**Clause 10CC** : Not applicable.

**Clause 11**

Specification to be followed for execution of work

CPWD Specifications 2009 Volume I to II and revised CPWD Specifications up to date, general specifications for electrical works part – I 2004, general specifications for electrical works part-IV Sub Station 2007.

**Clause 12**

Deviation limit beyond which clauses 12.2 & 12.3 shall apply for building work (Excluding foundation) 50%

Deviation limit beyond which clauses 12.2 & 12.3 shall apply for foundation work. } 100%

**Clause 16**

Competent Authority for deciding reduced rates for items which are not as per specification EXECUTIVE ENGINEER IITM

**Clause 36(i) Technical Personnel to be employed at site.**

Designation	Minimum qualification and experience required	Discipline	Rate of recovery per month for non employment
Principal Technical Representative	Graduate with 10 years experience - 1 No.	Civil Engineering	Rs. 40000
Technical Representative	Diploma with 5 years experience – 1no	Civil Engineering	Rs. 25000

**6. ADDITIONAL SPECIFICATIONS**

The additional specification given below is not substitute to CPWD specifications or IS specifications. These shall be read along with CPWD specifications or IS specifications.

## **6.1. GENERAL**

1. The work shall be carried out using metric dimensions only and shall be measured and paid in metric dimensions. F.P.S. units, if any, mentioned in drawings etc are for guidance only.
2. Wherever any reference to any Indian Standard Specification occurs in the documents relating to this contract the same shall be inclusive of all amendments issued thereto or revision thereof if any, up to the date of receipt of tenders.
3. Unless otherwise specified in the schedule of quantities the rates for the various items are for execution at all heights, levels and locations.
4. Unless otherwise specified in the schedule of quantities the rate for the items of the work shall be considered as inclusive of pumping out or bailing out water during execution, if required, for which no extra payments will be made. This will include water encountered from any source, such as rains, floods, sub-soil water table being high or due to any other cause whatsoever.

## **6.2. FLY ASH CONCRETE BLOCK**

### **1. GENERAL**

- a. Terminology Connected with this work shall be same as those applicable for Brick Work
- b. The contractor whose tender is accepted shall furnish the name(s) of the manufacturer from whom he proposes to procure the blocks and get the same approved from the Engineer in Charge before procuring the material. The Engineer in Charge may inspect / get inspected the factory from where the contractor proposes to procure the blocks before accord of approval. The contractor shall arrange for the inspections.
- c. The contractor shall furnish the following and obtain prior approval of the Engineer before procuring the blocks
  - i. The size and grading of stone aggregate to be used
  - ii. The grading of fine aggregate
  - iii. Details of fines obtained from stone crushing proposed to be used in the manufacture of the blocks
  - iv. The type of cement proposed to be used
  - v. The type of fly ash proposed to be used and % proposed
  - vi. Details of additives etc if any to be used.

- d. The proportion of the ingredients may be decided by the contractor / manufacturer to obtain the required strength and other required qualities and got approved in advance.
- e. Concrete Blocks shall be manufactured in a factory equipped with weigh batching arrangements for weighing the various ingredients and the blocks shall be manufactured using machinery equipped with vibratory / mechanical compaction arrangements.
- f. The blocks shall have smooth rectangular faces with sharp corners and shall be uniform in colour and shall emit a ringing sound when struck
- g. Necessary quality control and testing facilities should be available in the factory for conducting routine tests on each batch of the blocks and necessary records should be available.

## **2. Dimension of the Blocks**

The blocks shall be of size 225 x 115 x 70 MM

The blocks shall be tested as per procedure detailed in IS 2185 (Part I) – 2005

The tolerances shall be as given below

Length = +or - 5MM

Width / Thickness = + or – 3 MM

## **3. Strength of the Blocks**

The class designation of the blocks shall be M10. The average compressive strength shall not be less than 10 N per sqmm and strength of individual units shall not be less than 8 N per sqmm. The blocks shall be tested as per procedure detailed in IS 2185 (Part – I) - 2005

## **4. Water absorption**

The blocks shall be tested as per procedure detailed in IS 2185 (Part – I) – 2005 for water absorption and the absorption shall not exceed 10 %.

## **5. Drying Shrinkage**

The blocks shall be tested as per procedure detailed in IS 2185 (Part – I) – 2005. The drying shrinkage shall not exceed 0.06 %

## **6. Moisture Movement**

The blocks shall be tested as per procedure detailed in IS 2185 (Part – I) – 2005. The moisture movement shall not exceed 0.09 %

## **7. Masonry Work**

The method of construction, the bonds, width of joints, curing, measurements, tolerances in masonry work, etc shall be as per CPWD specifications detailed for “Brick work”

### **6.3. WATER PROOFING TREATMENT**

#### 1. General:

All the water proofing treatment shall be got executed through one of the approved special agencies. The contractor shall furnish the following particulars immediately after the issue of acceptance of the tender by the department

- a. The name of specialized firm
- b. The trade names of the product, which would be used.
- c. List of works where the treatment had been used
- d. Quantity of chlorides and sulphides used in the product.

#### **GUARANTEE FOR WATER PROOFING TREATMENT**

- a. Ten years guarantee in prescribed proforma attached shall be given by the contractor for the water proofing treatment.
- b. 10 %( ten percent) of the cost of the items pertaining to water proofing shall be retained as guarantee to watch the performance of work executed.
- c. However, half of this amount (withheld) would be released after 2 years from the date of completion of the work, if the performance of the water proofing works is satisfactory.

- d. The remaining with held amount shall be released after completion of 10 years from the date of completion of work, if the performance of the water proofing works is satisfactory.
- e. If any defect is noticed during the guarantee period, it should be rectified by the contractor within 7days of issuing of notice by Engineer-in-charge.
- f. If not attended to, the same shall be got done through other agency at the risk and cost of the contractor and recovery shall be effected from the amount retained towards guarantee.
- g. In any case the contractor and the specialist agency during the guarantee period shall inspect and examine the treatment once in every year and make good any defect observed and conform the same in writing.
- h. The security deposit can be released in full, if bank guarantee of equivalent amount, valid for the duration of guarantee period, is produced and deposited with the Institute.

#### **6.4. Electrical Conduits Laying**

For fixing electrical conduits in walls the required chase should be cut using only electrically operated circular saw. Using of hammer and chisel is completely prohibited

#### **6.5 Stainless steel handrail - – NOT APPLICABLE TO THIS TENDER**

Stainless steel, tubes, bars, etc., bright polished including matching stainless items such as plates, screws, etc.,. welting and forming units with best workmanship, set in position using special hardware, expansion fasteners of approved make, etc., in all floors and all levels, and without painting, all complete with SS 304 Stainless Steel and as per architectural drawings.

#### **6.6. CONDITIONS FOR CEMENT AND STEEL BROUGHT BY THE TENDERER FOR USE IN THE WORK.**

##### **CEMENT**

The contractor shall procure OPC grade 53 / PPC super grade from reputed manufactures of cement having a production capacity of one million tones per annum or more, such as ACC, Ultratech (L & T), Ramco, Chettinad, Zuari, Birla, Cement Corporation of India, etc or any manufacturer approved by the Ministry of Industry, Government of India and holding license to use ISI Certification mark for their product whose name shall be got approved from the Engineer-in-Charge. The contractor may submit a list of cement manufactures whose product they propose to use. The Engineer-in-charge has right to accept or reject the names of the manufactures which the contractor propose to use in the work. No change in tendered rates

will be accepted if the tender accepting authority does not accept the list of cement manufactures given by the contractor, fully or partly.

Supply of cement shall be in 50 kg bags bearing manufacture's name and ISI marking.

Samples of cement arranged by the contractor shall be got tested in accordance with provisions of relevant BIS codes.

In case test results indicate that the cement arranged by the contractor does not confirm to the relevant BIS codes, the same shall stand rejected and shall be removed from the site by the contractor at his own cost within a week's time of written order from the Engineer-in-charge to do so.

7. The cement shall be brought to site in bulk supply of approximately 100 tonnes or as decided by the Engineer- in- charge
8. The cement go-down of the capacity to store a maximum of 4000 bags of cement shall be constructed by the contractor at site of work for which no extra payment shall be done.
9. Double lock provision shall be made in the door of the cement go-down, the keys of one lock shall remain with the engineer-in-charge or his authorized representative and the key of the other lock shall remain with the contractor.
10. The contractor shall be responsible for the watch and ward and safety of the cement go-down.
11. The contractor shall facilitate the inspection of the cement go-down by the Engineer-in-Charge or his authorized representative at any time
12. The contractor shall supply free of charge the cement required for testing.
13. The frequency and the details of the test shall be decided by the Engineer-in-Charge depending on the quantum of supply in each batch. The cost of tests shall be borne by the contractor /Institute in the manner indicated below
  - 13.1 by the contractor, if the results show that the cement does not conform to the relevant BIS Code
  - 13.2 by the Institute, if the results show that the cement conforms to relevant BIS Codes
14. The actual issue and consumption of cement on work shall be regulated and proper accounts maintained as provided in the contract.
15. The theoretical consumption of cement shall be worked out as per procedure prescribed in the contract and shall be governed by conditions laid there in.
16. Items for which standard coefficients of cement consumption are not available in DSR 2012, the same shall be decided by the Engineer-in-charge.
17. If the cement consumed is less than the theoretical quantity (after allowing for wastage and variation) the cost of the cement consumed less at market rate plus 10% and cartage charges to site of work shall be recovered from contractor provided the work carried out is acceptable to the Institute.



18. Cement brought to site and cement remaining unused after completion of work shall not be removed from site without written permission of the Engineer-in-charge.
19. The cement bags shall be stacked on proper floors consisting of two layers of dry bricks laid on well consolidated earth at a level of at least one foot above ground level. The stacks shall be in rows of two and 10 bags high with a minimum of 0.6 m clear space all round. The bags should be placed horizontally continuous in each line actual size / shape of go-down shall be as per site requirements and nothing shall be paid on this account.
20. The decision of Engineer-in-charge regarding the capacity of the godown shall be final.
21. Cement register for the cement shall be maintained at site. The account of daily receipt and issue of cement shall be maintained in register in the proforma prescribed and signed daily by the contractor or his authorized agent.

### **6.7. STEEL**

- 6.7.1. The contractor shall procure steel/TMT reinforcement bars of grade Fe 500D conforming to relevant BIS codes from main producers (viz) SAIL, TISCO or RINL
- 6.7.2. The contractors shall have to obtain and furnish test certificate to the Engineer-in-charge in respect of all supplies of steel brought by him to the site of work.
- 6.7.3 Samples shall also be taken and got tested by the Engineer-in-charge as per the provisions in this regard in relevant BIS codes.
- 6.7.4 In case the test results indicate that the steel arranged by the contractor does not conform to BIS codes, the same shall stand rejected and shall be removed from the site of work by the contractor at his cost with in a week's time from written orders from the Engineer-in-charge to do so.
- 6.7.5 The Steel reinforcement shall be brought to the site in bulk supply of 10 tonnes or more as decided by the Engineer-in-charge
- 6.7.6. The steel reinforcement shall be stored by the contractor at site of work in such a way as to prevent distortion and corrosion and nothing extra shall be paid on this account. Bars of different size and length shall be stored separately to facilitate easy counting and shifting.
- 6.7.7. For checking nominal mass, tensile strength, bend test, rebend test. Etc specimen of sufficient length shall be cut from each size of the bar at random at frequency not less than specified below.

Size of Bar	For Consignment below 100 tonnes	For Consignment over 100 tonnes
Under 10 mm dia	One sample for each 25 tonnes or part there of	One sample for each 40 tonnes or part there of
10mm to 16 mm	One sample for each 35 tonnes	One sample for each 45

	or part there of	tonnes or part there of
Over 16 mm dia	One sample for each 45 tonnes or part there of	One sample for each 50 tonnes or part there of

6.7.8. The contractor shall supply free of charge the steel required for the testing. The cost of test shall be borne by the contractor / Institute in the manner indicated below

- i. By the contractor, if the results show that the steel does not conform to relevant BIS codes
- ii. By the Institute if the results, show that the steel conforms to relevant BIS codes.

6.7.9. The actual issue and consumption of steel on work shall be regulated and proper accounts maintained as provided in the contract. The theoretical consumption of steel shall be worked out as per procedure prescribed in the contract and shall be governed by conditions laid therein.

6.7.10. Steel brought to site and steel remaining unused shall not be removed from site without the written permission of the Engineer-in-charge.

6.7.11. The standard section weights referred to as standard tables of CPWD Specifications shall be considered for conversions of length of various sizes of MS bars and cold Twisted bars/high yield strength deformed bars/thermo-mechanically treated bars into weight are as under

Size (dia in mm)	Weight in kg/m
6	0.222
8	0.395
10	0.617
12	0.888
16	1.579
18	1.999
20	2.467
22	2.985
25	3.855
28	4.836
32	6.316
36	7.994
40	9.869
45	12.490
50	15.424

6.7.12. For steel, measurement will be regulated on sectional weight basis, weight being calculated with help of above tables. The weight shall also be taken as per actual basis. If actual weight is found lower than the standard weight but within tolerance limits as per relevant IS codes, nothing extra shall be paid for over weight of steel section than given in the table.

6.7.13. The mild steel to be used shall conform to IS 432 - Cold twisted bars/High yield strength deformed bars and thermo-mechanically treated bars shall conform to IS 1786.

- 6.7.14. The contractor shall submit challan / bill / gate pass /cash memo in support of material purchased from manufactures/their authorized dealers/authorized producer.
- 6.7.15. Over the theoretical quantity of materials so computed, a variation shall be allowed as specified in schedule F.
- 6.7.16. If the quantities of materials actually used are less than the theoretical Quantities including authorized variations, the cost at market rates plus 10% including cartage to the site of such quantities of materials as determined by Engineer-in-charge, which shall be final and binding, shall be recovered from the contractor without prejudice to department rights/remedies available under the contractor, for action against substandard work.

## **7. STATUTORY REQUIREMENTS / APPROVAL FROM STATUTORY AUTHORITIES**

Work for electrical installation shall be carried out in accordance with this specification and complying with the relevant statutory requirements and national standards. It shall be the responsibility of the contractor to obtain approvals of competent Central or State Government authorities and satisfy them regarding the compliance with relevant regulations for this scope of work.

The work should be carried out only under the supervision of licensed supervisors. The licenses possessed by the Contractor's supervisor shall be made available to the Client for scrutiny before commencement.

Test certificate for installation shall be prepared in the form required by the Electrical Inspectorate Govt. of Tamilnadu and Tamilnadu Electricity Board. Any rework on account of remarks by Electrical Inspector shall have to be carried out by the Electrical contractor at no extra cost.

## Forms

### **8.1 Guarantee bond**

Form of performance security (guarantee) Bank guarantee bond

In consideration of the Indian Institute of Technology Madras (hereinafter called "The Institute") Having offered to accept the terms and conditions of the proposed agreement between .....and.....(hereinafter called "the said contractor (s))for the work..... (hereinafter called "the said agreement") having agreed to production of a irrevocable bank Guarantee for Rs.....(Rupees.....only) as security / guarantee from the contractor (s) for compliance of his obligations in accordance with the terms and condition in the said agreement.

- 1) We.....(hereinafter referred to as "the Bank") hereby (Indicate the name of the Bank) Undertake to pay to the Institute an amount not exceeding Rs.....(Rupees.....only) on demand by the Institute.
  
- 2) We.....do hereby undertake to pay the amounts due and payable under this Guarantee without any demure, merely on a demand from the Institute stating that the amount claimed is required to that recoveries due or likely to be due from the contractor (s). Any such demand on the Bank shall be conclusive as regard the amount due and payable by the bank under this Guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs.....(Rupees.....only)
  
- 3) We, the said bank further undertake to pay to IITM any money so demanded notwithstanding any dispute or disputes raised by the contractor (s) in any suit or proceeding pending before any court or Tribunal relating thereto, our liability under this present guarantee being absolute and unequivocal.  
The payment so made by us under this bond shall be a valid discharge of our liability payment therein under and the contractor (s) shall have no claim against us for making such payment.
  
- 4) We.....further agree that the guarantee herein (indicate the name of the bank) Contained shall remain in full force and effect during the period that would be taken for the said performance of the said agreement and that it shall continue to be enforceable till all the dues of the Institute under or by virtue of the said agreement have been fully paid and claims satisfied or discharged or till Engineer-in-charge on behalf of the Institute certifies that the terms and conditions of the said agreement have been fully and properly carried out by the said contractor (s) and accordingly discharges this guarantee.

5) We.....further agree with the Institute that (Indicate the name of the Bank) the Institute shall have the fullest liberty without our consent without effecting in any manner our obligations hereunder to vary any of the terms and conditions of the said agreement or to extend time of performance by the said contractor (s) from time to time or to postpone for any time or from time to time any of the powers exercisable by the Institute against the said contractor (s) and to forbear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation or extension being granted to the said contractor (s) or for any forbearance, act of omission on the part of the Institute on any indulgence by the Institute to the said contractor (s) or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.

6) This guarantee will not be discharged due to the change in the constitution of the bank or the contractor (s).

7) We.....lastly undertake not to revoke this (Indicate the name of the Bank) Guarantee except with the previous consent of the Institute in writing.

8) This guarantee shall be valid up to.....unless extended on demand by Institute. Notwithstanding anything mentioned above, our liabilities under this guarantee is restricted to Rs ..... (Rupees .....) and unless a claim of writing is lodged with us within six month of the date of expiry or extended date of expiry of this guarantee all our liabilities under this guarantee shall stand discharge.

Dated the.....day of.....for.....(Indicate the name of the Bank)

## 8.2. Form of guarantee bond for EMD

In consideration of the Indian Institute of Technology Madras (hereinafter called "The Institute") Having offered to accept the terms and conditions of the proposed tender for the \_\_\_\_\_ work \_\_\_\_\_ of \_\_\_\_\_ having agreed to production of an irrevocable bank Guarantee for Rs.....(Rupees.....only) as security from the contractor (s) for compliance of his obligations in accordance with the terms and condition in the tender.

- 1) We..... (hereinafter referred to as "the Bank") hereby (Indicate the name of the Bank ) Undertake to pay to the Institute an amount not exceeding Rs.....(Rupees.....only) on demand by the Institute.
- 2) We.....do hereby undertake to pay the amounts due and payable under this Guarantee without any demure, merely on a demand from the Institute stating that the amount claimed is required to that recoveries due or likely to be due from the contractor (s). Any such demand on the Bank shall be conclusive as regard the amount due and payable by the bank under this Guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs.....  
(Rupees.....only)
- 3) We, the said bank further undertake to pay to IITM any money so demanded notwithstanding any dispute or disputes raised by the contractor (s) in any suit or proceeding pending before any court or Tribunal relating thereto, our liability under this present guarantee being absolute and unequivocal. The payment so made by us under this bond shall be a valid discharge of our liability payment therein under and the contractor (s) shall have no claim against us for making such payment.
- 4) We.....further agree that the guarantee herein (indicate the name of the bank) Contained shall remain in full force during the **SIX months period**.
- 5) We.....further agree with the Institute that (Indicate the name of the Bank) the Institute shall have the fullest liberty without our consent without effecting in any manner our obligations hereunder to vary any of the terms and conditions of the said agreement or to extend time of performance by the said contractor (s) from time to time or to postpone for any time or from time to time any of the powers exercisable by the Institute against the said contractor (s) and to forbear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of

any such variation or extension being granted to the said contractor (s) or for any forbearance, act of omission on the part of the Institute on any indulgence by the Institute to the said contractor (s) or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.

- 6) This guarantee will not be discharged due to the change in the constitution of the bank or the contractor (s).
- 7) We.....lastly undertake not to revoke this (Indicate the name of the Bank) Guarantee except with the previous consent of the Institute in writing.
- 8) This guarantee shall be valid up to **SIX months** unless extended on demand by Institute. Notwithstanding anything mentioned above, our liabilities under this guarantee is restricted to Rs..... (Rupees ..... ) and unless a claim of writing is lodged with us within six month of the date of expiry or extended date of expiry of this guarantee all our liabilities under this guarantee shall stand discharge.

Dated the.....day of.....for.....(Indicate the name of the Bank)

### **8.3 GUARANTEE TO BE EXECUTED BY TENDERERS FOR REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF WATER PROOFING WORKS**

The Agreement made this..... day of ..... Two thousand and .....between ..... Son of ..... hereinafter called the guarantor of the one part and the Indian Institute of Technology (hereinafter called Institute) of the other part dated .....and made between the GUARANTOR OF THE ONE part and the Institute of the other part, whereby the contractor, inter alia, undertook to render the buildings and structures in the said contract recited completely water and leak-proof.

AND WHEREAS GUARANTOR agreed to give a guarantee to effect that the said structures will remain water and leak-proof for ten years from the date of giving of water proofing treatment.

NOW THE GUARANTOR hereby guarantees that water proofing treatment given by him will render the structures completely leak-proof and the minimum life of such water proofing treatment shall be ten years to be reckoned from the date after the maintenance period prescribed in the contract.

Provided that the guarantor will not be responsible for leakage caused by earthquake or structural defects or misuse of roof or alteration and for such purpose:

- (a) Misuse of roof shall mean any operation which will damage proofing treatment, like chopping of firewood and things of the same nature which might cause damaged to the roof.
- (b) Alteration shall mean construction of an additional storey or a part of the roof or construction adjoining to existing roof where by water proofing treatment is removed in parts.
- (c) The decision of the Engineer-in-charge with regard to cause of leakage shall be final.

During this period of guarantee the guarantor shall make good all defects and in case of any defect being found, render the building waterproof at his cost to the satisfaction of the Engineer-in-charge and shall commence the work for such rectification with in 7 days from the date of issue of the notice by the Engineer-in-charge calling upon him to rectify the defects failing which the work shall be got done by the Institute by some other contractor at the GUARANTOR'S cost and risk, and the decision of Engineer-in-charge as to the cost, payable by the guarantor shall be final and binding.



That if the guarantor fails to execute the water proofing or commits breach there under then the guarantor will indemnify the Institute against all loss, damage, cost, expense or otherwise which may be incurred by it by reason of any default on the part the GUARANTOR in formance and observance of this supplementary agreement. As to the amount of loss and or charge and / or cost incurred by the Institute the decision of the Engineer-in-charge will be final and binding on the parties.

IN WITNESS WHEREOF those present have been executed by the .....and by.....and for and on behalf of the Indian Institute of Technology Madras on the day, month and year first above written.

SIGNED SEALED and delivered by OBLIGOR in the presence of-

- 1.
- 2.

SIGNED For and on behalf of the Indian Institute of Technology Madras by.....in the presence of-

- 1.
- 2.

**8.4 GUARANTEE BOND FOR ANTITERMITE TREATMENT WORKS - - NOT  
APPLICABLE TO THIS TENDER**

GURANTEE TO BE EXECUTED BY TENDERERS FOR REMOVAL OF DEFECTS AFTER  
COMPLETION IN RESPECT OF ANTITERMITE TREATMENT WORKS.

(On stamp paper of specified value)

THIS AGREEMENT is made on.....day of ..... between Indian Institute of Technology Madras representing through Director hereinafter called the employer (which expression shall, wherever the context so demands or requires, includes their successor in office and assigns) of the one part, and M/s..... herein after called the contractor (which expression shall, wherever the context so demands or requires, includes his/her successor and assigns) of the other part.

WHEREAS this agreement is supplementary to the Contract Agreement (hereinafter called "the contractor") no.....dated..... made between the Employer on the one part and the contractor of the other part, whereby the contractor, inter-alia, undertook to render the building and structure in the said contract rendered completely water and leak proof.

AND WHEREAS THE contractor agreed to give a guarantee to the effect that the said structure will remain without any termite for 10 years.

NOW THE contractor hereby guarantee that termite proof treatment given by him will render the structure completely termite proof and the minimum life of such termite proofing treatment shall be ten years to be reckoned from the date after the maintenance period prescribed in the contract is over.

The decision of the Employer with regard to cause of termite attack shall be final.

During this period of guarantee the guarantor shall make good all defects and in case of any defect being found, render the building termite proof to the satisfaction of the Engineer-in-charge at his cost and shall commence the work for such rectification with in 7 days from the date of issue of the notice by the Engineer-in-charge calling upon him to rectify the defects failing which the work shall be got done by the Institute by some other contractor at the GUARANTOR'S cost and risk, and the decision of Engineer-in-charge as to the cost, payable by the guarantor shall be final and binding.

That if the guarantor fails to execute the termite proofing or commits breach there under then the guarantor will indemnify the Institute and his successors against all loss, damage, cost,

expense or otherwise which may be incurred by him by reason of any default on the part the GUARANTOR in formance and observance of this supplementary agreement. As to the amount of loss and or charge and / or cost incurred by the Institute the decision of the Engineer-in-charge will be final and binding on the parties.

IN WITNESS WHEREOF those present have been executed by the .....and by.....and for and on behalf of the Indian Institute of Technology Madras on the day, month and year first above written.

SIGNED SEALED and delivered by OBLIGOR in the presence of-

- 1.
- 2.

SIGNED For and on behalf of the Indian Institute of Technology Madras by.....in the presence of-

- 1.
- 2.

## **8. Special conditions**

### **9.1. Protection of Environment**

1. The debris / construction waste and other waste generated from the work spot should not be thrown inside the campus. All waste material should be taken out of the campus or should be dumped at a place earmarked by the Engineer in charge. All construction material should be stored only at places earmarked by the engineer in charge.
2. Material like cement, aggregate, steel etc should not be stored in buildings that are in use. If any material stored in unauthorized location the same shall got removed at the cost of contractor and necessary rent shall be levied for the area used for storage.
3. For Intercarting of various materials use of animal drawn vehicles are strictly prohibited.
4. Preparation of concrete, mortars in the roads, pavements, bare floors under the building is strictly prohibited.
5. While transporting the materials along the road, spillage of material should be avoided. If any spillage occurs, the same should be got cleaned immediately.
6. No vegetation inside the campus should be damaged.
7. Smoking is strictly prohibited at workplace.

## 10.0 Safety at the Site

1. The contractor must appoint a qualified person (full time) for taking care of implementation of Safety systems
2. The Contractor shall submit the **Project Safety Plan** stating the methodology of implementation of systems to ensure the safe and environment friendly work place. The Safety Plan must include the following.
  - a. Organization Chart
  - b. Reporting relationship of the safety enforcement personal in a flow chart
  - c. Safety Committee Structure – Chairman, secretary and committee members

### 10.1 Roles & Responsibilities of the Safety committee

Enforcement of

1. applicable Statutory requirements, standards and codes related to safety and its adherence,
2. General safety rules and regulations concerning use of personal protective equipment and safety devices relevant to site activities, Awareness and Training Programs, Motivational schemes, programs for safe Access, Egress and workstation safety
3. Safe use of construction power supply and upkeep / maintenance of installations
4. Work permit systems
5. Use, maintenance and inspection of Plant & machinery
6. Scaffold & formwork norms
7. Use, maintenance and inspection of Lifting Tools
8. Fire Protection and prevention
9. Emergency preparedness

10.2 Status of Safety implementation at site will be discussed in the Weekly Review meeting. Contractor must submit the safety statistics every month in the enclosed format.

Merit Certificate will be issued for the achievement of safety mile stones like 0.5 million safe man hours, one million safe man hours, 1.5 million safe man hours and so on.

10.3 The General Guidelines governing the safety implementation shall include the following Rules., while preparing the safety plan.

1. All the workmen shall undergo Safety Induction, screening before engaging them on the job. Physical fitness of the person to certain critical jobs like working at height or other dangerous locations to be ensured before engaging the person on work.
2. Sub-contractors shall ensure adequate supervision at workplace. They shall ensure that all persons working under them shall not create any hazard to self or to co-workers.
3. Nobody is allowed to work without wearing safety helmet. Chinstrap of safety helmet shall be always on. Drivers, helpers and operators are no exception.
4. All labour should be dressed properly attending to work wearing dhotis, lungies should be avoided to the extend possible.
5. The workmen shall wear suitable protection devices like mask, gloves, shoes etc,
6. No one is allowed to work at or more than three meters height without wearing safety belt and anchoring the lanyard of safety belt to firm support preferably at shoulder level.
7. No one is allowed to enter into workplace and work at site without adequate foot protection.
8. Usage of eye protection equipment shall be ensured when workmen are engaged for grinding, chipping, welding and gas-cutting. For other jobs as and when site safety co-coordinator insists eye protection has to be provided.
9. All PPE like Safety shoes, Safety helmet, Safety belt, Safety goggles etc. shall be arranged before starting the job.

10. All excavated pits shall be barricaded & barricading to be maintained till the backfilling is done. Safe approach to be ensured into every excavation.
11. Adequate illumination at workplace shall be ensured before starting the job at night.
12. All the dangerous moving parts of the portable / fixed machinery being used shall be adequately guarded. Ladders being used at site shall be adequately secured at bottom and top. Ladders shall not be used as work platforms.
13. Erection zone and dismantling zone shall be barricaded and nobody will be allowed to stand under suspended loads.
14. Contractors should spray water using Water browser periodically in the site to reduce the dust rising due to wind.
15. Horseplay is completely prohibited at workplace. Running at the site is completely prohibited, except in the case of emergency.
16. Material shall not be thrown from the height. If required, the area shall be barricaded and one person shall be posted outside the barricading for preventing the tre-passers from entering the area.
17. Other than electricians with red helmet no one is allowed to carry out electrical connections, repairs on electrical equipment or other jobs related thereto.
18. All electrical connections shall be made using 3 or 4 core cables, having a earth wire.
19. Proper Earthing pits at site to be constructed. And the sensitivity must be maintained less than 1 ohm
20. Main panel boards should have MCB's and RCCB / ELCB's ( 30 mA sensitivity).
21. Inserting of bare wires for tapping the power from electrical sockets is completely prohibited.

22. All major, minor accidents and near misses to be recorded and reported to the IITM and the management must take necessary steps to avoid the recurrence.
23. Scaffoldings used should be of proper construction. No Casuarina pole / bamboo scaffolding is permitted. It should be inspected by competent person(s) before use
24. All tools and tackles shall be inspected before use. Defects to be rectified immediately. No lifting tackle to be used unless it is certified by the competent authority.
25. All tools and tackles shall be tested and have a Identification no., SWL and date of next test marked on them.
26. A tools and tackles inspection register must be maintained and updated regularly.
27. Good housekeeping to be maintained. Passages shall not be blocked with materials. Materials like bricks shall not be stacked to the dangerous height at workplace.
28. Must have a reverse horn on all the Earth moving vehicles and Equipments used at site.
29. Debris, scrap and other materials to be cleared from time to time from the workplace and at the time of closing of work everyday.
30. Adequate fire fighting equipment shall be made available at workplace and persons are to be trained in fire fighting techniques with the co-ordination of site safety co-ordinator.
31. All the unsafe conditions, unsafe acts identified by contractors, reported by site supervisors and / or safety personnel to be corrected on priority basis.
32. No children shall be allowed to enter the workplace.
33. Other than the Driver / operator, no one shall travel in a tractor / tough rider etc.



34. All the lifting tools and tackles shall be stored properly when not in use.
  35. Clamps shall be used on Return cables to ensure proper earthing for welding works.
  36. Return cables shall be used for earthing.
  37. All the pressure gauges used in gas cutting apparatus shall be in good working condition.
  38. Proper eye washing facilities shall be made in areas where chemicals are handled.
  39. Connectors and hose clamps are used for making welding hose connections.
  40. Proper warning boards and caution notices to be displayed at required areas inside the site.
  41. All cranes must have a trained signal man for signaling.
  42. All underground cables for supplying construction power shall be routed using conduit pipes.
  43. Spill trays shall be used to contain the oil spills while transferring / storing them.
  44. Tapping of power by cutting electric cables in between must be avoided. Proper junction boxes must be used.
- 10.4 Any violation of above will attract levy of penalty by the engineer in charge on the contractor.

## **11. INSURANCE**

### **1. Insurance of Works**

The Contractor shall effect Contractor's all risk insurance policy (CAR policy) in the joint names of the Employer and the Contractor, the name of the former being placed first in the policy, covering the following:

(a) The Works at the contract price together with the materials for incorporation in the works at their replacement value.

(b) All plants and equipment and other things brought to the site by the Contractor at their replacement value.

The insurance shall be against all losses or damages from whatever causes, other than excepted risks, as defined in Clause 2 of Conditions of Contract, for which the Contractor is responsible under the Contract. The insurance cover shall be for the period of contract and also for the period of maintenance, for loss or damage arising from a cause prior to commencement of the period of maintenance, and for any loss or damage, occasioned by the Contractor in the course of any operations carried out for the purpose complying with his course of any operations carried out for the purpose of complying with his obligations during maintenance period under Clause 17 of Clauses of Contract. Such insurance shall be effected with an insurer and with terms approved by the Employer. The Contractor shall, whenever required, produce the policy or policies and the receipts for payment of the current premiums.

### **2. Third Party Insurance**

Before commencing the execution of the Works, the contractor shall insure against the liability for any material or physical damage, loss or injury which may occur to any property or life including that of the Employer or to any person, including any employee of the Employer, by or arising out of the execution of the works or in the carrying out of the Contract. The sum insured will be for Rs.5 lakhs. Such insurance shall be effected with an insurer and in terms approved by the Employer. The Contractor shall, whenever required, produce before the Engineer-in-charge the policy or policies of insurance and the receipts of payment of the current premiums.

### **3. Workmen's Insurance**

The Employer's shall not be liable for any payment in respect of any damages or compensation payable according to law in respect or in consequence of any accident or injury or loss of life to any workman or other person in the employment of the Contractor or any sub-contractor, except an accident or injury resulting from any act or default of the Employer, his agents or servants. The Contractor shall insure against such liability with an insurer approved

by the Employer for sum of the established norms during the entire period till completion of Period of Maintenance.

#### **4. Recovery from the Contractor**

Without prejudice for the other rights of the Employer against the Contractor in respect of default, the Employer shall be entitled to deduct from any sums payable to the Contractor the amount of any damages, compensation costs, charges and other expenses paid by the Employer and which are payable by the Contractor under this clause.

#### **5. Extension of time**

The Contractor, in case of rebuilding or reinstatement, shall be entitled to such extension of time for completion as the Engineer-in-charge may deem fit, but shall, however not be entitled to reimbursement by the Employer of any shortfall or deficiency in the amount finally paid by the insurer in settlement of any claim arising as set out herein.

#### **6. Insurance by Sub-Contractors**

Without prejudice to his liability under this clause the Contractor shall also cause all Sub-Contractors to effect, for their respective portions of the works, similar policies of insurance in accordance with the provisions of this clause and shall produce or cause to produce to the Employer such policies. The Contractor shall not permit a Sub-Contractor to commence work at the site unless the said insurance policies are submitted. In the event of failure of the Sub-Contractor to take out such a policy of insurance before commencing the works at the site, the Contractor shall be responsible for any claim or damage attributable to the said Sub-Contractor.

#### **7. Period of Policies**

All the insurance covers mentioned above shall be kept alive during the complete period of the contract. If the Contractor shall fail to effect and keep in force the insurance referred to above, or any other insurance which he may be required to effect under the terms of the Contract, then and in any such case the Employer on advice of the Engineer-in-Charge may effect and keep in force any such insurance and pay such premium or premiums as may be necessary for that purpose and from time to time deduct the amount so paid by the Employer as aforesaid from any moneys due or which may become due to the Contractor, or recover the same as debt due from the Contractor.

## **8. Damage to Persons and Property – Employer to be Indemnified**

The Contractor shall indemnify the Employer against all losses and claims in respect of injuries or damages to any person or material or physical damage to any property whatsoever which may arise out of or in consequence of the execution and maintenance of the works and against all claims, proceedings, damages, costs, charges and expenses whatsoever in respect of or in relation thereto, except any compensation or damages for or with respect to:

- (a) The permanent use or occupation of land by the works or any part thereof.
- (b) The right of the Employer to execute the works or any part thereof on, over, under, in  
or through any land.
- (c) Injuries or damage to persons or property resulting from any act or neglect of the Employer, his agents, servants or other contractors, not being employed by the Contractor or for or in respect of any claims, proceedings, damages, costs, charges and expenses in respect thereof or in relation thereto or where the injury or damage was contributed to by the contractor, his servants or agents, such part of the compensations as may be just and equitable having regard to the extent of the responsibility of the Employer, his servant or agent or other Contractors, for the damage or injury.

Signature of Contractor

EXECUTIVE ENGINEER

## 12. Progress Reports

The contractor shall submit monthly progress report of the work in a computerized form. The progress report shall contain the following.

1. Construction schedule of the various components of the work through bar chart for the next 3 quarters, showing the milestones, targeted tasks and up to date progress.
2. Progress chart of the various components of the work that are planned and achieved for the month as well as cumulative up to the month with reasons for deviations, if any, in a tabular 12.format.
3. Plant and machinery statement, indicating those deployed in the work, and their working status.
4. Man power statement, indicating the labour and staff employed in the work and the details of work carried out.
5. Financial statement, indicating the broad details of all the running account payments received up to date, such as gross value of work done. Advances taken, recoveries effected, amounts withheld, net payments, details of payments received, etc.
6. A statement showing the extra and substituted items submitted by the contractor and the payments received against them, items pending for sanctions / decisions by the Institute , broad details of the bank guarantees, indicating their validity period, board details of the insurance policies taken by the contractor, if any, advances received and adjusted from the department etc.
7. Progress photographs in colour of the various items / components of the work done up to date to indicate visually the actual progress of the work.
8. Quality assurance and quality control tts conducted during the month with results thereof.
9. Safety report.
10. Other details asked for by the engineer-in-charge.

### Proforma for Reports

#### Physical Progress

Name of Item	Quantity as per Agreement	Quantity executed during the month	Total up to date quantity executed	Anticipated balance quantity
--------------	---------------------------	------------------------------------	------------------------------------	------------------------------

Financial Progress

Amount of work done during the month	Total amount of work done up to date	Anticipated amount of balance work
--------------------------------------	--------------------------------------	------------------------------------

**TOTAL MANHOURS WORKED DURING THE MONTH**

S · N	Description	Num ber	Man- hours worked	OT Performed	Total
1	Company Staff				
2	Subcontractor's Workmen (including security personnel)				
	GRAND TOTAL OF MANHOURS WORKED DURING THE MONTH				

Total Man-hours worked since inception :  
 Safe man hours from last reported :  
 Lost time due to injury :

### Details of Reportable Lost Time Injury

S N	Name of Injured	Date of Acci dent	Res um ed duty on	Man days lost			Claim Status
				Up to last month (1)	This mont h (2)	Total (1+2)	

Man days Lost during the month (Cumulative  
of 2)

Number of Dangerous Occurrences : \_\_\_\_\_

No of Near Miss Cases : \_\_\_\_\_

Routed through

Site In charge

Site Safety Co-ordinator /Time

Keeper

Signature: \_\_\_\_\_

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

Date: \_\_\_\_\_

The contractor has to submit the progress report to the Engineer-in-Charge in triplicate by 10<sup>th</sup> day of every month as per the above proforma along with photographs of the work done during that month. The contractor shall be charged @ Rs.5000 (Rupees five thousand only) in the event of non-receipt of monthly progress report on due date (i.e. on 10<sup>th</sup> of every month) in the manner prescribed above. In case 10<sup>th</sup> day happens to be a closed holiday then the progress report will be submitted on the next working day.

A videography of the work should be undertaken at various stages of construction right from the day of start of work to date of completion / occupation covering all major events inspections etc. The videography shall be reviewed time to time by the Engineer in charge.

## 13.0 CPWD - FORM - 8

### CLAUSES OF CONTRACT

#### CLAUSE 1

- i. The contractor shall submit an irrevocable performance guarantee of 5 % (Five percent) of the tendered amount in addition to other deposits mentioned elsewhere in the contract for his proper performance of the contract agreement, (not withstanding and / or without prejudice to any other provisions in the contract) within the period specified in schedule 'F' from the date of issue of letter of acceptance. This period can be further extended by the Engineer-in-charge upto a maximum as specified in schedule 'F' on written request of contractor stating the reason for delays in procuring the performance guarantee, to the satisfaction of the Engineer-in-charge. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs.10,000/-) or Banker's Cheque of any scheduled bank / Demand Draft of any scheduled Bank
- ii. The performance guarantee shall be initially valid upto the stipulated date of completion plus 60 days beyond that. In case the time for completion of work gets enlarged, the contractor shall get the validity of performance guarantee extended to cover such enlarged time for completion of work. After recording of the completion certificate for the work by the competent authority, the performance guarantee shall be returned to the contractor, without any interest.
- iii. The Engineer-in-charge shall not make a claim under the performance guarantee except for amounts to which the Institute is entitled under the contract (not withstanding and / or without prejudice to any other provisions in the contract agreement). In the event of:
  - (a) Failure by the contractor to extend the validity of the Performance guarantee as described herein above, in which event the Engineer-in-charge may claim the full amount of the performance guarantee.
  - (b) Failure by the contractor to pay the Institute any amount due, either as agreed by the Contractor or determined under any of the clauses / conditions of the agreement, within 30 days of the service of the notice to this effect by Engineer-in-charge.
- iv. In the event of contract being determined or rescinded under provision of any of the Clause / Condition of the agreement, the performance guarantee shall stand forfeited in full and shall be absolutely at the disposal of the Institute.



## **CLAUSE 1 A**

The person/persons whose tender(s) may be accepted (herein after called the contractor) shall permit Institute at the time of making any payment to him for work done under the contract to deduct a sum at the rate of 5 % of the gross amount of each running bill till the sum along with the sum already deposited as earnest money, will amount to security deposit of 5 % of the tendered value of the work. Such deductions will be made and held by Institute by way of Security Deposit unless he/ they has / have deposited the amount of Security at the rate mentioned above in cash.

All compensations or the other sums of money payable by the contractor under the terms of this contract may be deducted from or from any sums which may be due to or may become due to the contractor by the Institute on any account whatsoever and in the event of his Security Deposit being reduced by reason of any such deductions.

The contractor shall within 10 days make good in cash any sum or sums which may have been deducted from his security deposit or any part thereof. The security deposit shall be collected from the running bill of the contractor at the rates mentioned above and the earnest money deposited at the time of tenders will be treated as a part of security deposit.

The Security deposit as deducted above can be released against bank guarantee issued by a scheduled bank, on its accumulations to a minimum of Rs 5 Lakhs subject to the condition that amount of such bank guarantee, except last one shall not be less than Rs 5 Lakhs.

## **CLAUSE 2**

If the contractor fails to maintain the required progress in terms of clause 5 or fails to complete the work and clear the site on or before the contract or extended date of completion, he shall, without prejudice to any other right or remedy available under the law to the Institute on account of such breach, pay as agreed compensation the amount calculated at the rates stipulated below by the authority specified in schedule 'F' (whose decision in writing shall be final and binding) may decided on the amount of tendered value of the work for every completed day / month (as applicable) that the progress remains below the specified in clause 5 or that the work remains incomplete.

This will also apply to items or group of items for which a separate period of completions has been specified.

i. Compensation for delay of work : @ 1.5 % per month of delay to be computed on per day basis

Provided always that the total amount of compensation for delay to be paid under this condition shall not exceed 10 % of the tendered value of work or of the tendered value of the item or group of items of work for which a separate period of completion is originally given.

The amount of compensation may be adjusted or set-off against any sum payable to the Contractor under this or any other contract with the Institute. In case, the contractor does not achieve a particular milestones mentioned in schedule 'F', or the re-scheduled milestone(s) in terms of clause 5.4, the amount shown against that milestone shall be withheld, to be adjusted against the compensation levied at the final grant of Extension of Time. With-holding of this amount on failure to achieve a milestone, shall be automatic without any notice to the contractor. However, if the contractor catches up with the progress of work on the subsequent milestone(s), the withheld amount shall be released. In case the contractor fails to make up for the delay in subsequent milestones, amount mentioned against each milestone missed subsequently also shall be withheld. However, no interest, whatsoever, shall be payable on such withheld amount.

## **CLAUSE 2A**

In case, the contractor completes the work ahead of scheduled completion time, a bonus @ 1 % (one percent) of the tendered value per month, computed on per day basis shall be payable to the contractor, subject to a maximum limit of 5 % (five percent) of the tendered value. The amount of bonus, if payable, shall be paid along with final bill after completion of work. Provided always that provision of the clause 2 A shall be applicable only when so provided in schedule 'F'.

## **CLAUSE 3**

Subject to other provisions contained in this clause, the Engineer-in-charge may, without prejudice to his any other rights remedy against the contractor in respect of any delay, inferior workmanship, any claims for damages and / or any other provisions of contract or otherwise, and whether the date of completion has or has not elapsed, by notice in writing absolutely determine to contract in any of the following cases:

If the contractor having been given by the Engineer-in-charge a notice in writing to rectify, reconstruct or replace any defective work or that work is being performed in an

inefficient or otherwise improper or in a workman like manner shall omit to comply with the requirement of such notice for a period of 7 days thereafter.

If the contractor has, without reasonable cause, suspended the progress of the work or has failed to proceed with the work with due diligence so that in the opinion of the Engineer-in-charge (which shall be final and binding) he will be unable to secure completion of the work by the date for completion and continues to do so after a notice in writing of seven days from the Engineer-in-charge.

If the contractor fails to complete the work within the stipulated date or items of work with individual date of completion, if any stipulated, on or before such date(s) of completions and does not complete them within the period specified in a notice given in writing in that behalf by the Engineer-in-charge.

If the contractor persistently neglects to carry out his obligations under the contract and / or commits default complying with any of the terms and conditions of the contract and does not remedy it or takes effective steps to remedy it within 7 days after a notice in writing is given to him in that behalf by the Engineer-in-charge.

If the contractor shall offer to give or agree to give to any person in Government service or to any other person on his behalf any gift or consideration of any kind as an inducement or reward for doing or for bearing to do or for having done or forborne to do any act in relation to the obtaining or execution of this or any other contract for Government.

If the contractor shall enter into a contract with the Institute in connection with which commission has been paid or agreed to be paid by him or to his knowledge, unless the particulars of any such commission and the terms of payment thereof have been previously disclosed in writing to the Engineer – in – Charge.

If the contractor shall obtain a contract with the Institute as a result of wrong tendering or other non-bonafide methods or competitive tendering.

If the contractor being an individual or if a firm any partner thereof shall at any time be adjudged insolvent or have a receiving order or order for administration of his estate made against him or shall take any proceedings for liquidation or composition (other than a voluntary liquidation for the purpose of amalgamation or reconstruction) under any insolvency Act of the time being in force or make any conveyance or assignment of his effects or composition or arrangement for the benefit of his creditor or purport so to do, or if any application be made under insolvency act for the time being in force for the sequestration of his estate or if a trust deed be executed by him for benefit of his creditors.

If the contractor being a company shall pass a resolution or the court shall make an order that the company shall be wound up or if a receiver or a manager on behalf of a creditor shall be appointed or if the circumstances shall arise which entitle the court or the creditor to appoint a receiver or a manager or which entitle the court to make a winding up order.

If the contractor shall suffer an execution being levied on his good and allow it to be continued for a period of 21 days.

If the contractor assigns transfers, sublets (engagement of labour on piece – work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer, sublet or otherwise parts with the entire works or any portion thereof with out the prior written approval of the Engineer – in – charge.

When the contractor has made himself liable for action under any of the cases aforesaid, the Engineer-in-charge on behalf of the Institute shall have powers.

To determine the contract as aforesaid (of which termination notice in writing to the contractor under the hand of the Engineer-in-charge shall be conclusive evidence). Upon such determination, the Earnest Money Deposit, Security Deposit already recovered and performance guarantee under the contract shall be liable to be forfeited and shall be absolutely at the disposal of the Institute.

After giving notice to the contractor to measure up the work of the contractor and to take such whole, or the balance or part there of, as shall be un-executed out of his hands and to give it to another contractor to complete the work. The contractor, whose contract is determined or rescinded as above, shall not be allowed to participate in the tendering process for the balance work.

In the event of above courses being adopted by the Engineer-in-charge, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any material or entered into any engagements or made any advance on account or with a view to the execution of the work or the performance of the contract. And in case action is taken under any of the provision aforesaid, the contractor shall not be entitled to recover or be paid any sum for any work thereof actually performed under this contract unless and until the Engineer-in-charge has certified in writing the performance of such work and value payable in respect thereof and he shall only be entitled to be paid the value so certified.

### **CLAUSE 3 A**

In case, the work cannot be started due to reason not within the control of the contractor within 1/8<sup>th</sup> of the stipulated time for the completion of the work, either party may close the contract. In such an eventuality, the earnest money deposit and performance guarantee of the contractor shall be refunded, but no payment on account of interest, loss of profit or damages etc. shall be payable at all.

### **CLAUSE 4**

In any case in which any of the powers conferred upon Engineer-in-charge by clause 3 thereof, shall have become exercisable and the same are not exercised, the non exercise thereof shall not constitute a waiver of any of the conditions hereof and such powers shall notwithstanding be exercisable in the event of any future case of default by the contractor and the liability of the contractor for compensations shall remain unaffected. In the event of Engineer-in-charge putting in force all or any of the powers vested in him under the preceding clause he may, if he so desires after giving a notice in writing to the contractor, take possession of (or at the sole discretion of the Engineer-in-charge which shall be final and binding on the contractor) use as on hire, (the amount of the hire money being also in the final determination of the Engineer-in-charge) all or any tools, plants, materials and stores in or upon the works, or the site thereof belonging to the contractor, or procured by the contractor and intended to be used for the execution of the work / or any part thereof, paying or allowing for the same in account at the contract rates, or, in the case of this not being applicable, at current market rates to be certified by the Engineer-in-charge, whose certificate thereof shall be final, and binding on the contractor, clerk of the works, foreman or other authorized agent to remove such tools, plant, materials, or stores from the premises (within a time to be specified in such notice) in the event of the contractor failing to comply with any such requisition, the Engineer-in-charge may remove them at the contractor's expense or sell them by auction or private sale on account of the contractor on his risk in all respects and certificate of the Engineer-in-charge as to the expenses of any such removal and the amount of the proceeds and expenses of any such sale shall be final and conclusive against the contractor.

## **CLAUSE 5**

The time allowed for execution of the works as specified in schedule 'F' or the extended time in accordance with these conditions shall be the essence of the contract. The execution of the work shall commence from such time period as mentioned in schedule 'F' or from the date of handing over of the site whichever is later. If the contractor commits default in commencing the execution of the work as aforesaid, Institute shall without prejudice to any other right to remedy available in law, be at the liberty to forfeit the earnest money & performance guarantee absolutely.

5.1 As soon as possible after the contract is concluded the contractor shall submit a time and progress chart for each mile stone and get it approved by the Engineer-in-charge. The chart shall be prepared in direct relation to the time slated in the contract documents for completion of items of the works. It shall indicate the forecast of the dates of commencement and completion of various trades of sections of the work and

may be amended as necessary by agreement between the Engineer-in-charge and the contractor within the limitations of time imposed in the contract documents, and further to ensure good progress during the execution of the work, the contractor shall in all cases in which the time allowed for any work, exceeds one month (save for special jobs for which a separate programme has been agreed upon) complete the work as per mile stones given in Schedule 'F'.

5.2 If the work(s) be delayed by :

Force majeure, such as abnormally bad weather, flood, cyclone or any other act of God or serious loss or damage by fire, or civil commotion, local commotion of workmen, strike or lockout, affecting any of the trades employed on the work or any other cause which, in the absolute discretion of the Engineer in charge is beyond the Contractor's control then upon the happening of any such event causing delay, the contractor shall immediately give notice

thereof in writing to the Engineer-in-charge but shall nevertheless use constantly his best endeavors to prevent or make good the delay and shall do all that may be reasonably required to the satisfaction of the Engineer-in-charge to proceed with the works.

5.3 Request for rescheduling of milestones and extension of time, to be eligible for consideration, shall be made by the contractor in writing within fourteen days of the happening of the event causing delay on the prescribed form. The contractor may also, if practicable, indicate in such a request the period for which extension is desired.

5.4 If any such case the Engineer in Charge may give a fair and reasonable extension of time and reschedule the mile stone for completion of work. Such extension shall be communicated to the contractor by the Engineer-in-charge in writing, within 3 months of the date of receipt of such request. Non-application by the contractor for extension of time shall not be a bar for giving a fair and reasonable extension by the Engineer-in-charge and this shall be binding on the contractor.

**CLAUSE 6**

-Deleted –

**CLAUSE 6A**

Engineer – in – charge shall, except as otherwise provided ascertain and determine measurement for the value of work done in accordance with the contract.

All measurements of all items having financial value shall be entered by the contractor complied in the shape of the Computerized Measurement Book having pages of A-4 size as per the format of the Institute so that a complete record is obtained of all the items of work performed under the contract.

All such measurements and levels recorded by the contractor or his authorized representative from time to time, during the progress of the work, shall be got checked by the contractor from the Engineer - in - charge or his authorized representative as per interval or program fixed in consultation with the Engineer – in – Charge or his authorized representative. After the necessary corrections made by the Engineer – in – charge the measurement sheets shall be returned to the contractor for incorporating the corrections and for resubmission to the Engineer – in – charge for the dated signatures by the Engineer – in – charge and the contractor or their representatives in token of their acceptance.

Whenever bill is due for payment, the contractor would initially submit draft computerized measurement sheets and these measurements would be got checked / test checked from the Engineer – in – charge and / or his authorized representative . The contractor will thereafter incorporate such changes as may be done during these checks / test checks in his draft computerized measurements and submit to the Institute a computerized measurement book duly bound, and with its pages machine numbered and a soft copy of the same. The Engineer – in – Charge and / or his authorized representative would thereafter check this MB and record the necessary certificates for their checks / test checks.

The final, fair, computerized measurement book given by the contractor duly bound with its page machine numbered and soft copy of the same should be 100% correct, and no cutting or over writing in the measurements would thereafter be allowed. If at all any error is noticed, the contractor shall have to submit a fresh computerized MB with its pages duly machine numbered and bound, after getting the earlier MB cancelled by the Institute. There after the MB shall be taken in the Division Office records and allotted a number as per the Register of Computerized MBs . This should be done before the corresponding bill is submitted to the Engineering Unit for payment. The contractor shall submit two separate copies of such computerized MB's for the purpose of reference and record by the various officers of the Engineering Unit.

The contractor shall also submit to the Engineering Unit separately his computerized Abstract of cost and the bill based on these measurements, duly bound and its pages

machine numbered along with two spare copies of the 'bill'. Thereafter this bill will be processed by the Engineering Unit and allot a number as per computerized record in the same way as done for the measurement book meant for measurements.

The contractor shall, without extra charge, provide assistance with every appliance, labour and other things necessary for checking of measurements / levels by the Engineer – in – Charge or his representative.

Except where any general or detailed description of the work expressly shows to the contrary, measurements shall be taken in accordance with procedure set forth in the specifications notwithstanding any provision in the relevant standard methods of measurements or any general or local custom. In the case of items which are not covered by specifications, measurement shall be taken in accordance with the relevant standard method of measurement issued by Bureau of Indian Standards and if for any item no such standard is available then a mutually agreed method shall be followed.

The contractor shall give not less than 7 days notice to the Engineer-in-charge or his authorized representative in charge of the work before covering up or otherwise placing beyond the reach of checking and / or test checking the measurement of any work in order that the same may be checked and / or test checked and correct dimensions thereof be taken before the same is covered up or placed beyond the reach of checking measurement and / or test checking measurement and shall not cover up and place beyond reach of measurement of any work without consent in writing of the Engineer-in-charge or his authorized representative in-charge of the work who shall within the aforesaid period of 7 days inspect of the work, and if any work shall be covered up or placed beyond the reach of checking and / or test checking measurements without such notice having been given or the Engineer-in-charge's consent being obtained in writing the same shall be uncovered at the contractor expenses or in default thereof no payment or allowance shall be made for such work or the material with which the same was executed

Engineer – in - charge or his authorized representative in may cause either themselves or through another officer of the department to check the measurements recorded by the contactor and all provisions stipulated herein above shall be applicable to such checking of measurement or levels.

It is also a term of this contract that checking and / or test checking the measurements of any item of work in the measurement book and / or it payment in the interim, on account of final bill shall not be considered as conclusive evidence as to the sufficiency of any work or material to which it relates nor shall it relieve the contractor from liabilities from any over measurement or defects noticed till completion of the defects liability period



## **CLAUSE 7**

No payment shall be made for work, estimated to cost Rs.25 Lakhs/- or less till after the whole of the work shall have been completed and certificate of completion given. For works estimated to cost over Rs.25 Lakhs/- the interim of running account bill shall be submitted by the contractor for the work executed on the basis of such recorded measurements on the format of the Institute in triplicate on or before the date of every month fixed for the same by the Engineer-in-charge. The contractor shall not be entitled to be paid any such interim payment if the gross work done together with net payment / adjustment of advances for material collected, if any, since the last such payment is less than the amount specified in schedule 'F' in which case the interim bill shall be prepared on the appointed date of the month after the requisite progress is achieved. Engineer-in-charge shall arrange to have the bill verified by the taking or causing to be taken, where necessary, the requisite measurement of the work. In the event of the failure of the contractor to submit the bills Engineer-in-charge shall prepare or cause to be prepared such bills in which the events no claims whatsoever due to delays on payment including that of interest shall be payable to the contractor. Payment on account of amount admissible shall be made by the Engineer-in-charge certifying the sum to which the contractor is considered entitled by way of interim payment of such rates as decided by the Engineer-in-charge. The amount admissible shall be paid within 21 working days after day of presentation of the bill by the contractor to the Engineer-in-charge

All such interim payments shall be recorded as payment of advance against final payment only and shall not preclude the requirement of bad, unsound and imperfect or unskilled work to be rejected, removed, taken away and reconstructed or re-erected. Any certificate given by the Engineer-in-charge relating to the work done or materials delivered forming part of such payments, may be modified or corrected by any subsequent such certificate(s) or by the final certificate and shall not by itself be conclusive evidence that any work or materials to which it relates is / are in accordance with the contract and specifications. Any such interim payment, or any part thereof shall not be in any respect conclude, determine, or affect in any way powers of Engineer-in-charge under the contract or any of such payments be treated as final settlement and adjustments of accounts or in any way vary or affect the contract.

Pending consideration of extension of date of completion, interim payments shall continue to be made as herein provided without prejudice to the right of the Institute to take action under the terms of this contract for delay in completion of the work, if the extension of date of completion is not granted by the competent authority.

The Engineer-in-charge in his sole discretion on the basis of a certificate from his Site Engineer to the effect that work has been completed up to the level in question make interim advance payments without detailed measurement for work done (other than foundation, item, to be covered under finishing items) upto lintel level (including sunshade etc) and slab level for each floor working out at 75 % of the assessed value. The advance payment so allowed shall be adjusted in the subsequent interim bill by taking detailed measurement thereof.

## **CLAUSE 8**

Within 10 days of the completion of the work the contractor shall give notice of such completion to the Engineer-in-charge and within 30 days of the receipt of such notice the Engineer-in-charge shall inspect the work and if there is no defect in the work shall furnish the contractor a final certificate of completion, otherwise a provisional certificate of physical completion indicating defects (a) to be rectified by the Contractor and / or (b) for which payment will be made at reduced rates, shall be issued. But no final certificate of the completion shall be issued, nor shall the work be considered to be completed until the contractor shall have removed from the permission on which the work shall be executed all scaffolding, surplus materials, rubbish, all huts and sanitary arrangements required his / their work people on the site in connection with the execution of the works as shall have been erected or constructed by the contractor(s) and clean of the dirt from all wood work, doors, windows, walls, floor, other part of the buildings, in, upon, or above which the work is to be executed or which he may have had positions for the purpose of the execution thereof, and not until the work shall have been measured by the Engineer-in-charge. If the contractor shall fail to comply with the requirement of this clause as to removal of scaffoldings, surplus materials and rubbish and all huts and sanitary arrangements as aforesaid and cleaning of dirt on or before the date fixed for the completion of the work, the Engineer-in-charge may at the expense of the contractor remove such scaffoldings, surplus materials and rubbish etc. and dispose of the same as he thinks fit and clean of such dirt as aforesaid and the contractor shall have no claim in respect of scaffolding surplus materials as aforesaid except for any some actually realized by the sale thereof.

## **CLAUSE 8A**

When the annual repairs and maintenance of works are carried out, the splashes and droppings from white washing, colour washing, painting etc., on walls, floor, windows, shall be removed and the surface cleaned simultaneously with the completion of these item of work in the individual rooms, quarters or premises etc. where the work is done: without

waiting for the actual completion of all the other items of work in the contract. In case the contractor fails to comply with the requirements of this clause, the Engineer-in-Charge shall have the right to get this work done at the cost of the contractor either by the Institute or through any other agency. Before taking such action, the Engineer-in-Charge shall give ten days notice in writing to the contractor.

#### **CLAUSE 8 B**

The contractor shall submit completion plan as required vide general specification for electrical works (Part I – Internal) 2005 and (Part II – External) 1994 as applicable within 30 days of the completion of the work.

In case the contractor fails to submit the completion plan as aforesaid, he shall be liable to pay a sum equivalent to 2.5 % of the value of the work subject to a ceiling of Rs.50,000/- (Rupees fifty thousand only) as may be fixed by the EXECUTIVE ENGINEER concerned and in this respect the decision of the EXECUTIVE ENGINEER shall be final and binding on the contractor.

#### **CLAUSE 9**

The final bill shall be submitted by the contractor in the same manner as specified in interim bills within three months of physical completion of the work or within one month of the date of the final certificate of completion furnished by the Engineer-in-charge whichever is earlier. No further claim shall be made by the contractor after submission of the final bill and these shall be deemed to have been waived and extinguished. Payments of those items of this bill in respect of which there is no dispute and of items in dispute, for quantities and rates as approved by Engineer-in-charge, will, as far as possible be made within the period specified herein under, the period being reckoned from the date of receipt of the bill by the Engineer-in-charge or his authorized Assistant Executive Engineer, complete with account of materials issued by the Department and dismantled materials.

- i. if the tendered value of work is upto Rs.15 Lakhs : 3 months.
- ii. if the tendered value of work exceeds Rs.15 Lakhs : 6 months.

#### **CLAUSE 9 A**

Payments due to the contractor be made to his bank registered financial co-operative or thrift societies or recognized financial institutions instead of direct to him. The contractor has to

furnish the Engineer-in-charge (1) an authorization in the form of a legally valid document such as a power of attorney conferring authority on the bank. Registered, Financial, Co-operative or Thrift Societies or recognized financial institutions to receive payments and (2) his own acceptance of the correctness of the amount made out as being due to him by Institute or his signature on the bill or other claim performed against Institute before settlement by the Engineer-in-charge of the account of claim by payment to the Bank, registered, financial, co-operative or thrift society, recognized financial institutions. While the receipt given by such banks, registered, financial, co-operative or thrift societies or recognized financial institutions shall constitute a full and sufficient discharge for the payment the contractor shall whenever possible present his bills duly receipted and discharged through his bank, registered financial, co-operative or thrift society, recognized financial institutions.

Nothing herein contained shall operate to create in favour of the bank; registered financial co-operative or thrift society, recognized financial institutions any rights or equities vis-à-vis the Institute.

#### **CLAUSE 10**

-Deleted-

#### **CLAUSE 10 A**

The contractor shall at his own expense, provide materials, required for the works.

The contractor shall, at his own expense and without delay, supply to the Engineer-in-charge samples of materials to be used on the work and shall get his approval in advance. All such materials to be provided by the contractor shall be in conformity with specifications laid down or referred to in the contract. The contractor shall, if requested by the Engineer-in-charge furnish proof, to the satisfaction of the Engineer-in-charge that the materials so comply. The Engineer-in-charge shall within 30 days of supply of samples or within such further period as he may require intimate to the contractor in writing whether samples are approved by him or not. If samples or not approved the contractor shall forthwith arrange to supply to the Engineer-in-charge for his approval fresh samples complying with the specifications laid down in the contract. When materials are required to be tested in accordance with the specifications, approval of the Engineer-in-charge shall be issued after the test results are received.

The contractor shall at his risk and cost submit the sample of materials to be tested or analysed and shall not make use of or incorporate in the work any materials represented by

the samples until the required tests are analysis have been made and materials finally accepted by the Engineer-in-charge. The contractor shall not be eligible for any claim or compensation either arising out of any delay in the work or due to any corrective measures required to be taken on account of and as a result of testing of materials.

The contractor shall, at his risk and cost make all arrangements and shall provide all facilities as the Engineer-in-charge may required for collecting and preparing the required number of samples for each tests at such time and to such place or places as may be directed by the Engineer-in-charge and bear all charges and cost of testing unless specifically provided for otherwise elsewhere in the contract or specifications. The Engineer-in-charge or his authorized representatives shall at all times have access to the work and to all workshop and places where work is being prepared or from their materials, manufactured articles or machinery are being obtained for the work and the contractor shall afford every facility and every assistance in obtaining the rights to the such access.

The Engineer-in-charge shall have full powers to require the removal from premises of all materials which in this opinion or not in accordance with the specifications and in case of default, the Engineer-in-charge shall be at liberty to employ at the expense of the contractor, other persons to remove the same without being answerable or accountable for a loss or damage that may happen or arise to such materials the Engineer-in-charge shall also have full powers require other proper materials to be substituted thereof and in case of default, the Engineer-in-charge may cause the same to be supplied and all cost which may attend such removal and substitutions shall be borne by the contractor.

The contractor shall at his own expense provide a material testing lab at the site for conducting routine field tests. The lab shall be equipped at least with testing equipments as specified in schedule – 'F'.

#### **CLAUSE 10 B**

The contractor, on signing an indenture in the form to be specified by the Engineer-in-charge, shall be entitled to be paid during the progress of the execution of the work upto 90 % of the work assessed value of any materials which are in the opinion of the Engineer-in-charge non-perishable, non-fragile and noncombustible and are in accordance with the contract and which have been brought on the site in connection therewith and are adequately stored and / or protected against damage by weather or other causes but which have not at he time of advance, been incorporated in the works. When materials on account of which an advance has been made under this sub-clause are incorporated in the work, the amount of

such advance shall be recovered / deducted from the next payment made under any of the clause or clauses of this contract.

Such secured advance shall also be payable on other items of perishable nature, fragile and combustible with the approval of the Engineer-in-charge provided the contractor provides a comprehensive insurance cover for the full cost of such materials. The decision of the Engineer-in-charge shall be final and binding on the contractor in this matter. No secured advance, shall however, be paid on high-risk materials such as ordinary glass, sand, petrol diesel etc.

Mobilization advance not exceeding 10 % of the tendered value may be given, if requested by the contractor in writing within one month of the order to commence the work. In such a case, the contractor shall furnish a Bank Guarantee Bond from a Scheduled Nationalized Bank as Specified by the Engineer-in-charge for the full amount of mobilization advance before such advance is released. Such advance shall be in two or more installments to be determined by the Engineer-in-charge at his sole discretion. The first installment of such advance shall be released by the Engineer-in-charge to the contractor on a request made by the contractor to the Engineer-in-charge in this behalf. The second and subsequent installments shall be released by the Engineer-in-charge only after the contractor furnishes a proof of the satisfactory utilization of the earlier installment to the entire satisfaction of the Engineer-in-charge.

Provided always that the provision of clause 10B (ii) shall be applicable only when so provided in 'Schedule F'.

An advance for plant, machinery & shuttering material required for the work and brought to site by the contractor may be given, if requested by the contractor in writing, within one month of bringing such plant and machinery to site. Such advance shall be given on such plant and machinery, which in the opinion of the Engineer-in-charge will add to the expeditious execution of work and improve the quality of work. The amount of advance shall be restricted to 5 % (five percent) of the tender value. In the case of new plant and equipment to be purchased for the work, the advance shall be restricted to 90 % of the price of such new plant and equipment paid by the contractor for which the contractor shall produce evidence satisfactory to the Engineer-in-charge. In the case of second hand and used plants and equipment, the amount of such advance shall be limited to 50 % of the depreciated value of plant and equipment as may be decided by the Engineer-in-charge. The contractor shall, if so required by the Engineer-in-charge submit the statement of value of such old plant and

equipment duly approved by a Registered Value recognized by the Central Board of Direct Taxes under the Income-Tax Act, 1961. No such advance shall be paid on any plant and equipment of perishable nature and on any plant and equipment of a value less than Rs.50,000/- seventy five per cent of such amount of advance shall be paid after the plant & equipment is brought to site and balance twenty five percent on successfully commissioning the same.

Leasing of equipment shall be considered at par with purchase of equipment and shall be covered by tripartite agreement with the following:

Leasing company, which gives certificate of agreeing to lease equipment to the contractor.  
Engineer-in-charge and the contractor.

This advance shall further be subject to the condition that such plant and equipment (a) are considered by the Engineer-in-charge to be necessary for the works; (b) and are in and are maintained in working order; (c) hypothecated to the Institute as specified by the Engineer-in-charge before the payment of advance is released. The contractor shall not be permitted to remove from the site such hypothecated plant and equipment without the prior written permission of the Engineer-in-charge. The contractor shall be responsible for maintaining such plant and equipment in good working order during the entire period of hypothecation failing which such advance shall be entirely recovered in lump sum. For this purpose, steel scaffolding and form work shall be treated as plant and equipment.

The contractor shall insure the plant and machinery for which mobilization advance is sought and given, for a sum sufficient to provide for their replacement at site. Any amounts not recovered from the insurer will be borne by the contractor.

The mobilization advance and plant and machinery advance in (ii) & (iii) above bear simple interest at the rate of 10 percent per annum and shall be calculated from the date of payment to the date of recovery, both days inclusive, on the outstanding amount of advance. Recovery of such sums advanced and interest shall be made by the deductions from the contractors bills commencing after first 10% of the Gross value of the work is executed and paid, on prorata percentage basis to the Gross value of the work build beyond 10% in such a way that the entire advance is recovered by the time 80% of the Gross value of the contract is executed and paid, together with interest due on the entire outstanding amount up to the date of recovery of the installment.

If the circumstances are considered reasonable by the Engineer-in-charge, the period mentioned in (ii) and (iii) for request by the contractor in writing for grant of mobilization advance and plant and equipment advance may be extended at the discretion of the Engineer-in-charge.

The said bank guarantee for advances shall initially be made for the full amount and valid for the contract period, and be kept renewed from time to time to cover the balance amount and likely period of complete recovery together with interest.

#### **CLAUSE 10 C**

If after submission of the tender, the price of any material incorporated in the works(excluding the materials covered under Clause 10CA and not being a material supplied the Engineer-in-Charge's stores in accordance with Clause 10 thereof) and/or wages of labour increases as a direct result of the coming into force of any fresh law, or statutory rule or order (but not due to any changes of rate in sales tax/VAT, Central/State Excise/Custom Duty) beyond the prices/wages prevailing at the time of the last stipulated date of receipt of tenders including extensions, if any, for the work during contract period including the justified period extended under the provisions of clause 5 of the contract without any action under clause 2, then the amount of the contract shall accordingly be varied and provided further that any such increase shall be limited to the price/wages prevailing at the time of stipulated date of completion or as prevailing for the period under consideration, whichever is less. If after submission of the tender, the price of any material incorporated in the works (excluding the materials covered under Clause 10CA and not being a material supplied from the Engineer-in-Charge's stores in accordance with Clause 10 thereof) and/or wages of labour as prevailing at the time of last stipulated date of receipt of tender including extensions, if any, is decreased as a direct result of the coming into force of any fresh law or statutory rules or order (but not due to any changes of rate in sales tax/VAT, Central/State Excise/Custom Duty), Institute shall in respect of materials incorporated in the works (excluding the materials covered under Clause 10CA and not being material supplied from the Engineer-in-Charge's stores in accordance with Clause 10 hereof) and/or labour engaged on the execution of the work after the date of coming into force of such law statutory rule or order be entitled to deduct from the dues of the contractor, such amount as shall be equivalent to the difference between the prices of the materials and/or wages as prevailed at the time of the last stipulated date for receipt of tenders including extensions if any for the work and the prices of materials and/or wages of labour on the coming into force of such law, statutory rule or order. This will be applicable for



the contract period including the justified period extended under the provisions of clause 5 of the contract without any action under clause 2.

Engineer-in-Charge may call books of account and other relevant documents from the contractor to satisfy himself about reasonability of increase in prices of materials and wages. The contractor shall, within a reasonable time of his becoming aware of any alteration in the price of any such materials and/or wages of labour, give notice thereof to the Engineer-in-Charge stating that the same is given pursuant to this condition together with all information relating thereto which he may be in position to supply.

For this purpose, the labour component of the work executed during period under consideration shall be the percentage as specified in Schedule F, of the value of work done during that period and the increase/decrease in labour shall be considered on the minimum daily wages in rupees of any unskilled adult male mazdoor, fixed under any law, statutory rule or order.

## Clause 10 CA NOT APPLICABLE

If after submission of the tender, the price of materials specified in schedule 'F' increases / decreases beyond the price(s) prevailing at the time of the last stipulated date for receipt of tenders (including extension, if any) for the work, then the amount of the contract shall accordingly be varied and provided further that any such variations shall be effected for stipulated period of contract including the justified period extended under the provisions of clause 5 of the contract without any action under clause 2

However for work done / during the justified period extended as above it will be limited to indices prevailing at the time of stipulated date for completion or as prevailing for the period under consideration, whichever is less.

The increase / decrease in prices shall be determined by the All India wholesale price indices of Materials as published by Economic Advisor to Government of India, Ministry of Commerce and Industry and base price for material as issued under the authority of Director General (Works), CPWD as valid on the last stipulated date of receipt of tender, including extension if any and for the period under consideration. In case price index of a particular material is not issued by the Ministry of Commerce and Industry the price of nearest similar material as indicated in schedule F shall be followed.

The amount of the contract shall accordingly be varied for all such materials and will be worked out as per the following formula given below :

### a) Adjustment for component of '**Cement**'

$$V = P \times Q \times \frac{CI - CI_0}{CI_0}$$

Where,

V = Variation in material cost i.e. increase or decrease in the amount in Rupees to

be paid or recovered.

P = Base Price of materials as issued under authority of DG (W), CPWD valid at

the time of the last stipulated date of receipt of tender including extensions, if any.

Q = Quantity of materials used in the works since previous bill.

CI<sub>0</sub> = All India wholesale Price Index for the material as published by the Economic Advisor to Government of India, Ministry of Industry and Commerce as valid on the last stipulated date of receipt of tenders including extensions, if any.

CI = All India wholesale Price Index for the material for period under consideration as published by the Economic Advisor to Government of India, Ministry of Industry and Commerce.

(In respect of the justified period extended under the provisions of clause 5 of the contract with out any action under clause 2, the index prevailing at the time of stipulated date of completion or the prevailing index of the period under consideration whichever is less shall be considered)

b) Adjustment for component of **'Steel'**

$$Vs = Ps \times Q_s \times \frac{SI - SI_0}{SI_0}$$

Where,

Vs = Variation in cost of steel reinforcement bars i.e. increase or decrease in the amount in rupees to be paid or recovered.

Ps = Base Price of steel reinforcement bars, as issued under authority of DG (W), CPWD at the time of the last stipulated date of receipt of tender including extensions, if any.

Qs = Quantity of steel paid either by way of secured advance or used in the works since previous bill. (Whichever is earlier)

SI<sub>0</sub> = All India wholesale Price Index for Steel (bars & rods) for the period under consideration as published by the Economic Advisor to Government of India, Ministry of Industry and Commerce as valid on the last stipulated date of receipt of tenders including extensions, if any.

SI = All India wholesale Price Index for Steel (bars & rods) for the period under consideration as published by the Economic Advisor to Government of India, Ministry of Industry and Commerce.

Note: (i) In respect of the justified period extended under the provisions of clause 5 of the contract with out any action under clause 2, the index prevailing at the time of stipulated date of completion or the prevailing index of the period under consideration whichever is less shall be considered)

(ii) If during progress of work or at the time of completion of work, it is noticed that any material brought at site is in excess of requirement, then amount of escalation if paid earlier on such excess quantity of material shall be recovered on the basis of cost indices as applied at the time of payment of escalation or as prevailing at the time of effecting recovery, whichever is higher.

Provided always that provisions of the preceding Clause 10 C shall not be applicable in respect of materials covered in this clause.

#### **CLAUSE 10 CC**

**-Deleted-**

#### **CLAUSE 10 D**

The contractor shall treat all materials obtained during dismantling of a structure, excavation of the site for a work, etc. as Institute's property and such materials shall be disposed off to the best advantage of Institute according to the instructions in writing issued by the Engineer-in-charge.

#### **CLAUSE 11**

The contractor shall execute the whole and every part of the work in the most substantial and work manlike manner both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to the design, drawings and instructions in writing in respect

of the work signed by the Engineer-in-charge and the contractor shall be furnished free of charge one copy of the contract documents together with specifications, designs, drawings and instructions as are not included in the standard specification of Central Public Works Department specified in Schedule 'F' or in any Bureau of Indian Standard or any other, published standard or code or, schedule of rates or any other printed publication referred to elsewhere in the contract.

The contractor shall comply with the provisions of the contract and with the care and diligence execute and maintain the works and provide all labour and materials, tools and plants including for measurements and supervisions of all works, structural plans and other things of temporary or permanent nature required for such execution and maintenance in so far as the necessity for providing these, is specified or is reasonably inferred from the contract. The contractor shall take full responsibility for adequacy, suitability and safety of all the works and methods of construction.

## **CLAUSE 12**

The Engineer-in-charge shall have power (i) to make alteration in, omissions from, additions to, or substitutions for the original specifications, drawings, designs and instructions that may appear to him to be necessary or advisable during the progress of the work, and (ii) to omit a part of the works in case of non-availability of a portion of the site or for any other reasons and the contractor shall be bound to carry out the works in accordance with any instructions given to him in writing signed by the Engineer-in-charge and such alterations, omissions, additions or substitutions shall form part of the contract as if originally provided therein any in any altered, additional or substituted work which the contractor may be directed to do in the manner specified above as part of the works, shall be carried out by the contractor on the same conditions in all respects including price on which he agreed to do the main work except as hereafter provided.

12.1 The time for completion of the works shall, in the event of any deviations resulting in additional cost over the tendered value sum being ordered, be extended, if requested by the contractor, as follows :

i) In the proportion which the additional cost of the altered, additional or substituted work, bears to the original tendered value plus.

ii) 25 % of the time calculated in (i) above or such further additional time as may be considered reasonable by the Engineer-in-charge.

12.2 In the case of extra item(s) the contractor may within fifteen days of receipt of order or occurrence of the item(s) claim rates, supported by proper analysis, for the work and the Engineer-in-charge shall within one month of the receipt of the claims supported by analysis, after giving consideration to the analysis of the rates submitted by the contractor, determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates so determined.

In the case of substituted items, the rate for the agreement item (to be substituted) and substituted item shall also be determined in the manner as mentioned in the aforesaid para.

In the case of substituted items (items that are taken up with partial substitution or in lieu of items of work in the contract), the rate for the agreement item (to be substituted) and substituted item shall also be determined in the manner as mentioned in the following para

If the market rate for the substituted item so determined is more than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so increased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted).

If the market rate for the substituted item so determined is less than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so decreased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted).

In the case of contract items, substituted items, contract cum substituted items, which exceed the limits laid down in schedule 'F', the contractor may within fifteen days of receipt of order or occurrence of the excess, claim revision of the rates, supported by proper analysis, for the work in excess of the above mentioned limits, provided that if the rates so claimed are in excess of the rates specified in the schedule of quantities the Engineer-in-charge shall within one month of receipt of the claim supported by analysis, after giving consideration to the analysis of the rates submitted by the contractor, determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates to be determined.

12.3 The provisions of the preceding paragraph shall also apply to the decrease in the rates of items for the work in excess of the limits laid down in Schedule 'F', and the Engineer-in-charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.

12.4 The contractor shall send to the Engineer-in-charge once every three months an upto date account giving complete details of all claims for additional payments to which the contractor may consider himself entitled and of all additional work ordered by the Engineer-in-charge which he has executed during the preceding quarter failing which the contractor shall be deemed to have waived his right. However, the EXECUTIVE ENGINEER may authorize consideration of such claims on merits.

12.5 For the purpose of operation of Schedule 'F', the following works shall be treated as works relating to foundation unless & otherwise defined in the contract.

- (i) For Buildings : All works up to 1.2 metres above ground level or up to floor 1 level whichever is lower.
- (ii) For abutments, piers and well staining : All works up to 1.2 m above the bed level.

- (iii) For retaining walls, wing walls, compound walls, chimneys, over head reservoirs/tanks and other elevated structures : All works up to 1.2 metres above the ground level.
- (iv) For reservoirs/tanks (other than overhead reservoirs/tanks) : All works up to 1.2 metres above the ground level.
- (v) For basement: All works up to 1.2 m above ground level or up to floor 1 level whichever is lower.
- (vi) For Roads, all items of excavation and filling including treatment of sub base.

12.6 Any operation incidental to or necessarily has to be in contemplation of tenderer while filing tender, or necessary for proper execution of the item included in the Schedule of quantities or in the schedule of rates mentioned above, whether or not, specifically indicated in the description of the item and the relevant specifications, shall be deemed to be included in the rates quoted by the tenderer or the rate given in the said schedule of rates, as the case may be. Nothing extra shall be admissible for such operations.

### **CLAUSE 13**

If at any time after acceptance of the tender, the Institute shall decide to abandon or reduce the scope of the works for any reason whatsoever and hence not require the whole or any part of the works to be carried out, the Engineer-in-charge shall give notice in writing to that effect to the contractor and the contractor shall act accordingly in the matter. The contractor shall have no claim to any payment of compensation or otherwise whatsoever, on account of any profit or advantage which he might have derived from the execution of the works in full but which he did not derive in consequence of the foreclosure of the whole or part of the works.

The contractor shall be paid at contract rates full amount for works executed at site and, in addition, a reasonable amount as certified by the Engineer-in-charge for the items hereunder mentioned which could not be utilized on the work to the full extent in view of the foreclosure:



Any expenditure incurred on preliminary site work, e.g. temporary access roads, temporary labour huts, staff quarters and site office; storage accommodation and water storage tanks.

Institute shall have the option to take over contractor's materials or any part thereof either brought to site or of which the contractor is legally bound to accept delivery from suppliers (for incorporation in or incidental to the work) provided, however, Institute shall be bound to take over the materials or such portions thereof as the contractor does not desire to retain. For materials taken over or to be taken over by Institute, cost of such materials as detailed by Engineer-in-charge shall be paid. The cost shall, however, take into account purchase price, cost of transportation and deterioration or damage which may have been caused to materials whilst in the custody of the contractor.

If any materials supplied by Institute are rendered surplus, the same except normal wastage shall be returned by the contractor to Institute at rates not exceeding those at which these were originally issued less allowance for any deterioration or damage which may have been caused whilst the materials were in the custody of the contractor. In addition, cost of transporting such materials from site to Institute stores, if so required by Institute, shall be paid.

Reasonable compensation for transfer of T & P from site to contractor's permanent stores or to his other works, whichever is less. If T & P are not transported to either of the said places, no cost of transportation shall be payable. Reasonable compensation for repatriation of contractor's site staff and imported labour to the extent necessary.

The contractor shall, if required by the Engineer-in-charge furnish to him books of account, wage books, time sheets and other relevant documents and evidence as may be necessary to enable him to certify the reasonable amount payable under this condition.

The reasonable amount of items on (i), (iv) and (v) above shall not be in excess of 2 % of the cost of the work remaining incomplete on the date of closure, i.e. total stipulated cost of the work as per accepted tender less the cost of work actually executed under the contract and less the cost of contractor's materials at site taken over by the Institute as per item (ii) above. Provided always that against any payments due to the contractor this account or otherwise the Engineer-in-charge shall be entitled to recover

or be credited with any outstanding balances due from the contractor for advance paid in respect of any tool, plants and materials and any other sums which at the date of termination were recoverable by the Institute from the contractor under the terms of the contract.

#### **CLAUSE 14**

If contractor:

- i. At any time makes default during currency of work or does not execute any part of the work with due diligence and continues to do so even after a notice in writing of 7 days in this respect from the Engineer-in-Charge; or.
- ii. Commits default in complying with any of the terms and conditions of the contract and does not remedy it or takes effective steps to remedy it within 7 days even after a notice in writing is given in that behalf by the Engineer-in-Charge; or

Fails to complete the work(s) or items of work with individual dates of completion, on or before the date(s) so determined, and does not complete them within the period specified in the notice given in writing in that behalf by the Engineer-in-Charge.

The Engineer- in-Charge without invoking action under clause 3 may, without prejudice to any other right or remedy against the contractor which have either accrued or accrue thereafter to Institute, by a notice in writing to take the part work / part incomplete work of any item(s) out of his hands and shall have powers to:

- (a) Take possession of the site and any materials, constructional plant, implements, stores,  
etc., thereon; and/or
- (b) Carry out the part work / part incomplete work of any item(s) by any means at the risk  
and cost of the contractor

The Engineer-in-Charge shall determine the amount, if any, is recoverable from the contractor for completion of the part work/ part incomplete work

of any item(s) taken out of his hands and execute at the risk and cost of the contractor, the liability of contractor on account of loss or damage suffered by Institute because of action under this clause shall not exceed 10% of the tendered value of the work.

In determining the amount, credit shall be given to the contractor with the value of work done in all respect in the same manner and at the same rate as if it had been carried out by the original contractor under the terms of his contract, the value of contractor's materials taken over and incorporated in the work and use of plant and machinery belonging to the contractor. The certificate of the Engineer-in-Charge as to the value of work done shall be final and conclusive against the contractor provided always that action under this clause shall only be taken after giving notice in writing to the contractor. Provided also that if the expenses incurred by the Institute are less than the amount payable to the contractor at his agreement rates, the difference shall not be payable to the contractor.

Any excess expenditure incurred or to be incurred by Institute in completing the part work/ part incomplete work of any item(s) or the excess loss of damages suffered or may be suffered by Institute as aforesaid after allowing such credit shall without prejudice to any other right or remedy available to Institute in law or per as agreement be recovered from any money due to the contractor on any account, and if such money is insufficient, the contractor shall be called upon in writing and shall be liable to pay the same within 30 days. If the contractor fails to pay the required sum within the aforesaid period of 30 days, the Engineer-in-Charge shall have the right to sell any or all of the contractors' unused materials, constructional plant, implements, temporary building at site etc. and adjust the proceeds of sale thereof towards the dues recoverable from the contractor under the contract and if thereafter there remains any balance outstanding, it shall be recovered in accordance with the provisions of the contract.

In the event of above course being adopted by the Engineer-in-Charge, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagements or made any advance on any account or with a view to the execution of the work or the performance of the contract.

## **CLAUSE 15**

The contractor shall, on receipt of the order in writing of the Engineer-in-charge, (whose decision shall be final and binding on the contractor) suspend the progress of the works or any part thereof for such time and in such manner as the Engineer-in-charge may consider necessary so as not to cause any damage or injury to the work already done or endanger the safety thereof for any of the following reasons :

on account of any default on the part of the contractor or; for proper execution of the works or part thereof for reasons other than the default of the contractor; or for safety of the works or part thereof.

The contractor shall, during such suspension, properly protect and secure the works to the extent necessary and carry out the instructions given in that behalf by the Engineer-in-charge.

If the suspension is ordered for reasons (b) and (c) in sub-para (i) above; the contractor shall be entitled to an extension of time equal to the period of every such suspension PLUS 25 % for completion of the item or group of items of work for which a separate period of completion is specified in the contract and of which the suspended work forms a part, and ; If the total period of all such suspensions in respect of an item or group of items or work for which a separate period of completion is specified in the contract exceeds thirty days, the contractor shall, in addition, be entitled to such compensation as the Engineer-in-charge may consider reasonable in respect of salaries and / or wages paid by the contractor to his employees and labour at site, remaining idle during the period of suspension, adding thereto 2 % to cover indirect expenses of the contractor. Provided the contractor submits his claim supported by details to the Engineer-in-charge within fifteen days of the expiry of the period of 30 days.

If the works or part thereof is suspended on the orders of the Engineer-in-charge for more than three months at a time, except when suspension is ordered for reason (a) in sub-para (i) above, the contractor may after receipt of such order serve a written notice on the Engineer-in-charge requiring permission within fifteen days from receipt by the Engineer-in-charge of the said notice, to proceed with the work or part thereof in regard to which progress has been suspended and if such permission is not granted within that time, the contractor, if he intends to treat the suspension, where it affects only a part of the works as an omission of such part by Institute or where it affects whole of

the works, as an abandonment of the works by Institute shall with in 10days of expiry of such period of 15 days give notice in writing of his intention to the Engineer-in-charge. In the event of the contractor treating the suspension as an abandonment of the contract by Institute, he shall have no claim to payment of any compensation on account of any profit or advantage which he might have derived from the execution of the work in full but which he could not derive in consequence of the abandonment. He shall, however, be entitled to such compensation, as the Engineer-in-charge may consider reasonable, in respect of salaries and / or wages paid by him to his employees and labour at site, remaining idle in consequence adding to the total thereof 2 % to cover indirect expenses of the contractor provided the contractor submits his claim supported by details to the Engineer-in-charge within 30 days of the expiry of the period of 3 months.

Provided, further, that the contractor shall not be entitled to claim any compensation from Institute for the loss suffered by him on account of delay by Institute in the supply of materials in schedule 'B' where such delay is covered by difficulties relating to the supply of wagons, force majeure including non-allotment of such materials by controlling authorities, acts of God, acts of enemies of the state / country or any reasonable cause beyond the control of the Institute.

#### **CLAUSE 16**

All works under or in course of execution or executed in pursuance of the contract shall at all times be open and accessible to the inspection and supervision of the Engineer-in-charge, his authorized subordinates in charge of the work and all the superior officers, officer of the Quality Assurance unit of the Institute or any organization engaged by the Institute for Quality Assurance and of the Chief Technical Examiner's Office , and the contractor shall, at all times, during the usual working hours and all at other time at which reasonable notice of the visit of such officers has been given to the contractor, either himself be present to receive orders and instructions or have a responsible agent duly accredited in writing, present for that purpose. Orders given to the Contractor's agent shall be considered to have the same force as if they had been given to the contractor himself.

If it shall appear to the Engineer-in-charge or his authorized subordinates in-charge of the work or officers of the organization engaged by the Institute for quality assurance to the Chief Technical Examiner or his subordinate officers, that any work has been

executed with unsound, imperfect, or unskillful workmanship, or with materials or articles provided by him for the execution of the work which are unsound or of a quality inferior to that contracted or otherwise not in accordance with the contract, the contractor shall, on demand in writing which shall be made within twelve months (six months in case of work costing Rs. 10 Lac and below except road work) of the completion of the work from the Engineer-in-charge specifying the work, materials or articles complained of notwithstanding that the same may have been passed, certified and paid for forthwith rectify, or remove and reconstruct the work so specified in whole or in part, as the case may require or as the case may be, remove the materials or articles so specified and provide other proper and suitable materials or articles at his own charge and cost. In the event of the failing to do so within a period specified by the Engineer-in-charge in his demand aforesaid, then the contractor shall be liable to pay compensation at the same rate as under clause 2 of the contract (for non-completion of the work in time) for this default.

In such case the Engineer-in-charge may not accept the item of work at the rates applicable under the contract but may accept such items at reduced rates as the competent authority may consider reasonable during the preparation of on account bills or final bill if the item is so acceptable without detriment to the safety and utility of the item and the structure or he may reject the work outright without any payment and / or get it and other connected and incidental items rectified, or removed and re-executed at the risk and cost of the contractor. Decision of the Engineer-in-charge to be conveyed in writing in respect of the same will be final and binding on the contractor.

#### **CLAUSE 17**

If the contractor or his working people or servants shall break, deface, injure or destroy any part of building in which they may be working, or any building, road, road kerb, fence, enclosure, water pipe, cables, drains, electric or telephone post or wires, trees, grass or grass land, or cultivated ground contiguous to the premises on which the work or any part is being executed, or if any damage shall happen to the work while in progress, from any cause whatever or if any defect, shrinkage or other faults appear in the work within twelve months (six months in the case of work costing Rupees Ten lacks and below except road work) after a certificate final or otherwise of its completion

shall have been given by the Engineer-in-charge as aforesaid arising out of defect or improper materials or workmanship the contractor shall upon receipt of a notice in writing on that behalf make the same good at his own expense or in default the Engineer-in-charge as cause the same to be made good by other workmen and deduct the expense from any sums that may be due or at any time thereafter may become due to the contractor, or from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The security deposit of the contractor shall not be refunded before the expiry of twelve months (six months in the case of work costing Rupees Ten lakhs and below except road work) after the issue of the certificate final or otherwise of completion of work or till the final bill has been prepared and passed whichever is later. Provided that in case of road work, in the opinion of the Engineer in charge, half of the security deposit is sufficient, to meet all liabilities of the contractor under this contract, half of the security will be refundable after six months and the remaining half after twelve months of the issue of the said certificate of completion or till the final bill has been prepared and passed whichever is later.

In case of Maintenance and Operation works of E & M services, the security deposit deducted from contractors shall be refunded within one month from the date of final payment or within one month from the date of completion of the maintenance contract whichever is earlier.

## **CLAUSE 18**

The contractor shall provide at his own cost all materials (except such special materials if any as may in accordance with the contract be supplied from the Engineer – in – Charge stores), machinery, tools & Plants as specified in schedule 'F'. In addition to this appliances, implements, ladders, cordage, tackle, scaffolding and temporary works required for the proper execution of the work, whether original, altered or substituted and whether included in the specifications or other documents forming part of the contract or referred to in these conditions or not, or which may be necessary for the purpose of satisfying or complying with the requirements of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied, or which he is entitled to require together with carriage therefore to and from the work. The contractor shall also supply without charge the requisite number of persons with the means and materials, necessary for the purpose of setting out works, and counting, weighing and assisting the measurement for examination at any time and from time to time of the work or

materials. Failing his so doing the same may be provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted, from any money due to the contractor, under this contract or otherwise and/or from his security deposit or the proceeds of sale thereof, or of a sufficient portions thereof.

#### **CLAUSE 18 A**

In every case in which by virtue of the provision sub-section (1) of Section 12, of the Workmen's Compensation Act, 1923, Institute is obliged to pay compensation to a workman employed by the contractor, in execution of the works, Institute will recover from the contractor, the amount of the compensation so paid; and without prejudice to the rights of the Institute under sub-section (2) of section 12, of the said Act, Institute shall be at liberty to recover such amount or any part there by deducting it from the security deposit or from any sum due by Institute to the contractor whether under this contract or otherwise. Institute shall not be bound to contest any claim made against it under sub-section (1) Section 12, of the said Act, except on the written request of the contractor and upon his giving to Institute full security for all costs for which Institute might become liable in consequence of contesting such claim.

#### **CLAUSE 18 B**

In every case in which by virtue of the provisions Contract Labour (Regulation and Abolition) Act 1970, and of the Contract Labour (Regulation and Abolition) Central Rules, 1971, Institute is obliged to pay nay amount of wages to a workman employed by the contractor in execution of the works, or to incur any expenditure in providing welfare and health amenities required to be provided under the above said Act and the rules under clause 19H or under the C.P.W.D. contractors, labour regulations, or under the rules framed by Government of India from time to time for the protection of health and sanitary arrangements for workers employed by contractors, Institute will recover from the contractor, the amount of wages so paid or the amount of expenditure so uncured; and without prejudice to the rights of the Institute under sub-section(2) of Section 20, and sub-section (4) of Section 21, of the Contract labour (Regulation and Abolition) Act, 1970, Institute shall be at liberty to recover such amount or any part thereof by deducting it form the security deposit or from any sum due by Institute to the contractor whether under this contract or otherwise Institute shall not be bound to contest any claim made against it under sub-section (1) of Section 20, sub-section (4) of section 21, of the said Act, except on the



written request of the contactor and upon his giving to the Institute full security for all costs for which Institute might become liable in contesting such claim.

#### **CLAUSE 19**

The contractor shall obtain a valid license under the Contract Labour (R&A) Act 1970, and the Contract Labour (Regulation and Abolition) Central Rules, 1971, before the commencement of the work, and continue to have a valid license until the completion of the work. The contractor shall also abide by the provisions of the Child Labour (Prohibition and Regulation) Act, 1986.

The contractor shall also comply with the provision of the building and other construction workers (Regulation of Employment & Conditions of Service) Act, 1996 and the building and other Construction Workers Welfare Cess Act, 1996.

Any failure to fulfill these requirements shall attract the penal provisions of this contract arising out of the resultant non-execution of the work.

#### **CLAUSE 19A**

No labour below the age of eighteen years shall be employed on the work.

#### **CLAUSE 19B**

Payment of Wages:

The contractor shall pay to labour employed by him either directly or through sub-contractors, wages not less than fair wages as defined in the C.P.W.D. Contractor's Labour Regulations or as per the provisions of the Contract Labour (Regulation and Abolition) Act, 1970 and the contract Labour (Regulation and Abolition) Central Rules, 1971, wherever applicable.

The contractor shall, notwithstanding the provisions of any contract to the contrary, cause to be paid fair wage to labour indirectly engaged on the work, including any labour engaged by his sub-contractors in connection with the said work, as if the labour had been immediately employed by him.

In respect of all labour directly or indirectly employed in the works for performance of the contractor's

part of this contract, the contractor shall comply with or cause to be complied with the Central Public Works Department contractor's Labour Regulations made by Government of India from time to time in regard to payment of wages, wage period, deductions from wages recovery of wages not paid and deductions unauthorizedly made, maintenance of wage books or wage slips, publication of scale of wages and other terms of employment, inspection and submission of periodical returns and all other matters of the like nature or as per the provisions of the Contract Labour (Regulation and Abolition) Act, 1970, and the Contract labour (Regulation and Abolition) Central Rules 1971, wherever applicable.

- a) The Engineer-in-Charge concerned shall have the right to deduct from the moneys due to the contractor any sum required or estimated to be required for making good the loss suffered by a worker or workers by reason of non-fulfillment of the conditions of the contract for the benefit of the workers, non-payment of wages or of deductions made from his or their wages which are not justified by their terms of the contract or non-observance of the regulations.
- b) Under the provision of Minimum wages (Central) Rules, 1950, the contractor is bound to allow to the labours directly or indirectly employed in the works one day rest for 6 days continuous work and pay wages at the same rate as for duty. In the event of default, the Engineer-in-charge shall have the right to deduct the sum or sums not paid on account of wages for weekly holidays to any labors and pay the same to the persons entitled thereto from any money due to the contractor by the Engineer-in-charge concerned.

The contractor shall comply with the provisions of the Payment of Wages Act, 1936, Minimum Wages Act, 1948, Employees Liability Act, 1938, Workmen's Compensation Act, 1923, Industrial Disputes Act, 1947 Maternity Benefits Act, 1961, and the Contractor's Labour (Regulation and Abolition) Act 1970, or the modifications thereof or any other laws relating thereto and the rules made thereunder from time to time.

The Contractor shall indemnify and keep indemnified institute against payments to be made under and for the observance of the laws aforesaid and the C.P.W.D. Contractor's labour Regulations without prejudice to this right to claim indemnity from his sub-contractors.

The laws aforesaid shall be deemed to be a part of this contract and any breach thereof shall be deemed to be a breach of this contract.

Whatever is the minimum wage for the time being, or if the wage payable is higher than such wage, such wage shall be paid by the contractor to the workman directly without the intervention of Jamadar and that Jamadar shall not be entitled to deduct or recover any amount from the minimum

wage payable to the workmen as and by way of commission or otherwise.

The contractor shall ensure that no amount by way of commission or otherwise is deducted or recovered by the Jamadar from the wage of workmen.

#### **CLAUSE 19 C**

In respect of all labour directly or indirectly employed in the work for the performance of the contractor's part of this contract, the contractor shall at this own expense arrange for the safety provisions as per C.P.W.D. Safety Code framed from time to time and shall at his own expense provide for all facilities in connection therewith. In case the contractor fails to make arrangement and provide necessary facilities as aforesaid, he shall be liable to pay a penalty of Rs.200/- for each default and in addition the Engineer-in-Charge shall be at liberty to make arrangement and provide facilities as aforesaid and recover the costs incurred in that behalf from the contractor.

#### **CLAUSE 19 D**

The Contractor shall submit by the 4<sup>th</sup> and 19<sup>th</sup> of every month, to the Engineer-in-charge a true statement showing in respect of the second half of the preceding month and the first half of the current month respectively.

The number of labourers employed by him on the work,

Their working hours,

The wages paid to them,

The accidents that occurred during the said fortnight showing the circumstances under which they happened and the extent of damage and injury caused by them, and

The number of female workers who have been allowed maternity benefit according to Clause 19F and the amount paid to them.

Failing which the contractor shall be liable to pay to Institute, a sum not exceeding Rs.200/- for each default or materially incorrect statement. The decision of the Engineer-in-charge shall be final in deducting from any bill due to the contractor; the amount levied as fine and be binding on the contractor.

#### **CLAUSE 19 E**

In respect of all labour directly or indirectly employed in the work for the performance of the contractor's part of this contract, the contractor shall comply with or cause to be complied with all the rules framed by Government of India/Institute from time to time for the protection of health and sanitary arrangements for workers employed by the Institute and its contractors.

## **CLAUSE 19 F**

Leave and pay during leave shall be regulated as follows :-

Leave :

- (i) In the case of delivery – maternity leave not exceeding 8 weeks, 4 weeks upto and including the day of delivery and 4 weeks following that day,
- (ii) In the case of miscarriage – upto 3 weeks form the date of miscarriage.

Pay :

In the case of delivery – leave pay during maternity leave will be at the rate of the women's average daily earnings, calculated on total wages earned on the days when full time work was done during a period of three months immediately preceding the date on which she gives notice that she expects to be confined or at the rate of Rupee one only a day whichever is greater.

In the case of miscarriage – leave pay at the rate of average daily earning calculated on the total wages earned on the days when full time work was done during a period of three months immediately preceding the date of such miscarriage.

Conditions for the grant of maternity Leave.

No maternity leave benefit shall be admissible to a woman unless she has been employed for a total period of not less than six months immediately preceding the date on which she proceeds on leave.

The contractor shall maintain a register of Maternity (Benefit) in the prescribed Form as shown in annexure – I and II, and the same shall be kept at the place of work.

## **CLAUSE 19 G**

In the event of the contractor(s) committing a default or breach of any of the provisions of the Central Public Works Department, Contractor's Labour Regulations and Model Rules for the protection of health and sanitary arrangements for the workers as amended from time to time or furnishing any information or submitting or filing any statement under the provisions of the above regulations and Rules which is materially incorrect, he / they shall, without prejudice to any other liability, pay to the Institute a sum not exceeding Rs.200/- for every default, breach or furnishing, making, submitting, filing such materially

incorrect statements and in the event of the contractors defaulting continuously in this respect, the penalty may be enhanced to Rs.200/- per day for each day of default subject to a maximum of 5 per cent of the estimated cost of the work put to tender. The decision of the Engineer-in-charge shall be final and binding on the parties.

Should it appear to the Engineer-in-charge that the contractor(s) is / are not properly observing and complying with the provisions of the C.P.W.D. Contractor's Labour Regulations and Model Rules and the provisions of the Contract Labour (Regulation and Abolition) Act 1970, and the Contract Labour (R&A) Central Rules 1971, for the protection of health and sanitary arrangements for work-people employed by the contractor(s) (hereinafter referred as 'the said Rules') the Engineer-in-charge shall have power to give notice in writing to the contractor(s) requiring that the said Rules be complied with and the amenities prescribed therein be provided to the work-people within a reasonable time to be specified in the notice. If the contractor(s) shall fail within the period specified in the notice to comply with and / observe the said Rules and to provide the amenities to the work-people as aforesaid, the Engineer-in-charge shall have the power to provide the amenities herein before mentioned at the cost of the contractor(s). The contractor(s) shall erect, make and maintain at his/their own expense and to approved standards all necessary huts and sanitary arrangements required for his / their work-people on the site in connection with the execution of the works, and if the same shall not have been erected or constructed, according to approved standards, the Engineer-in-charge shall have power to give notice in writing to the contractor(s) requiring that the said huts and sanitary arrangements be remodeled and/or reconstruct such huts and sanitary arrangements according to approved standards, and if the contractor(s) shall fail to remodel or reconstruct such huts and sanitary arrangements according to approved standards within the period specified in the notice, the Engineer-in-charge shall have the power to remodel or reconstruct such huts and sanitary arrangements according to approved standards at the cost of the contractor(s).

#### **CLAUSE 19 H**

Deleted

#### **CLAUSE 19 I**

The Engineer-in-charge may require the contractor to dismiss or remove from the site of the work any person or persons in the contractors employ upon the work who may be incompetent or misconduct himself and the contractor shall forthwith comply with such requirements.

## **CLAUSE 19 J**

It shall be the responsibility of the contractor to see that the building under construction is not occupied by any body unauthorized during construction, and is handed over to the Engineer-in-charge with vacant possession of complete building, If such building through completed is occupied illegally, then the Engineer-in-charge shall have the option to refuse to accept the said building / buildings in that position. Any delay in acceptance on this account will be treated as the delay in completion and for such delay a levy upto 5% of tendered value of work may be imposed by the Engineer-in-charge whose decision shall be final both with regard to the justification and quantum and be binding on the contractor.

However, the Engineer-in-charge, through a notice, may require the contractor to remove the illegal occupation any time on or before construction and delivery.

## **CLAUSE 19K**

The contractor shall, at all stages of work, deploy skilled / semi skilled tradesmen who are qualified and possess certificate in particular trade from CPWD training institute / Industrial Training Institute / national Institute of Construction Management and Research (NICMAR) / National Academy of Construction / CIDC or any similar reputed and recognized institute managed / certified by State / Central Government. The number of such qualified tradesmen shall not be less than 20 % of total skilled / semi skilled workers required in each trade at any stage of work. The contractor shall submit number of man days required in respect of each trade, its scheduling and the list of qualified tradesmen along with requisite certificate from recognized institute to Engineer – in – charge for approval. Notwithstanding such approval, if the tradesmen are found to have inadequate skill to execute the work of respective trade the contractor shall substitute such tradesmen within two days of written notice from Engineer in charge. Failure on the part of the contractor to obtain approval of Engineer – in – charge or failure to deploy qualified tradesmen will attract a compensation to be paid by contractor at the rate of RS 100 per such tradesman per day. Decision of the Engineer – in – charge as to whether particular tradesman possesses requisite skill and amount of compensation in case of default shall be final and binding. Provided always, the provisions of this clause, shall not be applicable for works with estimated cost put to tender being less than Rs 5 crores

## **CLAUSE 20**

The contractor shall comply with all the provisions of the Minimum Wages Act, 1948, and Contract Labour (Regulation and Abolition) Act, 1970, amended from time to time and rules framed thereunder and other labour laws affecting contract labour that may be brought into force from time to time.

**CLAUSE 21**

The contract shall not be assigned or sublet without the written approval of the Engineer-in-Charge. And if the contractor shall assign or sublet his contract, or attempt to do so, or become insolvent or commence any insolvency proceedings or make any composition with his creditors or attempt to do so, or if any bribe, gratuity, gift, loan, perquisite, reward or advantage pecuniary or otherwise, shall either directly or indirectly, be given, promised or offered by the contractor, or any of his servants or agent to any public officer or person in the employ of Government in any way relating to his office or employment, or if any such officer or person shall become in any way directly or indirectly interested in the contract, the Engineer-in-Charge on behalf of the Institute shall have power to adopt the course specified in Clause 3 hereof in the interest of Institute and in the event of such course being adopted, the consequences specified in the said Clause 3 shall ensue.

**CLAUSE 22**

All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of Institute without reference to the actuals, loss or damage sustained and whether or not any damage shall have been sustained.

**CLAUSE 23**

Where the contractor is a partnership firm, the previous approval in writing of the Engineer-in-Charge shall be obtained any change is made in the constitution of the firm. Where the contractor is an individual or a Hindu undivided family business concern such approval as aforesaid shall likewise be obtained before the contractor enters into any partnership agreement where under the partnership firm would have the right to carry out the works hereby undertaken by the contractor. If previous approval as aforesaid is not obtained, the contract shall be deemed to have been assigned in contravention of Clause 21 hereof and the same action may be taken, and the same consequences shall ensue as provided in the said Clause 21.

**CLAUSE 24**

All works to be executed under the contract shall be executed under the direction and subject to the approval in all respects of the Engineer-in-Charge who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

## CLAUSE 25

### Settlement of Disputes & Arbitration

Except where otherwise provided in the contract all question and disputes relating to the meaning of the specifications, designs, drawings and instructions here-in before mentioned and as to the quality of workmanship or materials used or as to any other question, claim, right, matter or thing whatsoever in any way arising out of or relating to the contract, designs, drawings, specifications, estimates, instructions, orders of these conditions or otherwise concerning the works or the execution or failure to executes the same whether arising during the progress of work or after the cancellation, termination, completion or abandonment thereof shall be dealt with as mentioned herein after.

If the contractor considers any work demanded of him to be outside the requirements of the contract, or disputes any drawings, record or decision given in writing by the Engineer-in-charge or any matter in connection with or arising out of the Contract or carrying out of the work, to be unacceptable, he shall promptly within 15 days request the EXECUTIVE ENGINEER in writing for written instruction or decision. Thereupon, the EXECUTIVE ENGINEER shall give his written instructions or decisions within a period of one month from the receipt of the contractor's letter.

If the EXECUTIVE ENGINEER fails to give his instructions or decisions in writing within the aforesaid period or if the contractor is dissatisfied with the instructions or decision of the EXECUTIVE ENGINEER, the contractor may, within 15 days of the receipt of EXECUTIVE ENGINEER's decision appeal to the Chairman (Engineering Unit), IITM who shall afford an opportunity to the contractor to be heard, if the matter so desires and to offer evidence in support of his appeal. The Chairman (Engineering Unit), IITM shall give his decision within 30 days of receipt of contractor's appeal.

If the contractor is dissatisfied with the decision of the Chairman (Engineering Unit), he may within a period of 15 days of the receipt of the Chairman's decision appeal to the Director , IITM who shall afford an opportunity to the contractor to be heard, if the matter so desires and to offer evidence in support of his appeal. The Director, IITM shall give his decision within 30 days of receipt of contractor's appeal.

If the contractor is dissatisfied with the decision of the Director IITM, he shall within 30 days of the receipt of the decision shall give notice to the Director, IITM for appointment of an arbitrator to adjudicate his claims, failing which the said decision of the Director, IITM shall be final and binding on the contractor.



Except where the decision has become final, binding and conclusive in terms of Sub para (iii) above, disputes or difference shall be referred for adjudication through a sole arbitrator appointed by the Director, IITM. If the arbitrator so appointed is unable or unwilling to act or resigns his appointment or vacates his office due to any reason whatsoever, another sole arbitrator shall be appointed in the manner aforesaid. Such person shall proceed with the reference from the stage at which it was left by his predecessor.

It is a term of this contract that the party invoking arbitration shall give list of disputes with amounts claimed in respect of each such dispute along with the notice for appointment of arbitrator and giving reference to the rejection by the Director, IITM of the appeal.

It is also a term of this contract that no person other than a person appointed by such Director, IITM, as aforesaid should act as arbitrator.

It is also a term of this Contract that if the contractor does not make any demand for appointment of arbitrator in respect of any claims in writing as aforesaid within 120 days of receiving the intimation from the Engineer-in-charge that the final bill is ready for payment, the claim of the contractor shall be deemed to have been waived and absolutely barred and IITM shall be discharged and released of all liabilities under the Contract in respect of these claims.

The arbitration shall be conducted in accordance with the provisions of the Arbitration and Conciliation Act 1996 (26 of 1996) or any statutory modifications or re-enactment thereof and the rules made there under and for the time being in force shall apply to the arbitration proceeding under this clause.

It is also term of this Contract that the arbitrator shall adjudicate on only such disputed as are referred to him by the Director, IITM and give separate award against each dispute and claim referred to him and in all cases where the total amount of the claims by any party exceeds **Rs.1,00,000/-** the arbitrator shall give reasons for the award.

It is also a term of the Contract that if any fees are payable to the arbitrator, these shall be paid equally by both the parties.

It is also a term of the Contract that the arbitrator shall be deemed to have entered on the reference on

the date of issues notice to both the parties calling them to submit their statement of claims and counter statement of claims. The venue of the arbitration shall be such place as may be fixed by the arbitrator in his sole discretion. The fees, if any, of the arbitrator shall, if required to be paid before the award is made and published, be paid half and half by each of the parties. The cost of the reference and of the award (including the fees, if any, of the arbitrator) shall be in the discretion of the arbitrator who may direct to any by whom and in what manner, such costs or any part thereof shall be paid and fix or settle the amount of costs to be so paid.

#### **CLAUSE 26**

The contractor shall fully indemnify and keep indemnified the Institute against any action, claim or proceeding relating to infringement or use of any patent or design or any alleged patent or design rights and shall pay any royalties which may be payable in respect of any article or part thereof included in the contract. In the event of any claims made under or action brought against Institute in respect of any such matters as aforesaid, the contractor shall be immediately notified thereof and the contractor shall be at liberty, at his own expense, to settle any dispute or to conduct any litigation that may arise therefrom, provided that the contractor shall not be liable to indemnify the Institute if the infringement of the patent or design or any alleged patent or design right is the direct result of an order passed by the Engineer-in-Charge this behalf.

#### **CLAUSE 27**

-Deleted-

#### **CLAUSE 28**

In the case of any class of work for which there is no such specifications as referred to in Clause 11, such work shall be carried out in accordance with the Bureau of Indian Standards Specifications. In case there are no such specifications in Bureau of Indian Standards, the work shall be carried out as per manufacturer's specifications, if not available then as per District Specifications. In case there are no such specifications as required above, the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-Charge.

#### **CLAUSE 29**

i) Whenever any claim or claims for payment of a sum of money arises out of or under the contract or against the contractor, the Engineer-in-Charge or the Institute shall be entitled to withhold and also have

a lien to retain such sum or sums in whole or in part from the security, if any deposited by the contractor and for the purpose aforesaid, the Engineer-in-Charge or the Institute shall be entitled to withhold the security deposit, if any, furnished as the case may be and also have a lien over the same pending finalization or adjudication of any such claim. In the event of the security being insufficient to cover the claimed amount or amounts or if no security has been; taken from the contractor, the Engineer-in-Charge or the Institute shall be entitled to withhold and have a lien to retain to the extent of such claimed amount / or amounts referred to above, from any sum or sums found payable or which may at any time thereafter become payable to the contractor under the same contract or any other contract with the Engineer-in-Charge of the Institute or any contracting person through the Engineer-in-Charge pending finalization of adjudication of any such claim.

It is an agreed term of the contract that the sum of money or moneys so withheld or retained under the lien referred to above by the Engineer-in-Charge or Institute will be kept withheld or retained as such by the Engineer-in-Charge or Institute till the claim arising out of or under the contract is determined by the arbitrator (if the contractor is governed by the arbitration clause) by the competent court, as the case may be and that the contractor will have no claim for interest or damages whatsoever on any account in respect of such withholding or retention under the lien referred to above and duly notified as such to the contractor. For the purpose of this clause, where the contractor is a partnership firm or a limited company, the Engineer-in-Charge or the Institute shall be entitled to withhold and also have a lien to retain towards such claimed amount or amounts in whole or in part from any sum found payable to any partner/ limited company as the case may be, whether in his individual capacity or otherwise.

ii) Institute shall have the right to cause an audit and technical examination of the works and the final bills of the contractor including all supporting vouchers, abstract, etc., to be made after payment of the final bill and if as a result of such audit and technical examination any sum is found to have been overpaid in respect of any work done by the contractor under the contract or any work claimed to have been done by him under the contract and found not to have been executed, the contractor shall be liable to refund the amount of over-payment and it shall be lawful for Institute to recover the same from him in the manner prescribed in sub-clause (i) of this clause or in any other manner legally permissible; and if it is found that the contractor was paid less than what was due to him under the contract in respect of any work executed by him under it, the amount of such under payment shall be duly paid by Institute to the contractor, without any interest thereon whatsoever.

Provided that the Institute shall not be entitled to recover any sum overpaid, nor the contractor shall be

entitled to payment of any sum paid short where such payment has been agreed upon between the EXECUTIVE ENGINEER on the one hand and the contractor on the other under any term of the contract permitting payment for work after assessment by the EXECUTIVE ENGINEER.

#### **CLAUSE 29A**

Any sum of money due and payable to the contractor (including the security deposit returnable to him) under the contract may be withheld or retained by way of lien by the Engineer-in-Charge or the Institute or any other contracting person or persons through Engineer-in-Charge against any claim of the Engineer-in-Charge or Institute or such other person or persons in respect of payment of a sum of money arising out of or under any other contract made by the contractor with the Engineer- in-Charge or the Institute or with such other person or persons.

It is an agreed term of the contract that the sum of money so withheld or retained under this clause by the Engineer-in-Charge or the Institute will be kept withheld or retained as such by the Engineer-in-Charge or the Institute or till his claim arising out of the same contract or any other contract is either mutually settled or determined by the arbitration clause or by the competent court, as the case may be and that the contractor shall have no claim for interest or damages whatsoever on this account or on any other ground in respect of any sum of money withheld or retained under this clause and duly notified as such to the contractor.

#### **CLAUSE 30**

-Deleted-

#### **CLAUSE 31**

The contractor(s) shall make his / their own arrangements for water required for the work and nothing extra will be paid for the same. This will be subject to the following conditions.

- i) That the water used by the contractor(s) shall be fit for construction purposes to the satisfaction of the Engineer-in-charge.
- ii) The Engineer-in-Charge shall make alternative arrangements for supply of water at the risk and cost of contractor(s) if the arrangements made by the contractor(s) for procurement of water are in the opinion of the Engineer-in- Charge, unsatisfactory.

iii) No bore wells / open wells shall be constructed inside the IITM Campus for drawl of water.

**CLAUSE 31 A**

-Deleted-

**CLAUSE 32**

Deleted

**CLAUSE 33**

Deleted

**CLAUSE 34**

Deleted

**CLAUSE 35**

The contractor undertakes to make arrangement for the supervision of the work by the firm supplying the bitumen used. The contractor shall collect the total quantity of bitumen required for the work as per standard formula, before the work is started and shall hypothecate it to the Engineer-in-Charge. If any bitumen remains unused on completion of the work on account of lesser use of materials in actual execution for reasons other than authorized changes of specifications and abandonment of portion of work, a corresponding deduction equivalent to the cost of unused materials as determined by the Engineer-in-Charge shall be made and the material returned to the contractors. Although the materials are hypothecated to Institute, the contractor undertakes the responsibility for their proper watch, safe custody and protection against all risks. The materials shall not be removed from site of work without the consent of the Engineer-in-Charge in writing.

The contractor shall be responsible for rectifying defects noticed within a year from the date of completion of the work and the portion of the security deposit relating to asphaltic work shall be refunded after the expiry of this period.

## **CLAUSE 36**

### **Contractors Superintendence, Supervision, Technical Staff & Employees**

The contractor shall provide all necessary superintendence during execution of the work and as along thereafter as may be necessary for proper fulfilling of the obligations under the contract.

The contractor shall immediately after receiving letter of acceptance of the tender and before commencement of the work, intimate in writing to the Engineer-in-Charge, the name(s), qualifications, experience, age, address(s) and other particulars along with certificates, of the principal technical representative to be in charge of the work and other technical representative(s) who will be supervising the work, minimum requirement of such technical representative(s) and their qualifications and experience shall not be lower than specified in Schedule 'F'. The Engineer-in-Charge shall within 3 days of receipt of such communication intimate in writing his approval or otherwise of such a representative(s) to the contractor. Any such approval may at any time be withdrawn and in case of such withdrawal, the contractor shall appoint another such representative(s) according to the provisions of this clause. Decision of the tender accepting authority shall be final and binding on the contractor in this respect. Such a principal technical representative shall be appointed by the contractor soon after receipt of the approval from Engineer-in-Charge and shall be available at site before start of work.

If the contractor (or any partner in case of firm/company) who himself has such qualifications, it will not be necessary for the said contractor to appoint such a principal technical representative but the contractor shall designate and appoint a responsible agent to represent him and to be present at the work whenever the contractor is not in a position to be so present. All the provisions applicable to the principal technical representative under the clause will also be applicable in such a case to contractor or his responsible agent. The principal technical representative and/or the contractor shall on receiving reasonable notice from the Engineer-in-Charge or his designated representative(s) in charge of the work in writing or in person or otherwise, present himself to the Engineer-in-Charge and/or at the site of work, as required, to take instructions. Instructions given to the principal technical representative of the responsible agent shall be deemed to have the same force as if these have been given to the contractor. The principal technical representative and/or the contractor or his responsible authorized agent shall be actually available at site especially during important stages of execution of work, during recording of measurement of works and whenever so required by the Engineer-in-Charge by a notice as aforesaid and shall also note down instructions conveyed by the Engineer-in-Charge or his designated representative in the site order book and shall affix his signature in token of noting down the instructions

and in token of acceptance of measurements.

If the Engineer-in-Charge, whose decision in this respect is final and binding on the contractor, is convinced that no such technical representative(s) is / are effectively appointed or is / are effectively attending or fulfilling the provision of this clause, a recovery (nonrefundable) shall be effected from the contractor as specified in Schedule 'F' and the decision of the Engineer-in-Charge as recorded in the site order book and measurement recorded checked / test checked in Measurement Books shall be final and binding on the contractor. Further if the contractor fails to appoint a suitable technical representative and / or other technical representative(s) and if such appointed persons are not effectively present are absent by more than two days without duly approved substitute or do not discharge their responsibilities satisfactorily, the Engineer-in-Charge shall have full powers to suspend the execution of the work until such date as suitable other technical representative(s) is / are appointed and the contractor shall be held responsible for the delay so caused to the work. The contractor shall submit a certificate of employment of the technical representative(s) along with every on account bill/final bill and shall produce evidence if at any time so required by the Engineer-in-Charge.

The contractor shall provide and employ on the site only such technical assistants as are skilled and experienced in their respective fields and such foremen and supervisory staff as are competent to give proper supervision to the work.

The contractor shall provide and employ skilled, semiskilled and unskilled labour as is necessary for proper and timely execution of the work.

The Engineer-in-Charge shall be at liberty to object to and require the contractor to remove from the works any person who in his opinion misconducts himself, or is incompetent or negligent in the performance of his duties or whose employment is otherwise considered by the Engineer-in-Charge to be undesirable. Such person shall not be employed again at works site without the written permission of the Engineer-in-Charge and the persons so removed shall be replaced as soon as possible by competent substitutes.

### **CLAUSE 37**

Clause 37 "Levy / Taxes Payable by Contractor"

- i) Sales tax including VAT (except Service tax) Building and other Construction Workers Welfare

Cess or any other tax or Cess in respect of this contract shall be payable by the Contractor and IITM shall not entertain any claim whatsoever in this respect. However in respect of service tax, same shall be paid by the contractor to the concerned department on demand and it will be reimbursed to him by the Engineer-in-charge after satisfying that it has been actually and genuinely paid by the contractor.

- ii) The contractor shall deposit royalty and obtain necessary permit for supply of the red bajri, stone, kankar, etc. from local authorities.

If pursuant to or under any law, notification or order any royalty, cess or the like becomes payable by the Institute and does not any time become payable by the contractor to the State Government / Local authorities in respect of any material used by the contractor in the works then in such a case, it shall be lawful to the Institute and it will have the right and be entitled to recover the amount paid in the circumstances as aforesaid from dues of the contractor.

### **CLAUSE 38**

- i) All tendered rates shall be inclusive of all taxes and levies (Except Service tax) payable under respective statutes. However. If any further tax or cess is imposed by Statute, after the last stipulated date for the receipt of tender including extensions if any and the contractor thereupon necessarily and properly pays such taxes/levies/cess, the contractor shall be reimbursed the amount so paid. provided such payments, if any, is not, in the opinion of the Engineer-in-charge (whose decision shall be final and binding on the contractor) attributable to delay in execution of work within the control of the contractor.
- ii) The contractor shall keep necessary books of accounts and other documents for the purpose of this condition as may be necessary and shall allow inspection of the same by a duly authorised representative of the Institute and/or the Engineer-in-Charge and further shall furnish such other information/document as the Engineer-in-Charge may require from time to time.
- iii) The contractor shall, within a period of 30 days of the imposition of any such further tax or levy or excess, give a written notice thereof to the Engineer-in-Charge that the same is given pursuant to this condition, together with all necessary information relating thereto.



**CLAUSE 39**

Without prejudice to any of the rights or remedies under this contract if the contractor dies, the Engineer-in-charge on behalf of the Institute shall have the option of terminating the contract without compensation to the contractor.

**CLAUSE 40**

The contractor shall not be permitted to tender for works in the Institute (responsible for award and execution of contracts) in which his near relative is posted as Assistant Registrar( Engineering unit, IITM) or as an officer in any capacity between the grades of the EXECUTIVE ENGINEER and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any Official in the Institute. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of the Institute. If however the contractor is registered in any other department, he shall be debarred from tendering in Institute for any breach of this condition

NOTE: By the term "near relatives" is meant wife, husband, parents and grand parents, children and grand children, brothers and sisters, uncles, aunts and cousins and their corresponding in-laws.

**CLAUSE 41**

No engineer of gazetted rank or other gazetted officer employed in engineering or administrative duties in an engineering department of the Government of India shall work as a contractor or employee of a contractor for a period of one year after his retirement from government service without the previous permission of Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found at any time to be such a person who had not obtained the permission of Government of India as aforesaid, before submission of the tender or engagement in the contractor's service, as the case may be.

**CLAUSE 42**

Deleted

**CLAUSE 43**

The work (whether fully constructed or not) and all materials, machines, tools and plants, scaffolding, temporary buildings and other things connected therewith shall be at the risk of the contractor until the work has been delivered to the Engineer-in-Charge and a certificate from him to that effect obtained. In

the event of the work or any materials properly brought to the site for incorporation in the work being damaged or destroyed in consequence of hostilities or warlike operation, the contractor shall when ordered (in writing) by the Engineer-in-Charge to remove any debris from the site, collect and properly stack or remove in store all serviceable materials salvaged from the damaged work and shall be paid at the contract rates in accordance with the provision of this agreement for the work of clearing the site of debris, stacking or removal of serviceable material and for reconstruction of all works ordered by the Engineer-in-Charge, such payments being in addition to compensation upto the value of the work originally executed before being damaged or destroyed and not paid for. In case of works damaged or destroyed but not already measured and paid for, the compensation shall be assessed by the EXECUTIVE ENGINEER concerned. The contractor shall be paid for the damages/destruction suffered and for the restoring the material at the rate based on analysis of rates tendered for in accordance with the provision of the contract. The certificate of the Engineer-in-Charge regarding the quality and quantity of materials and the purpose for which they were collected shall be final and binding on all parties to this contract.

Provided always that no compensation shall be payable for any loss in consequence of hostilities or warlike operations (a) unless the contractor had taken all such precautions against air raid as are deemed necessary by the A.R.P. Officers or the Engineer-in-Charge (b) for any material etc. not on the site of the work or for any tools, plant, machinery, scaffolding, temporary building and other things not intended for the work.

In the event of the contractor having to carry out reconstruction as aforesaid, he shall be allowed such extension of time for its completion as is considered reasonable by the Engineer-in-charge.

#### **CLAUSE 44**

The contractor shall comply with the provisions of the Apprentices Act, 1961 and the rules and orders issued thereunder from time to time. If he fails to do so, his failure will be a breach of the contract and the EXECUTIVE ENGINEER may, in his discretion, cancel the contract. The contractor shall also be liable for any pecuniary liability arising on account of any violation by him of the provisions of the said Act.

#### **CLAUSE 45**

Security Deposit of the work shall not be refunded till the contractor produces a clearance certificate from the Labour Officer. As soon as the work is virtually complete the contractor shall apply for the

clearance certificate to the Labour officer under intimation to the Engineer-in-charge. The Engineer-in-charge on receipt of the communication shall write to the Labour officer to intimate if any complaint is pending against the contractor in respect of the work. If no complaint is pending on record till after 3 months after completion of the work and/or no communication is received from the Labour officer to this effect till six months after the date of completion it will be deemed to have received the clearance certificate and the security deposit will be released if otherwise due.

#### **14.0 C.P.W.D. SAFETY CODE**

Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construction except such short period work as can be done safely from ladders. When a ladder is used, an extra mazdoor shall be engaged for holding the ladder and If the ladder is used for carrying materials as well suitable footholds and hand-hold shall be provided on the ladder and the ladder shall be given an inclination not steeper than 1/4 to 1 (1/4 horizontal and 1 vertical.)

Scaffolding of staging more than 3.6 mt. (12ft.) above the ground or floor, swung or suspended from an overhead support or erected with stationary support shall have a guard rail properly attached or bolted, braced and otherwise secured at least 90 cm. (3ft.) high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends there of with only such opening as may be necessary for the delivery of materials. Such scaffolding or staging shall be so fastened as to prevent it from swaying from the building or structure.

Working platforms, gangways and stairways should be so constructed that they should not sag unduly or unequally, and if the height of the platform or the gangway or the stairway is more than 3.6 m (12ft.) above ground level or floor level, they should be closely boarded, should have adequate width and should be suitably fastened as described in (2) above.

Every opening in the floor of a building or in a working platform shall be provided with suitable means to prevent the fall of person or materials by providing suitable fencing or railing whose minimum height shall be 90 cm.(3ft.)

Safe means of access shall be provided to all working platforms and other working places. Every ladder shall be securely fixed. No portable single ladder shall be over 9m. (30ft.) in length while the width between side rails in rung ladder shall in no case be less than 29 cm. (11 1/2") for ladder upto and including 3 m. (10 ft.) in length. For longer ladders, this width should be increased at least 1/4" for each additional 30 cm/1 foot of length. Uniform step spacing of not more than 30 cm shall be kept. Adequate precautions shall be taken to prevent danger from electrical equipment. No materials on any of the sites or work shall be so stacked or placed as to cause danger or inconvenience to any person or the public. The contractor shall provide all necessary fencing and lights to protect the public from accident and shall be bound to bear the expenses of defence of every suit, action or other

proceedings at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to pay any damages and cost which may be awarded in any such suit, action or proceedings to any such person or which may, with the consent of the contractor, be paid to compensate any claim by any such person.

Excavation and Trenching - All trenches of 1.2 m. (4ft.) or more in depth, shall at all times be supplied with at least one ladder for each 30 m. (100 ft.) in length or fraction thereof Ladder shall extend from bottom of the trench to at least 90 cm. (3ft.) above the surface of the ground. The side of the trenches which are 1.5 m. (5ft.) or more in depth shall be stepped back to give suitable slope or securely held by timber bracing, so as to avoid the danger of sides collapsing. The excavated materials shall not be placed within 1.5 m. (5ft.) of the edges of the trench or half of the depth of the trench whichever is more. Cutting shall be done from top to bottom. Under no circumstances, undermining or undercutting shall be done.

Demolition - Before any demolition work is commenced and also during the progress of the work,

All roads and open areas adjacent to the work site shall either be closed or suitably protected

No electric cable or apparatus which is liable to be a source of danger or a cable or apparatus used by the operator shall remain electrically charged.

All practical steps shall be taken to prevent danger to persons employed from risk of fire or explosion or flooding. No floor, roof or other part of the building shall be so overloaded with debris or materials as to render it unsafe.

All necessary personal safety equipment as considered adequate by the Engineer-in-Charge should be kept available for the use of the person employed on the site and maintained in a condition suitable for immediate use, and the contractor should take adequate steps to ensure proper use of equipment by those concerned:- The following safety equipment shall invariably be provided.

Workers employed on mixing asphaltic materials, cement and lime mortars shall be provided with protective footwear and protective gloves and goggles.

Those engaged in white washing and mixing or stacking of cement bags or any material which is

injurious to the eyes, shall be provided with protective gloves and goggles.

Those engaged in welding works shall be provided with welder's protective eye-shields.

Stone breaker shall be provided with protective goggles and protective clothing and seated at sufficiently safe intervals.

When workers are employed in sewers and manholes, which are in active use, the contractors shall ensure that the manhole covers are opened and ventilated atleast for an hour before the workers are allowed to get into the manholes, and the manholes so opened shall be cordoned off with suitable railing and provided with warning signals or boards to prevent accident to the public. In addition, the contractor shall ensure that the following safety measure are adhered to :

Entry for workers into the line shall not be allowed except under supervision of the JE or any other higher officer.

At least 5 to 6 manholes upstream and downstream should be kept open for at least 2 to 3 hours before any man is allowed to enter into the manhole for working inside.

Before entry, presence of Toxic gases should be tested by inserting wet lead acetate paper which changes colour in the presence of such gases and gives indication of their presence.

Presence of Oxygen should be verified by lowering a detector lamp into the manhole. In case, no Oxygen is found inside the sewer line, workers should be sent only with Oxygen kit.

Safety belt with rope should be provided to the workers. While working inside the manholes, such rope should be handled by two men standing outside to enable him to be pulled out during emergency.

The area should be barricaded or cordoned off by suitable means to avoid mishaps of any kind. Proper warning signs should be displayed for the safety of the public whenever cleaning works are undertaken during night or day. .

No smoking or open flames shall be allowed near the blocked manhole being cleaned.

The malba(debris) obtained on account of cleaning of blocked manholes and sewer lines should be immediately removed to avoid accidents on account of slippery nature of the malba(debris).

Workers should not be allowed to work inside the manhole continuously. He should be given rest intermittently. The Engineer-in-Charge may decide the time up to which a worker may be allowed to work continuously inside the manhole.

Gas masks with Oxygen Cylinder should be kept at site for use in emergency.

Air-blowers should be used for flow of fresh air through the manholes. Whenever called for portable air blowers are recommended for ventilating the manholes. The Motors for these shall be vapour proof

and of totally enclosed type. Non sparking gas engines also could be used but they should be placed at least 2 metres away from the opening and on the leeward side protected from wind so that they will not be a source of friction on any inflammable gas that might be present.

The workers engaged for cleaning the manholes/sewers should be properly trained before allowing to work in the manhole.

The workers shall be provided with Gumboots or non sparking shoes bump helmets and gloves non sparking tools safety lights and gas masks and portable air blowers (when necessary). They must be supplied with barrier cream for anointing tile limbs before working inside the sewer lines.

Workmen descending a manhole shall try each ladder stop or rung carefully before putting his full weight on it to guard against insecure fastening due to corrosion of the rung fixed to manhole well.

If a man has received a physical injury, he should be brought out of the sewer immediately and adequate medical aid should be provided to him.

The extent to which these precautions are to be taken depend on individual situation but the decision of the Engineer-in-Charge regarding the steps to be taken in this regard in an individual case will be final.

The Contractor shall not employ men and women below the age of 18 years on the work of painting with products containing lead in any form. Wherever men above the age of 18 are employed on the work of lead painting, the following precaution should be taken:-

- i) White lead, sulphate of lead or product containing these pigment, shall not be used in painting operation except in the form of pastes or paint ready for use.
- ii) Measures shall be taken, wherever required in order to prevent danger arising from the application of a paint in the form of spray.
- iii) Measures shall be taken, wherever practicable, to prevent danger arising out of from dust caused by dry rubbing down and scraping.
- iv) Facilities shall be provided to enable the working painters to wash during and on the cessation of work.

The following precaution should be taken while painting:

White lead, sulphate of lead or product containing these pigment, shall not be used in painting operation except in the form of pastes or paint ready for use.

Measures shall be taken, wherever required in order to prevent danger arising from the application of

a paint in the form of spray. Measures shall be taken, wherever practicable, to prevent danger arising out of from dust caused by dry rubbing down and scraping. Adequate facilities shall be provided to enable working painters to wash during and on cessation of work.

Overall shall be worn by working painters during the whole of working period.

Suitable arrangement shall be made to prevent clothing put off during working hours being spoiled by painting materials.

Cases of lead poisoning and suspected lead poisoning shall be notified and shall be subsequently verified by medical man appointed by Institute.

Institute may require, when necessary medical examination of workers.

Instructions with regard to special hygienic precautions to be taken in the painting trade shall be distributed to working painters.

When the work is done near any place where there is risk of drowning, all necessary equipments should be provided and kept ready for use and all necessary steps taken for prompt rescue of any person in danger and adequate provision, should be made for prompt first aid treatment of all injuries likely to be obtained during the course of the work.

Use of hoisting machines and tackle including their attachments, anchorage and supports shall conform to the following standards or conditions :

i)

(a) These shall be of good mechanical construction, sound materials and adequate strength and free from patent defects and shall be kept repaired and in good working order.

(b) Every rope used in hoisting or lowering materials or as a means of suspension shall be of durable quality and adequate strength and free from patent defects.

ii) Every crane driver or hoisting appliance operator shall be properly qualified and no person under the age of 21 years should be in charge of any hoisting machine including any scaffolding winch or give signals to operator.

iii) In case of every hoisting machine and of every chain ring hook, shackle swivel and pulley block used in hoisting or as means of suspension, the safe working load shall be ascertained by adequate means. Every hoisting machine and all gear referred to above shall be plainly marked with the safe working load. In case of a hoisting machine having a variable safe working load each safe working load and the condition under which it is applicable shall be clearly indicated. No part of any machine or any gear referred to above in this paragraph shall be loaded beyond the safe working load except for the purpose of testing.



- iv) The contractor shall notify the safe working load of the machine to the Engineer-in-Charge whenever he brings any machinery to site of work who may get it verified.

Motors, gearing, transmission, electric wiring and other dangerous parts of hoisting appliances should be provided with efficient safeguards. Hoisting appliances should be provided with such means as will reduce to the minimum the risk of accidental descent of the load. Adequate precautions should be taken to reduce to the minimum the risk of any part of a suspended load becoming accidentally displaced. When workers are employed on electrical installations which are already energised, insulating mats, wearing apparel, such as gloves, sleeves and boots as may be necessary should be provided. The worker should not wear any rings, watches and carry keys or other materials which are good conductors of electricity.

All scaffolds, ladders and other safety devices mentioned or described herein shall be maintained in safe condition and no scaffold, ladder or equipment shall be altered or removed while it is in use. Adequate washing facilities should be provided at or near places of work.

These safety provisions should be brought to the notice of all concerned by display on a notice board at a prominent place at work spot. The person responsible for compliance of the safety code shall be named therein by the contractor.

To ensure effective enforcement of the rules and regulations relating to safety precautions the arrangements made by the contractor shall be open to inspection by labour officer or other department or Engineer-in-Charge or their representatives.

Notwithstanding the above clauses from (1) to (15) there is nothing in these to exempt the contractor from the operations of any other Act or Rule in force in the Republic of India.

## **1. APPLICATION**

These rules shall apply to all buildings and construction works in IITM in which twenty or more workers are ordinarily employed or are proposed to be employed in any day during the period during which the contract work is in progress.

## **2. DEFINITION**

Work place means a place where twenty or more workers are ordinarily employed in connection with

construction work on any day during the period during which the contract work is in progress.

### **3. FIRST AID FACILITIES**

i) At every work place there shall be provided and maintained, so as to easily accessible during working hours, first-aid boxes at the rate of not less than one box for 150 contract labour or part thereof ordinarily employed..

ii) The first-aid box shall be distinctly marked with a red cross on white back ground and shall contain the following equipment

a) For work places in which the number of contract labour employed does not exceed 50 Each first-aid box shall contain the following equipments :-

1. 6 small sterilised dressings
2. 3 medium size sterilized dressings.
3. 3 large size sterilized dressings.
4. 3 large sterilized burn dressings.
5. 1 (30ml) bottle containing a two per cent alcoholic solution of iodine
6. 1 (30 ml) bottle containing salvolatile having the dose and mode of administration indicated on the label.
7. 1 snakebite lancet.
8. 1 (30 gms.) bottle of potassium permanganate crystals
9. 1 pair scissors
10. 1 copy of the first-aid leaflet issued by the Director General, Factory Advice Service and Labour Institutes, Government of India.
11. 1 bottle containing 100 tablets (each of 5 gms) of aspirin.
12. Ointment for burns
13. A bottle of suitable surgical antiseptic solution.

b) For work places in which the number of contract labour exceed 50.

Each first-aid box shall contain the following equipments.

- 12 small sterilised dressings.
- 6 medium size sterilised dressings.
- 6 large size sterilised dressings.
- 6 large size sterilised burn dressings.

6 (15 gms.) packets sterilised cotton wool.

1 (60 ml.) bottle containing two per cent alcoholic solution iodine.

1 (60 ml.) bottle containing salvolatile having the dose and mode of administration indicated on the label.

1 roll of adhesive plaster.

1 snake bite lancet.

1 (30 Gms) bottle of potassium permanganate crystals.

1 pair scissors

1 copy of the first-aid leaflet issued by the director General Factory Advice Service and labour Institutes / government of India.

A bottle containing 100 tablets (each of 5 Gms) of aspirin.

Ointment for burns.

A bottle of suitable surgical antiseptic solution.

iii) Adequate arrangements shall be made for immediate recoument of the equipment when necessary.

iv) Nothing except the prescribed contents shall be kept in the First-aid box.

v) The first-aid box shall be kept in charge of a responsible person who shall always be readily available during the working hours of the work place.

vi) A person in Charge of the First aid box shall be a person trained in First-aid treatment, in the work places where the number of contract labour employed is 150 or more.

vii) In work places where the number of contract labour employed is 500 or more and hospital facilities are not available within easy distance from the works. First-aid posts shall be established and run by a trained compounder. The compounder shall be on duty and shall be available at all hours when the workers are at work.

viii) Where work places are situated in places which are not towns or cities, a suitable motor transport shall be kept readily available to carry injured person or person suddenly taken ill to the nearest hospital.

#### **4. DRINKING WATER**

In every work place, there shall be provided and maintained at suitable places, easily accessible to labour, a sufficient supply of cold water fit for drinking.

Where drinking water is obtained from an intermittent public water supply, each work place shall be

provided with storage where such drinking water shall be stored.

Every water supply or storage shall be at a distance of not less than 50 feet from any latrine drain or other source of pollution. Where water has to be drawn from an existing well which is within such proximity of latrine, drain or any other source of pollution, the well shall be properly chlorinated before water is drawn from it for drinking. All such wells shall be entirely closed in and be provided with a trap door which shall be dust and waterproof.

A reliable pump shall be fitted to each covered well, the trap door shall be kept locked and opened only for cleaning or inspection which shall be done at least once a month.

## **5. WASHING FACILITIES**

In every work place adequate and suitable facilities for washing shall be provided and maintained for the use of contract labour employed therein.

Separate and adequate cleaning facilities shall be provided for the use of male and female workers.

Such facilities shall be conveniently accessible and shall be kept in clean and hygienic condition.

## **6. LATRINES AND URINALS**

i) Latrines shall be provided in every work place on the following scale namely:

Where female are employed there shall be at least one latrine for every 25 females.

Where males are employed, there shall be at least one latrine for every 25 males.

Provided that where the number of males or females exceeds 100, it shall be sufficient if there is one latrine for 25 males or females as the case may be up to the first 100, and one for every 50 thereafter.

ii) Every latrine shall be under cover and so partitioned off as to secure privacy, and shall have a proper door and fastenings.

iii) Construction of latrines: The inside walls shall be constructed of masonry or some suitable heat-resisting non-absorbent materials and shall be cement washed inside and outside at least once a year, Latrines shall not be of a standard lower than borehole system.

iv) Where workers of both sexes are employed, there shall be displayed outside each block of latrine and urinal, a notice in the language understood by the majority of the workers "For Men only" or "For Women Only" as the case may be.

The notice shall also bear the figure of a man or of a woman, as the case may be.

v) There shall be at least one urinal for male workers up to 50 and one for female workers up to fifty employed at a time, provided that where the number of male or female workmen, as the case may be exceeds 500, it shall be sufficient if there is one urinal for every 50 males or females up to the first 500 and one for every 100 or part thereafter.

vi) a) The latrines and urinals shall be adequately lighted and shall be maintained in a clean and sanitary condition at all times.

b) Latrines and urinals other than those connected with a flush sewage system shall comply with the requirements of the Public Health Authorities.

vii) Water shall be provided by means of tap or otherwise so as to be conveniently accessible in or near the latrines and urinals.

viii) Disposal of excreta: - Unless otherwise arranged for by the local sanitary authority, arrangements for proper disposal of excreta by incineration at the work place shall be made by means of a suitable incinerator. Alternately excreta may be disposed of by putting a layer of night soil at the bottom of a pucca tank prepared for the purpose and covering it with a 15 cm. layer of waste or refuse and then covering it with a layer of earth for a fortnight (when it will turn to manure).

ix) The contractor shall at his own expense, carry out all instructions issued to him by the Engineer-in-Charge to effect proper disposal of night soil and other conservancy work in respect of the contractor's workmen or employees on the site. The contractor shall be responsible for payment of any charges which may be levied by Municipal or Cantonment Authority for execution of such on his behalf.

#### 7. PROVISION OF SHELTER DURING REST

At every place there shall be provided, free of cost, four suitable sheds, two for meals and the other two for rest separately for the use of men and women labour, The height of each shelter shall not be less than 3 m (10ft.) from the floor level to the lowest part of the roof. These shall be kept clean and the space provided shall be on the basis of 0.6 sq.m. (6 sft) per head.

Provided that the Engineer-in-Charge may permit subject to his satisfaction, a portion of the building under construction or other alternative accommodation to be used for the purpose.

## 8. CRECHES

At every work place, at which 20 or more women worker are ordinarily employed, there shall be provided two rooms of reasonable dimensions for the use of their children under the age of six years. One room shall be used as a play room for the children and the other as their bedroom. The rooms shall be constructed with specifications as per clause 19H (ii) a, b & c.

The rooms shall be provided with suitable and sufficient openings for light and ventilation. There shall be adequate provision of sweepers to keep the places clean.

The contractor shall supply adequate number of toys and games in the play room and sufficient number of cots and beddings in the bed room.

The contractor shall provide one ayah to look after the children in the crèche when the number of women workers does not exceed 50 and two when the number of women workers exceeds 50.

The use of the rooms earmarked as crèches shall be restricted to children, their attendants and mothers of the children.

## 9. CANTEENS

In every work place where the work regarding the employment of contract labour is likely to continue for six months and where in contract labour numbering one hundred or more is ordinarily employed, an adequate canteen shall be provided by the contractor for the use of such contract labour.

The canteen shall consist of at least a dining hall, kitchen, storeroom, pantry and washing places separately for workers and utensils.

The canteen shall be sufficiently lighted at all times when any person has access to it.

The floor shall be made of smooth and impervious materials and inside walls shall be lime-washed or colour washed at least once in each year.

Provided that the inside walls of the kitchen shall be lime-washed every four months.

The premises of the canteen shall be maintained in a clean and sanitary condition.

Waste water shall be carried away in suitable covered drains and shall not be allowed to accumulate so as to cause a nuisance.

Suitable arrangements shall be made for the collection and disposal of garbage.

The dining hall shall accommodate at a time 30 per cent of the contract labour working at a time.

The floor area of the dining hall, excluding the area occupied by the service counter and any furniture except tables and chairs shall not be less than one square meter (10 sft) per diner to be accommodated as prescribed in sub-Rule 9.

(xi) a) A portion of the dining hall and service counter shall be partitioned off and reserved for women workers in proportion to their number.

- b) Washing places for woman shall be separate and screened to secure privacy.
- (xii) Sufficient tables, stools, chair or benches shall be available for the number of diners to be accommodated as prescribed in sub-Rule 9.
- (xiii) a) 1. There shall be provided and maintained sufficient utensils crockery, furniture and any other equipment necessary for the efficient running of the canteen.
2. The furniture utensils and other equipment shall be maintained in a clean and hygienic condition.
- b) 1. Suitable clean clothes for the employees serving in the canteen shall be provided and maintained.
2. A service counter, if provided, shall have top of smooth and impervious material.
3. Suitable facilities including an adequate supply of hot water shall be provided for the cleaning of utensils and equipments.
- xiv. The food stuffs and other items to be served in the canteen shall be in conformity with the normal habits of the contract labour.
- xv. The charges for food stuffs, beverages and any other items served in the canteen shall be based on 'No profit, No loss' and shall be conspicuously displayed in the canteen.
- xvi. In arriving at the price of foodstuffs, and other article served in the canteen, the following items shall not be taken into consideration as expenditure namely:
- a) The rent of land and building.
- b) The depreciation and maintenance charges for the building and equipments provided for the canteen.
- The cost of purchase, repairs and replacement of equipments including furniture, crockery, cutlery and utensils.
- The water charges and other charges incurred for lighting and ventilation.
- The interest and amounts spent on the provision and maintenance of equipments provided for the canteen.
- xvii. The accounts pertaining to the canteen shall be audited once every 12 months by registered accountants and auditors.

## 10. ANTI-MALARIAL PRECAUTIONS

The contractor shall at his own expense, conform to all anti-malarial instructions given to him by the Engineer-in-Charge including the filling up of any borrow pits which may have been dug by him.

**11.** The above rules shall be incorporated in the contracts and in notices inviting tenders and shall from an integral part of the contracts.

**12. AMENDMENTS**

Institute may, from time to time, add to or amend these rules and issue directions - it may consider necessary for the purpose of removing any difficulty which may arise in the administration thereof.



## 15.0 C.P.W.D. Contractor's Labour Regulations

### 1. SHORT TITLE

These regulations may be called the CPWD/PWD (DA Contractors Labour Regulations).

### 2. DEFINITIONS

**1) Workman** means any person employed by contractor directly or indirectly through a subcontractor with or without the knowledge of the Institute to do any skilled, semiskilled or unskilled manual, supervisory, technical or clerical work for hire or reward, whether the terms of employment are expressed or implied but does not include any person :

a) Who is employed mainly in a managerial or administrative capacity: or

b) Who, being employed in a supervisory capacity draws wages exceeding five hundred rupees per mensem or exercises either by the nature of the duties attached to the office or by reason of powers vested in him, functions mainly of managerial nature: or

c) Who is an out worker, that is to say, person to whom any article or materials are given out by or on behalf of the principal employers to be made up cleaned, washed, altered, ornamental finished, repaired adopted or otherwise processed for sale for the purpose of the trade or business of the principal employers and the process is to be carried out either in the home of the out worker or in some other premises, not being premises under the control and management of the principal employer.

No person below the age of 18 years shall be employed to act as a workman.

**ii) Fair wages** means wages whether for time or piece work fixed and notified under the provisions of the Minimum Wages Act from time to time.

**iii) Contractors** shall include every person who undertakes to produce a given result other than a mere supply of goods or articles of manufacture through contract labour or who supplies contract labour for any work and includes a subcontractor.

**iv) Wages** shall have the same meaning as defined in the Payment of Wages Act.

i) Normally working hours of an adult employee should not exceed 9 hours a day. The working day shall be so arranged that inclusive of interval for rest, if any, it shall not spread over more than 12 hours on any day.

ii) When an adult worker is made to work for more than 9 hours on any day or for more than 48 hours in any week, he shall be paid over time for the extra hours put in by him at double the ordinary rate of wages.

iii) a) Every worker shall be given a weekly holiday normally on a Sunday, in accordance with the

provisions of the Minimum Wages (Central) Rules 1960 as amended from time to time irrespective of whether such worker is governed by the Minimum Wages Act or not.

b) Where the minimum wages prescribed by the Government under the minimum Wages Act are not inclusive of the wages for the weekly day of rest, the worker shall be entitled to rest day wages at the rate applicable to the next preceding day, provided he has worked under the same contractor for a continuous period of not less than 6 days.

c) Where a contractor is permitted by the Engineer-in-Charge to allow a worker to work on a normal weekly holiday, he shall grant a substituted holiday to him for the whole day on one of the five days immediately before or after the normal weekly holiday and pay wages to such worker for the work performed on the normal weekly holiday at overtime rate.

#### 4. DISPLAY OF NOTICE REGARDING WAGES ETC.

The contractor shall before he commences his work on contract, display and correctly maintain and continue to display and correctly maintain in a clear and legible condition in conspicuous places on the work, notices in English and in the local Indian languages spoken by the majority of the workers giving the minimum rates of wages fixed under Minimum Wages Act, the actual wages being paid, the hours of work for which such wage are earned, wages periods, dates of payments of wages and other relevant information as per Appendix 'III'.

#### 5. PAYMENT OF WAGES

The contractor shall fix wage periods in respect of which wages shall be payable.

No wage period shall exceed one month.

The wages of every person employed as contract labour in an establishment or by a contractor where less than one thousand such persons are employed shall be paid before the expiry of seventh day and in other cases before the expiry of tenth day after the last day of the wage period in respect of which the wages are payable.

Where the employment of any worker is terminated by or on behalf of the contractor the wages earned by him shall be paid before the expiry of the second working day from the date on which his employment is terminated.

All payment of wages shall be made on a working day at the work premises and during the working time and on a date notified in advance and in case the work is completed before the expiry of the wage period, final payment shall be made within 48 hours of the last working day.

Wages due to every worker shall be paid to him direct or to other person authorised by him in this behalf.

All wages shall be paid in current coin or currency or in both.

Wages shall be paid without any deductions of any kind except those specified by the Central Government by general or special order in this behalf or permissible under the Payment of Wages Act 1956.

A notice showing the wages period and the place and time of disbursement of wages shall be displayed at the place of work and a copy sent by the contractor to the Engineer-in-Charge under acknowledgment.

It shall be the duty of the contractor to ensure the disbursement of wages in the presence of the Junior Engineer or any other authorised representative of the Engineer-in-Charge who will be required to be present at the place and time of disbursement of wages by the contractor to workmen.

The contractor shall obtain from the Junior Engineer or any other authorised representative of the Engineer-in-Charge as the case may be, a certificate under his signature at the end of the entries in the "Register of Wages" or the "Wage-cum Muster Roll" as the case may be in the following form:

"Certified that the amount shown in column No        has been paid to the workman concerned in my presence on    at....."

## 6. FINES AND DEDUCTIONS WHICH MAY BE MADE FROM WAGES

(i) The wages of a worker shall be paid to him without any deduction of any kind except the following:

a) Fines

b) Deductions for absence from duty i.e. from the place or the places where by the terms of his employment he is required to work. The amount of deduction shall be in proportion to the period for which he was absent.

c) Deduction for damage to or loss of goods expressly entrusted to the employed person for custody, or for loss of money or any other deduction which he is required to account, where such damage or loss is directly attributable to his neglect or default.

d) Deduction for recovery of advances or for adjustment of overpayment of wages, advances granted shall be entered in a register.

e) Any other deduction which the Central Government may from time to time allow.

ii) No fines should be impose on any worker save in respect of such acts and omissions on his part as have been approved of by the Chief Labour Commissioner.

**Note:** - An approved list of Acts and omissions for which fines can be imposed is enclosed. Appendix 'X'

iii) No fine shall be imposed on a worker and no deduction for damage or loss shall be made from his wages until the worker has been given an opportunity of showing cause against such fines or deductions.

iv) The total amount of fine which may be imposed in anyone wage period on a worker shall not exceed an amount equal to three paise in a rupee of the total wages, payable to him in respect of that wage period.

v) No fine imposed on any worker shall be recovered from him by installment, or after the expiry of sixty days from the date on which it was imposed.

vi) Every fine shall be deemed to have been imposed on the day of the act or omission in respect of which it was imposed.

## 7. LABOUR RECORDS

The contractor shall maintain a Register of persons employed on work on contract in Form XIII of the CL (R &A) Central Rules 1971 (Appendix IV)

The contractor shall maintain a **Muster Roll** register in respect of all workmen employed by him on the work under Contract in Form XVI of the CL (R&A) Rules 1971 (Appendix V).

The contractor shall maintain a **Wage Register** in respect of all workmen employed by him on the work under contract in Form XVII of the CL (R&A) Rules 1971 (Appendix VI)

(iv) Register of accident : The contractor shall maintain a register of accidents in such form may be convenient at the work place but the same shall include the following particulars :

Full particulars of the labourers who met with accident

Rate of wages

Sex

Age

Nature of accident and cause of accident

Time and date of accident

Date and time when admitted in Hospital

Date of discharge from the Hospital

Period of treatment and result of treatment.

Percentage of loss of earning capacity and disability as assessed by Medical officer.

Claim required to be paid under Workmen's Compensation Act.

Date of payment of compensation

Amount paid with details of the person to whom the same was paid.

Authority by whom the compensation was assessed.

Remarks

v) The contractor shall maintain a **Register of Fines** in the Form XII of the CL (R &A) Rules 1971 (Appendix-XI)

The contractor shall display in a good condition and in a conspicuous place of work the approved list of acts and omissions for which fines can be imposed (Appendix-X)

vi) The contractor shall maintain a **Register of deductions for damage or loss** in Form XX of the CL (R&A) Rules 1971 (Appendix-XII)

vii) The contractor shall maintain a **Register of Advances** in Form XXIII of the CL (R&A) Rules 1971 (Appendix-XIII)

viii) The contractor shall maintain a **Register of Overtime** in Form XXIII of the CL (R&A) Rules 1971 (Appendix-XIV)

8. ATTENDANCE CARD-CUM-WAGE SLIP

The contractor shall issue an **Attendance card – cum – wage slip** to each workman employed by him in the specimen form at (Appendix-VII)

The card shall be valid for each wage period.

The contractor shall mark the attendance of each workman on the card twice each day, once at the commencement of the day and again after the rest interval, before he actually starts work.

The card shall remain in possession of the worker during the wage period under reference.

The contractor shall complete the wage slip portion of the reverse of the card at least a day prior to the disbursement of wages in respect of the wage period under reference.

The contractor shall obtain the signature or thumb impression of the worker on the wage slip at the time of disbursement of wages and retain the card with himself.

#### 9. EMPLOYMENT CARD

The contractor shall issue an Employment Card in Form XIV of the CL (R&A) Central Rules 1971 to each worker within three days of the employment of the worker (Appendix-VIII).

#### 10. SERVICE CERTIFICATE

On termination of employment for any reason whatsoever the contractor shall issue to the workman whose services have been terminated, a Service certificate in Form XV of the CL (R&A) Central Rules 1971 (Appendix-IX)

#### 11. PRESERVATION OF LABOUR RECORDS

All records required to be maintained under Regulations Nos. 6&7 shall be preserved in original for a period of three years from the date of last entries made in them and shall be made available for inspection by the Engineer-in-Charge or Labour Officer or any other officers authorised by the Institute in this behalf,

#### 12. POWER OF LABOUR OFFICER TO MAKE INVESTIGATIONS OR ENQUIRY

The labour officer or any person authorised by Institute on their behalf shall have power to make enquiries with a view to ascertaining and enforcing due and proper observance of Fair Wage clauses

and the Provisions of these Regulations. He shall investigate into any complaint regarding the default made by the contractor or subcontractor in regard to such provision.

### 13. REPORT OF LABOUR OFFICER

The labour officer or other persons authorised as aforesaid shall submit a report of result of his investigation or enquiry to the Engineer-in-charge concerned indicating the extent, if any, to which the default has been committed with a note that necessary deductions from the contractor's bill be made and the wages and other dues be paid to the labourers concerned, In case an appeal is made by the contractor under Clause 13 of these regulations, actual payment to labourers will be made by the Engineer-in-charge after a decision has been given on such appeal

i) The Engineer-in-charge shall arrange payments to the labour concerned within 45 days from the receipt of the report.

### 14. APPEAL AGAINST THE DECISION OF LABOUR OFFICER

Any person aggrieved by the decision and recommendations of the labour officer or other person so authorised may appeal against such decision to the Chairman (EU) concerned within 30 days from the date of decision, forwarding simultaneously a copy of his appeal to the EXECUTIVE ENGINEER concerned but subject to such appeal, the decision of the officer shall be final and binding upon the contractor.

### 15. PROHIBITION REGARDING REPRESENTATION THROUGH LAWYER

i) A workman shall be entitled to be represented in any investigation or enquiry under these regulations by :-

- a) An officer of a registered trade union of which he is a member.
- b) An officer of a federation of trade unions to which the trade union referred to in clause (a) is affiliated.
- c) Where the employer is not a member of any registered trade union, by an officer of a registered trade union, connected with the industry in which the worker is employed or by any other workman employed in the industry in which the worker is employed.

ii) An employer shall be entitled to be represented in any investigation or enquiry under these regulations by :-

An officer of an association of employers of which he is a member

An officer of a federation of associations of employers to which association referred to in clause (a)

is affiliated.

Where the employers is not a member of any association of employers, by an officer of association of employer connected with the industry in which the employer is engaged or by any other employer, engaged in the industry in which the employer in engaged.

- (iii) No party shall be entitled to be represented by a legal practitioner in any investigation or enquiry under these regulations.

#### 16. INSPECTION OF BOOKS AND SLIPS

The contractor shall allow inspection of all the prescribed labour records to any of his workers or to his agent at a convenient time and place after due notice is received or to the Labour Officer or any other person, authorised by the Central Government on his behalf.

#### 17. SUBMISSIONS OF RETURNS

The contractor shall submit periodical returns as may be specified from time to time.

#### 18. AMENDMENTS

The Central Government may from time to time add to or amend the regulations and on any question as to the application/Interpretation or effect of those regulations the decision of the EXECUTIVE ENGINEER concerned shall be final.



Appendix 'I'

REGISTER OF MATERNITY BENEFITS (Clause 19 F)

Name and address of the Contractor

.....

Name and location of the work .....

Name of the Employee	Father's / Husband's Name	Nature of Employment	Period of actual employment	Date on which notice of confinement given	
1	2	3	4	5	
Date on which maternity leave commenced and ended					
Date of Delivery / miscarriage	In case of Delivery		In case of miscarriage		
	Commenced	Ended	Commenced	Ended	
6	7	8	9	10	
Leave pay paid to the employee					
In case of Delivery		In case of miscarriage			Remarks
Rate of leave pay	Amount paid	Rate of leave pay	Amount paid		
11	12	13	14	15	

SPECIMEN FORM OF THE REGISTER, REGARDING MATERNITY BENEFIT  
ADMISSIBLE TO THE CONTRACTOR'S LABOUR IN CENTRAL PUBLIC WORKS  
DEPARTMENT WORKS.

Name and address of the contractor.....

Name and location of the work .....

Name of the woman and her husband's name.

Designation.

Date of appointment.

Date with months and years in which she is employed.

Date of discharge/dismissal, if any.

Date of production of certificates in respect of pregnancy.

Date on which the woman informs about the expected delivery.

Date of delivery/miscarriage/death

Date of production of certificate in respect of delivery/miscarriage.

Date with the amount of maternity/death benefit paid in advance of expected delivery.

Date with amount of subsequent payment of maternity benefit.

Name of the person nominated by the woman to receive the payment of the maternity  
benefit after her death.

If the woman dies, the date of her death, the name of the person to whom maternity  
benefit amount was paid, the month thereof and the date of payment.

Signature of the contractor authenticating entries in the register.

Remarks column for the use of Inspecting Officer.

LABOUR BOARD

Name of work .....

Name of Contractor .....

Address of Contractor .....

Name and address of. Division .....

Name of. Labour Officer .....

Address of Labour Officer .....

Name of Labour Enforcement Officer .....

Address of Labour Enforcement officer .....

Sl. No.	Category	Minimum wage fixed	Actual wage paid	Number present	Remarks

Weekly holiday .....

Wage period .....

Date of payment of wages .....

Working hours .....

Rest interval .....

## Appendix 'IV'

Register of Workmen Employed by Contractor

Name and address of contractor

Name and address of establishment under which contract is carried on

Nature and location of work

Name and address of Principal Employer

Sl No.	Name and surname of workman	Age and Sex	Father's/H usband's name	Nature of employe nt/designa tion	address of the workman (Village and Tehsil	Local address	Date of commenc ement of employe nt	Signature or thumb impressio n of the workman	Date of terminatio n of employe nt	Reasons for terminatio ns	Remarks
1	2	3	4	5	6	7	8	9	10	11	12

Form-XVI (See Rule 78(2)(a))

Muster Roll

Name and address of contractor .....

Name and address of establishment under which contract is carried on .....

Nature and location of work .....

Name and address of Principal Employer .....For the Month of fortnight.....

Sl. No.	Name of Workman	Sex	Father's / Husband's name	Dates					Remarks
				1	2	3	4	5	
1	2	3	4	5					6
				1	2	3	4	5	

Form-XVII (See Rule 78(2) (a))

Register of wages

Name and address of contractor .....

Name and address of establishment under which contract is carried on .....

Name and location of work .....

Name and address of Principal Employer .....wages period: Monthly / Fortnightly

Sl.No	Name of Workman	Serial No. in the register of workman	Designation nature of work done	No. of days worked	Units of work done	Daily rate of wages/piece rate	Basic wages	Dearness allowances	Overtime	Other cash payments (indicate nature)	Total	Deductions if any, (indicate nature)	Nett amount paid	Signature or thumb impression of the workman	Initial of contractor or his representative
1	2	3	4	5	6	7	8	9	10	11		13	14	15	16

Wage Card No. ....

**Appendix 'VII'**

Wage Card

Name and address of contractor .....

Date of Issue .....

Name and location of work .....

Designation .....

Name of workman .....

Month / Fortnight .....

Rate of Wages .....

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

Morning

Rate

Evening

Amount

Initial

Received from .....

a sum of Rs.

on account of my wages

The Wage card is valid for one month from the date of issue

Signature.

## Employment card

Name and address of the contractor:

Name and address of the establishment under which contract is carried on:

Name of work and location of work:

Name and address of the principal employer:

Name of the workman:

Sl.no in the register of workman employed:

Nature of employment / designation:

Wage rate (with particulars of unit incase of piece work):

Wage period:

Tenure of employment:

Remarks:



Form-XV (See Rule 77)

Service Certificate

Name and address of contractor .....

Nature and location of work .....

Name and address of workman .....

Age or date of birth .....

Identification marks .....

Father's/ Husband's name .....

Name and address of establishment in under which contract is carried on .....

Name and address of Principal Employer .....

Sl. No.	Total period for which employed		Nature of work done	Rate of wages (with particulars of unit in case of piece work)	Remarks
	From	To			
1	2	3	4	5	6

Signature

LIST OF ACTS AND OMISSIONS FOR WHICH FINES CAN BE IMPOSED

Willful in-subordination or disobedience, whether alone or in combination with other.

Theft, fraud or dishonesty in connection with the contractors beside a business or property of Institute.

Taking or giving bribes or any legal gratifications.

Habitual late attendance.

Drunkenness lighting, riotous or disorderly or indifferent behavior.

Habitual negligence.

Smoking near or around the area where combustible or other materials are locked.

Habitual indiscipline.

Causing damage to work in the progress or to property of the Institute or of the contractor.

Sleeping on duty.

Malingering or slowing down work.

Giving of false information regarding name, age, father's name etc.

Habitual lose of wage cards supplied by the employer.

Unauthorized use of employer's property of manufacturing or making of unauthorized particles at the work place.

Bad workmanship in construction and maintenance by skilled workers, which is not approved by the Institute and for which the contractors are, compelled to take rectifications.

Making false complaints and / or misleading statements.

Engaging in trade within the premises of the establishments.

Any unauthorized divulgence of business affairs of the employees.

Collection or canvassing for the collection of any money within the premises of an establishment unless authorized by the employer.

Holding meeting inside the premises without previous sanction of the employers.

Threatening or intimidating any workman or employer during the working hours with in the premises.

Form XII (See rule 78 (2) (d))

Register of Fines

Name and address of contractor .....

Name and address of establishment in under which contract is carried on  
 .....Nature and location of work  
 ..... Name and address of Principal Employer  
 .....

Sl.No.	Name of Workman	Father's/Husband's name	Designation/nature of employment	Act/Omission of which fine imposed	Date of Offence	Whether workman showed cause against fine	name of person in whose presence employee's	wage period and wages payable	Amount of fine imposed	Date on which fine realised	Remarks
1	2	3	4	5	6	7	8	9	10	11	12

Form XX (See rule 78 (2) (d))

Register of Deduction for Damage or Loss

Name and address of contractor .....

Name and address of establishment in under which contract is carried on  
 .....Nature and location of work  
 .....Name and address of  
 Principal Employer .....

Sl.No.	Name of Workman	Father's/Husband's name	Designation/nature of employment	Particulars of damage or loss	Date of damage or loss	Whether workman	name of person in whose	Amount of deduction	No. of installments	Date of recovery		Remarks
										1 <sup>ST</sup> installment	Last installment	
1	2	3	4	5	6	7	8	9	10	11	12	13

**Appendix 'XIII'**

Form XXII (See rule 78 (2) (d))

Register of Advances

Name \_\_\_\_\_ and \_\_\_\_\_ address \_\_\_\_\_ of \_\_\_\_\_ contractor  
 ..... Name and address of  
 establishment in under which contract is carried on ..... Nature and  
 location of work ..... Name  
 and address of Principal Employer .....

Sl.No.	Name of Workman	Father's/Husband's name	Designation/nature of employment	wage period and wages	Date and amount of	Purpose(s) for which Advance made	Number of installments by which advance to be repaid	Date and amount of each installment	Date on which last installment was repaid	Remarks
1	2	3	4	5	6	7	8	9	10	11


Form XXIII (See rule 78 (2) (e))

Register of Overtime

Name \_\_\_\_\_ and \_\_\_\_\_ address \_\_\_\_\_ of \_\_\_\_\_ contractor  
 .....Name and address of  
 establishment in under which contract is carried on .....Nature and  
 location of work .....Name  
 and address of Principal Employer .....

Sl.No.	Name of Workman	Father's/Husband's name	Sex	Designation/nature of employment	Date on which Overtime worked	Total overtime worked or production in	Normal rate of wages	Overtime rate of wages	Overtime earnings	Rate on which overtime wages paid	Remarks
1	2	3	4	5	6	7	8	9	10	11	12

**I. SKETCH OF CEMENT GODOWN**



## 16.0 LIST OF APPROVED MAKE / BRAND

**16.1** IITM reserves the right to select any of the make/brand shown below and only those makes/brands will be allowed to be used in the work. Nothing extra is payable even if there is cost difference between one make/brand and another.

### 16.2 Civil Works

Sl no	MATERIAL	BRAND / MANUFACTURER NAME
<b>BUILDING MATERIALS</b>		
1	Cement OPC 53 grade / PPC super grade	ACC / Ramco / Ultra Tech / Chettinad
2	Steel Fe 500 grade	TATA / SAIL / TISCO / RINL
3	Fly ash concrete block	Confirming to IS 2185
4	Wood	First class red padak / Kongu/ Second class teak
<b>JOINERY</b>		
1	Paneled single door shutters	Century ply board, Bajaj, Archid Ply, Green ply - eco tech products
2	Particle board exterior grade	Novapan, Ecoboard, Bhutan board Archidply, Green ply
3	Stainless steel butt hinges	Godrej, ISI Appd brand
4	MS Piano hinges	ISI marked, IS 3818
5	Stainless steel Tower bolts	Godrej, ISI Appd brand
6	Brass mortice lock and other brass fittings	Godrej, ISI Appd brand
7	Satin nickel door lock	Godrej LKUDWICN ultra twin bolt / ISI Appd brand



8	Stainless steel cylindrical keyed door lock with knob	Godrej, ISI Appd brand
9	Multi purpose round lock	Godrej, ISI Appd brand
10	Brass hanging type floor door stopper / Casement stays and other brass fittings	Godrej / Imax
11	Aluminium fittings	Jal /crown / classic
12	Aluminium extrusions	Indal / Jindal
13	Glass	Saintgobain / Modifloat/ Pilkington
14	Door closer	Everite / Hardwyn / Dorma
15	Floor stopper	Godrej / Everite/Dorma
16	Rubber wood	RUBCO / ISI Appd brand
17	PVC Rigid foam sheet	M/s Rajshri / ISI appd Brand
<b>PAINTS</b>		
1	Water proofing cement paint	Snowcem plus / Durocem, White Cement - Birla white / J.K.White/ Asian white
2	Interior emulsion paint	Berger - Bison, ICI - Supercote, Shalimar, Nippon & Jenson & Nicholson.
3	Weather seal matt finish paint (Exterior)	Berger - Weather coat all guard, ICI - Weather shield, Shalimar, Nippon & Jenson & Nicholson.
4	Synthetic enamel paint	Dulux ICI, Berger, Shalimar, Nippon & Jenson & Nicholson
5	Acrylic putty	Altek / Asian / ICI / Berger
6	French polish	Sheenlac / Asian/ Berger
<b>FLOORING MATERIALS</b>		
1	Rectified ceramic floor tile	Nitco-avana std & Bianco beige std /Jhonson / Kajaria/ Nitco/ Somany
2	Ceramic glazed floor tile	Nitco-country café std / Jhonson / Kajaria/ Nitco/ Somany
3	Ceramic glazed wall tile	Johnson , Kajaria - Emilia Crema Std, Burma Walnut, Nitco) & 450 X 300MM (Johnson ,

		Kajaria - Dona Beige Std, Nitco)
4	Granite for urinal partition	Jet black/ Black galaxy/ Tiger brown/ Ruby red
5	Granite for computer table top	Jet black/ Black galaxy/ Tiger brown/ Ruby red
WATERPROOFING		
1	Water proofing material	Impermo – Snowcem / Roff / Fosroc /BASF/ CICO
STEEL MATERIALS		
1	Stainless steel pipe	IS 304 Grade Salem Stainless steel/ Vizag
2	G.I Pipe	TATA / APPOLO
3	C.I/D.I Pipes	Lanco or equivalent
4	Pipe Fitting	R brand / Unique
5	Valves & Fixtures	Kirloskar / Audco / Leader

### 16.3 List of approved Makes and Brands – Electrical

Sl.No.	Material	Makes / Manufactures
1	LT Panel boards	CPRi approved manufacturers
2	MCB / MCB DB /ELCB	LEGRAND / MERLIN GERIN / L&T HAGER / SIEMENS
3	Moulded Case Circuit Breaker	MERLIN GERIN /SIEMENS/GE / L&T /SCHNEIDER
4	SANDWICH RISING MAIN AND TAPOFFBOXES	GODREJ-HENIKWON/GE SPECTRA/SCHNEDER
5	LT Contactors / Timer	SIEMENS / L&T / LEGRAND
6	L.T. Cables (XLPE)	CCI-TROPODURE/POLYCAB/ GLOSTER /UNIVERSAL
7	Instruments (DIGITAL)	AE / IMP / ENERCON
8	CTs / PTs	KAPPA/ PRAGATHI/INSTRANS/AE
9	Control Switch / Indication Lamp/	SIEMENS / TEKNIC / KAYCEE / Push Button / L&T/ SCHNEIDER
10	Switch / Switch box / Flush mounted Socket / Fan Regulators /	MK / MOSAIC (MDS)/SIEMENS

	RJ11 / RJ 6	
11	FRLS Copper wires	FINOLEX / Q-FLEX /RR KABELS
12	PVC Conduits & Accessories	AVONPLAST/VASAVI/WAVIN
13	MS Conduits & Accessories	BHARAT / GUPTA / WIMCO
14	Ceiling Fan	ORIENT PSPO/CROMTON
15	Exhaust fans/Fresh air fans	ALMONARD/KHAITAN/ORIENT
16	Industrial Type Plug & Sockets	LEGRAND/MERLIN GERIN / L&T / HAGER / SIEMENS
17	Telephone Cable/wire	Finolex / DELTON
18	Data cables/Socket	Molex / Krone
19	Cable Glands	COMET / PRABHAT
20	Cable Trays & Accessories	PROFAB / TECHNOFAB
21	LED Lighting luminaires	CG / iLED /PHILIPS/MIC
22	LIGHTING LUMINAIRES	PHILIPS / WIPRO / BAJAJ / CROMPTON GREAVES / K – LITE
23	SFU/FSU	L & T / SIEMENS / GE
24	Telephone terminals	KRONE
25	GI PIPE/MS PIPE	KALINGA / TATA / JINDAL
26	Pumps	Kirloskar / KSB / Crompton
27	Motors	Kirloskar / KSB / NGEF / Crompton
28	Butterfly valves	Audco / Intervalve
29	NRV	Normax
30	Hydrant valve, Branch pipe	Newage / Sukan / Winco
31	Hose reel/Hose box	As per IS/fabricated
32	Pressure Gauge	H-Guru
33	Pressure Switch	Danfoss / Switzer
34	Control panel/Auto start panel	Bright Engg / Excel
35	Enamel paints	NEROLAC/ASIAN
36	Starter	L & T / SIEMENS
37	Push button	L & T / SIEMENS

#### NOTE

The Successful tenderer shall submit test reports for all the materials / equipments. If any make is not in accordance with the tender specification it will not be accepted even if the make is indicated in the above List.

**17. BILL OF QUANTITIES - SCHEDULE A – CIVIL REPAIR WORK**

<b>It.No.</b>	<b>Description of work</b>	<b>Quantity</b>	<b>Rate Rs in words &amp; Figures</b>	<b>Per</b>	<b>Amount</b>
1	Earthwork in Excavation in by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50m. All kinds of soil)	50.00		Cum	
2	Excavating trenches of required width for pipes, cables etc. including excavation for sockets, and dressing of sides and ramming of bottoms, depth upto 1.5m, including getting out the excavated soil and then returning the soil as required, in layers not exceeding 20cm in depth including consolidating each deposited layer by ramming, watering, etc.and disposing of surplus excavated soil as directed, within a lead of 50m. All kinds of soil. Pipes, cables etc. not exceeding 80mm dia.	50.00		Rm	
3	Excavating trenches of required width for pipes, cables etc. including excavation for sockets, and dressing of sides and ramming of bottoms, depth upto 1.5m, including getting out the excavated soil and then returning the soil as required, in layers not exceeding 20cm in depth including consolidating each deposited layer by ramming, watering, etc.and disposing of surplus excavated soil as directed, within a lead of 50m. All kinds of soil. Pipes, cables etc. exceeding 80mm dia but not exceeding 300mm dia.	5.00		Rm	
4	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundation etc. in layers not exceeding 20cm in depth : consolidating each deposited layer by ramming and watering, lead upto 50m and lift upto 1.5m.	30.00		Cum	
5	Supplying and filling in plinth with river sand under floors including watering, ramming, consolidating and dressing complete.	50.00		Cum	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
6	Supplying and stacking of Quarry dust under floors including watering, ramming, consolidating and dressing complete.	20.00		Cum	
7	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering - All work upto plinth level 1:1.5:3 (1 cement :1.5coarse sand:3 graded stone aggregate 20mm)	5.00		Cum	
8	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering - All work upto plinth level 1:2:4 (1 cement :2coarse sand:4 graded stone aggregate 20mm)	10.00		Cum	
9	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering - All work upto plinth level. 1 : 5 : 10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40mm nominal size).	35.00		Cum	
10	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering - All work upto plinth level. 1 : 4 : 8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40mm nominal size).	35.00		Cum	
11	Providing hoisting and fixing upto floor five level precast reinforced cement concrete in string courses, bands, copings, bed plates, anchor blocks, plain window sills and the like including the cost of required centring, shuttering, finishing smooth with 6mm thick cement plaster 1:3 (1 cement : 3 fine sand) on exposed surface complete but excluding cost of reinforcement with cement concrete 1 : 2 : 4 (1 cement : 2 coarse sand : 4 grade stone aggregate 20mm nominal size).	5.00		Cum	
12	Providing hoisting and fixing upto floor five level precast cement concrete in string courses, bands, copings, bed plates, anchor blocks, plain window sills and the like including the cost of required centring, shuttering, finishing smooth with 6mm thick cement plaster 1:3 (1 cement: 3 fine sand) on exposed surface complete but excluding cost of reinforcement with cement concrete 1 : 2 : 4 (1 cement : 2 coarse sand : 4 grade stone aggregate 20mm nominal size).	20.00		Cum	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
13	Providing and laying in position machine batched, machine mixed and machine vibrated design mix cement concrete of specified grade for reinforced cement concrete work including pumping of concrete to site of laying but excluding the cost of centring, shuttering, finishing and reinforcement, including Admixtures in recommended proportions as per IS 9103 to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer-in-charge M-25 grade reinforced cement concrete by using 410KG of cement per cum of concrete. All work upto floor V level.	3.00		Cum	
14	Centering and shuttering including strutting, propping etc. and removal of form for: Suspended floors, roofs, landings, balconies and access platform (For all RCC items.)	30.00		Sqm	
15	Providing and fixing double scaffolding system (cup lock type) on the exterior side, up to seven storey height made with 40mm dia. M.S. tube 1.5m centre to centre horizontal and vertical tubes joining with cup and lock system with M.S. tubes, M.S. tube challies, M.S. clamps and M.S. staircase system in the scaffolding for working platform etc., and maintaining it in a serviceable condition for the required duration as approved and removing it there after. The scaffolding system shall be stiffened with bracings, runners, connection with the building etc., wherever required for inspection of work at required locations with essential safety features for the workmen etc., complete as per directions and approval of Engineer-in-charge. The lavational area of the scaffolding shall be measured for payment purpose. The payment will be made once irrespective of duration of scaffolding. (This item will operated with the approval of the Executive Engineer and wherever absolute requirement for the safety of the work).	150.00		Sqm	
16	Reinforcement for R.C.C. work including staightening, cutting, bending, placing in position and binding all complete. Thermo-Mechanically Treated bars using MS binding wire 18 gauge	750..00		Kg	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
17	Brick work with F.P.S bricks of class designation 50 in foundation and plinth in CM 1:6 (1 Cement :6 Coarse sand)	25.00		Cum	
18	Brick work with F.P.S. bricks of class designation 50 in superstructure above plinth level and upto floor V level in all shapes and sizes in CM 1:6 (1 Cement :6 Coarse sand).	15.00		Cum	
19	Brick work with F.P.S. bricks of class designation 50 in foundation and plinth in CM 1:4 (1 Cement :4 Coarse sand).	10.00		Cum	
20	Brickwork with F.P.S. bricks of class designation 50 in superstructure above plinth level and upto floor V level with CM 1:4 (1Cement :4 Coarse sand).	10.00		Cum	
21	Half Brick masonry with F.P.S. bricks of class designation 50 in foundation and plinth in: Cement mortar 1:4 (1 Cement: 4 Coarse sand).	60.00		Sqm	
22	Half Brick masonry with F.P.S. bricks of class designation 50 in superstructure above plinth level upto floor V level using CM 1:4 (1 cement : 4 coarse sand).	100.00		Sqm	
23	Extra for providing and placing in position 2 nos of 6mm dia MS bars at every 3rd course of Half brick masonry (with F.P.S. bricks)	100.00		Sqm	
24	Brick work with modular fly ash lime bricks (FALG Bricks) conforming to IS: 12894 – 2002, class designation 100 average compressive strength in superstructure above plinth level upto floor V level in Cement mortar 1:4 (1 Cement : 4 Coarse sand)	15.00		Cum	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
25	Providing and fixing 18mm thick gang saw cut mirror polished (premoulded and prepolished) machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size of approved shade, colour and texture laid over 20mm thick base cement mortar 1:4 (1 cement : 4 coarse sand) with joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edge to give high gloss finish etc., complete at all levels. Granite of any colour and shade. Area of slab over 0.50 sqm.	60.00		Sqm	
26	Extra for providing edge moulding to 18mm thick marble stone counters, vanities etc. including machine polishing to edge to give high glass finish etc. complete as per design approved by Engineer - in - charge. Granite work.	150.00		Mts	
27	Cement Concrete flooring 1:2:4 (1 Cement : 2 Coarse sand : 4 graded stone aggregate) finished with a floating coat of neat Cement including cement slurry, but excluding the cost nosing of steps etc. complete. 25mm thick with 12.5 mm nominal size stone aggregate.	10.00		Sqm	
28	Cement Concrete flooring 1:2:4 (1 Cement : 2 Coarse sand : 4 graded stone aggregate) finished with a floating coat of neat Cement including cement slurry, but excluding the cost nosing of steps etc. complete. 40mm thick with 20 mm nominal size stone aggregate.	400.00		Sqm	
29	Cement Concrete flooring 1:2:4 (1 Cement : 2 Coarse sand : 4 graded stone aggregate) finished with a floating coat of neat Cement including cement slurry, but excluding the cost nosing of steps etc. complete . 50mm thick with 20 mm nominal size stone aggregate.	50.00		Sqm	
30	Cement plaster skirting (upto 30 cm height) with Cement 1 : 3 (1 Cement : 3 Coarse sand) finished with the floating coat of neat cement 18 mm thick.	15.00		Sqm	
31	Add Extra for making chequers of approved pattern on cement concrete floors, steps, landing , pavements etc.	15.00		Sqm	



It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
32	Providing asbestos cement 6 mm thick corrugated sheets roofing and fixing with polymer coated J or L hooks, bolts and nuts 8mm dia G.I. Plain and bitumen washers complete excluding the cost of purlins, rafters and trusses : corrugated sheets Upto 60 degrees pitch.	20.00		Sqm	
33	Lime concrete terracing on roofs average thickness 10 cm laid to fall with 25 mm nominal size brick aggregate and 50% lime mortar 1 : 2 (1 lime putty : 2 surkhi) rammed and finished with gur and belgiri treatment complete including rounding of junctions.etc complete.	15.00		Cum	
34	Providing and laying pressed clay tiles (as per approved pattern 20 mm nominal thickness and approved size) on roofs jointed with cement mortar 1 : 4 (1 Cement : 4 Coarse sand) mixed with 2% of integral water proofing laid over a bed of 20 mm thick cement mortar 1:4 and finished neat complete.	350.00		Sqm	
35	Providing and fixing on wall face unplasticised - Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10mm gap for thermal expansion Single socked pipe 50mm dia .	75.00		Mts	
36	Providing and fixing on wall face unplasticised - Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10mm gap for thermal expansion Single socked pipe 75mm dia .	150.00		Mts	
37	Providing and fixing on wall face unplasticised - Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10mm gap for thermal expansion Single socked pipe 110mm dia .	75.00		Mts	
38	Providing and fixing on wall face unplasticised - PVC moulded fittings / accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS: 5382 leaving 10mm gap for thermal expansion. Single Tee with door 50 x 50 x 50 mm.	20.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
39	Providing and fixing on wall face unplasticised - PVC moulded fittings / accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS: 5382 leaving 10mm gap for thermal expansion. Single Tee with door 75 x 75 x 75 mm.	20.00		Each	
40	Providing and fixing on wall face unplasticised - PVC moulded fittings / accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS: 5382 leaving 10mm gap for thermal expansion. Single Tee with door 110 x 110 x 110 mm	10.00		Each	
41	Providing and fixing on wall face unplasticised - PVC moulded fittings / accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS: 5382 leaving 10mm gap for thermal expansion. Single Tee without door 75 x 75 x 75 mm.	18.00		Each	
42	Providing and fixing on wall face unplasticised - PVC moulded fittings / accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS: 5382 leaving 10mm gap for thermal expansion. Single Tee without door 110 x 110 x 110 mm.	10.00		Each	
43	Providing and fixing on wall face unplasticised - PVC moulded fittings / accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS: 5382 leaving 10mm gap for thermal expansion. Bend 87.5 degree 75mm bend.	50.00		Each	
44	Providing and fixing on wall face unplasticised - PVC moulded fittings / accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS: 5382 leaving 10mm gap for thermal expansion. 50 mm door elbow	25.00		Each	
45	Providing and fixing on wall face unplasticised - PVC moulded fittings / accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS: 5382 leaving 10mm gap for thermal expansion. 75mm door elbow	35.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
46	Providing and fixing on wall face unplasticised - PVC moulded fittings / accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS: 5382 leaving 10mm gap for thermal expansion. Bend 87.5 degree 110mm bend.	40.00		Each	
47	Providing and fixing on wall face unplasticised - PVC moulded fittings / accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS: 5382 leaving 10mm gap for thermal expansion. Shoe (Plain) 75mm shoe.	10.00		Each	
48	Providing and fixing on wall face unplasticised - PVC moulded fittings / accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS: 5382 leaving 10mm gap for thermal expansion. Shoe (Plain) 110mm shoe.	15.00		Each	
49	Providing and fixing on wall face unplasticised - PVC moulded fittings / accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS: 5382 leaving 10mm gap for thermal expansion. 50mm PVC elbow	20.00		Each	
50	Providing and fixing unplasticised PVC pipe, clips of approved design to unplasticised - PVC rain water pipe by means of 50 x 50 x 50 mm hard wood plugs, screwed with MS screws of required length including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the walls etc. complete - 50mm	40.00		Each	
51	Providing and fixing unplasticised PVC pipe, clips of approved design to unplasticised - PVC rain water pipe by means of 50 x 50 x 50 mm hard wood plugs, screwed with MS screws of required length including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the walls etc. complete - 75mm.	60.00		Each	
52	Providing and fixing unplasticised PVC pipe, clips of approved design to unplasticised - PVC rain water pipe by means of 50 x 50 x 50 mm hard wood plugs, screwed with MS screws of required length including cutting brick work and fixing in cement mortar 1: 4 (1 cement : 4 coarse sand) and making good the walls etc. complete - 110mm.	60.00		Each	
53	Providing and fixing to the inlet mouth of rain water pipe cast iron grating 15cm diameter and weighing not less than 440 gms	10.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
54	12mm cement of plaster of mix CM 1:4 (1 Cement : 4 Coarse sand)	300.00		Sqm	
55	15mm cement plaster on rough side of single or half brick wall of mix CM :1:4 (1 Cement : 4 fine sand)	250.00		Sqm	
56	6mm Cement plaster of mix CM:1:3 (1Cement : 3 Fine sand)	10.00		Sqm	
57	Providing and mixing water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying: a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/sqm. This layer will be allowed to air cure for 4 hours. b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer mixed slurry.	100.00		Sqm	
58	Providing and laying of Cuddapah slab of 20mm thick over a bed mortar of cement mortar 1:4 20mm thick including charges for labour, materials and transportation etc., complete.	60.00		Sqm	
59	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS:15622 (thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Eningeer-in-Charge in skirting, risers of steps and dados over 12 mm thick bed of Cement Mortar 1:3 (1 Cement : 3 Coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm including pointing in white cement mixed with pigment of matching shade complete. (Including providing plastic corner beeding to corners wherever required) as per site condition as per manufacture specification to match with tile colour.	300.00		Sqm	
60	Providing and laying Ceramic glazed floor tiles for floors of size 300 x 300 mm (thickness to be specified by the manufacturer ) of 1st quality confirming to IS : 15622 of approved make colours asuch as White, Ivory, Grey, Fume, Red brown, laid on 20mm thick in CM 1:4 (1 Cement : 4 Coarse sand) including pointing the joints with white cement and matching pigments etc., complete.	1100.00		Sqm	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
61	Providing and fixing ball bearing for rolling shutters.	10.00		Each	
62	Providing and fixing hand rail of approved size by welding etc to steel ladder railing, balcony railing and staircase railing including applying a priming coat of approved steel primer (zinc chromate yellow primer) using M.S tubes.	350.00		Kgs	
63	Supplying and filling with shell lime and sand in CM 1:2 in plinth under sand filling in layers not exceeding 20cm indepth and consolidating each deposited layer by ramming and watering etc. Complete.	10.00		Cum	
64	Providing and fixing kerb wall using cement concrete Hollow blocks of size 400mm x 200 x 150mm adjacent to the paved area as end restraint. The rate includes earthwork in excavation for the required level and providing river sand 100mm thick PCC 1:5:10 (1 cement :5 coarse sand : 5 graded stone aggregate).	15.00		Mts	
65	Supplying and laying of 60mm thick M25 grade Interlock concrete blocks tested in accordance with BS6717 Part-I, 1986; manufactured using homogeneous designed concrete mix, vibro-compaction process, weigh batching and high speed pan mixing suitably cured in controlled conditions and laying the same over a 50mm thick sand bedding layer with required level and slope etc., complete including cost of material, bedding sand, taxes and duties and labour charges etc., complete.	30.00		Sqm	
66	Polishing to mosaic flooring.The floor surface intially cleaned using neutral cleaner .Then the floor is grined using flexible diamond pads with required grits. Depending upon the surafce (normally using grits of 200,400,800,1500).The rates is inclusive of cost of all required materials soon as cleaner ,hire charges for required tools and plants labour charges etc complete.	1000.00		Sqm	
67	Polishing to Red oxide finish cement finish cement flooring.The floor surface initially cleaned using neutral cleaner and allowed to dry. over the dry surafce two coats of floor sealer have to be given one by one .The second coat is to be applied after drying the first coat is given two coats on polish is applied for the floor.The finishing of polishing as per requirement. The polish is dried well and applied a top coat and the floor is burnished using the high speed burnisher.	1000.00		Sqm	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
68	Providing 20mm dia PVC pipe of 300mm long with 25mm dia long PVC bend by making hole of 50mm dia in brick wall (upto a height of 250mm ) labour for by manual chipping as per the directions of Engineer in charge on kitchen platform for LPG hole connection	50.00		Each	
69	Labour charges for repairing MS gate of size 1.5x1.5m garage door, consisting of cutting the bottom section of corrodes MS gate, garage door, window grill, introducing necessary MS Angle/Flat/Pipe at the bottom welding grind complete. Finishing with zinc chromate yellow primer and two coats of synthetic enamel paint.	70.00		Each	
70	Structural Steel work welded in built up sections / framed work including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In stringers, treads, landings etc. of stair cases including use of chequered plate wherever required, all complete.	1000.00		Kgs	
71	Supplying and fixing Rolling shutters of approved IS make, made of required size M.S. laths interlocked together through their entire length and jointed together at the end by end locks mounted on specially designed shaft with brackets, side guides and arrangement for inside and outside locking with push and pull operation complete including the cost of providing and fixing necessary 27.5cm long wire springs grade No: 2 and M.S top cover of required thickness for rolling shutters.80x1.25mm M.S. laths with 1.25mm thick top cover.	10.00		Sqm	
72	Fixing standard steel glazed doors, windows and ventilators in walls with 15 x 3 mm lugs 10 cm long embedded in cement concrete blocks 15 x 10 x 10 cm of 1:3:6 (1 cement : 3 coarse sand : 6 graded stones aggregate 20 mm nominal size ) or with wooden plugs	7.00		Sqm	
73	Providing and laying polished <b>Vitrified floor tiles</b> in different sizes (thickness to be specified by the manufacturer ) with water absorption's less than 0.08% and confirming to IS : 15622 of approved make in all colours and shades, laid on 20mm thick in CM 1:4 (1 Cement : 4 Coarse sand) including grouting the joints with white cement and matching pigments etc., complete. Size of Tile 60x60cm.	25.00		Sqm	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
74	Supplying and fixing Eurocan/Gripton/Beton or equivalent step tiles of approved make and pattern from pavement seires for external / internal flooring over 20mm thick cement mortar 1:4 bed, jointed with cerafil matching pigments to match the color of the tiles as directed by the Engineer-in-charge etc., complete	50.00		Sqm	
75	Conveying the precast RCC fencing post and erecting in vertical position with cement concrete 1:4:8 (1 cement :4 Coarse sand :8 40mm stone aggregate ) necessary earth work excavation of 45x45x60cm and finishing the top with plastering using CM 1:3	20.00		Each	
76	Providing and Laying of RECTIFIED tiles of size 400x400x7mm neatly laid over tile fixing adhesive of approved make like CERABOND or equivalent and joints shall be finished with cera 45 groute to math the colour of the tiles. The rate includes supply, laying and preparation of existing surface by hacking etc. complete all levels.	30.00		Sqm	
77	Providing and fixing with organic coated PVC painted GI sheet with polyster coating roofing sheet of 0.5mm thick of white colour with SDST screws etc complete and including required necessary J or L hooks, Tor bolts and nuts of 8mm dia with Bitumen washer at all levels as per the direction of the engineer in charge. (Galvanized sheet)	250.00		Sqm	
78	Providing and fixing of Corrugated GI Sheet fixed with GI 'J' hooks, bolts and nuts with bitumen washer and etc. complete as per direction of Engineer-incharge	20.00		Sqm	
79	Providing and fixing with organic coated PVC painted GI sheet with polyster coating roofing ridge piece sheet of 0.6mm thick	250.00		Mts	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
80	Cleaning with approved chemical solution for toilets in floors and walls including cleaning EWC/IWC/ Urinal etc. complete	600.00		Toilet	
81	Supplying and fixing of 18mm thick Black Granite Sink of size 600x450x250mm with top alround edge polishing etc. complete	5.00		Each	
82	Supplying and fixing of 20mm thick Cuddapah Sink of size 600x450x250mm with top alround edge polishing etc. complete	25.00		Each	
83	Supplying and fixing of 20mm thick Cuddapah Sink of size 600x600x250mm with top alround edge polishing etc. complete	30.00		Each	
84	Hire Charges for Tractor including loading, unloading and transporting etc. complete within the IIT Premises	10.00		Load	
85	Transporting of unserviceable materials such as rubbish, earth etc. by mechanically including loading, unloading, transporting etc. complete taken away from the campus. (Voids will be deducted as per norms)	400.00		Cum	
86	Providing and fixing MS weld mesh gate with angles / GI pipe frame with necessary horizontal and vertical supports and MS Aldrop, tower bolts etc complete.	20.00		Sqm	
87	Supplying and fixing GI with PVC coated chain link fencing 75 x 75mm mesh 3 x 8 gauge and 5'0" height and GI binding wire including cost of 3 rows of PVC coated GI wire of 18 gauge etc. complete.	10.00		Sqm	
88	Providing and fixing Kota stone slab flooring over 20mm (Average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing etc complete with base of 20mm thick CM 1:4 (1 Cement : 4 Coarse Sand):20mm thick	10.00		Sqm	



It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
89	Providing and fixing of 50x4mm Polysulphate Sealent for Expansion joints and etc. complete	35.00		Mts	
90	Repairs to plaster of thickness 12mm to 20mm in patches of area 2.5 sqm and under including cutting the patch in proper shape and preparing and plastering the surface of the walls etc complete including disposal of rubbish to the dumping ground with in 50m lead with cement mortar 1:4 (1 cement : 4 fine sand).	350.00		Sqm	
91	Demolishing lime concrete manually / by mechanical means and disposal of material within 50m lead as per direction of Engineer in charge. (This item will be used for only in roof brick jelly concrete)	10.00		Cum	
92	Demolishing cement concrete or lime concrete manually / by mechanical means and disposal of material within 50m lead as per direction of Engineer in charge.1:3:6 or richer mix.	10.00		Cum	
93	Demolishing cement concrete or lime concrete manually / by mechanical means and disposal of material within 50m lead as per direction of Engineer in charge. 1:4:8 or leaner mix.	70.00		Cum	
94	Demolishing Brickwork manually / by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50m lead as per direction of Engineer in charge.In cement mortar.	50.00		Cum	
95	Dismantling doors, windows and clerestory windows (Steel or wood) shutter including chowkhats, Architrave, Holdfasts, etc. complete and stacking within 50m lead ( area 3 sqm and below)	25.00		Each	
96	Dismantling doors, windows and clerestory windows (Steel or wood) shutter including chowkhats, Architrave, Holdfasts, etc. complete and stacking within 50m lead ( area beyond 3 sqm )	15.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
97	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50m lead. For thickness of tile 10mm to 25mm	400.00		Sqm	
98	Dismantling the existing mosaic dado laid in cement mortar in walls in Toilet/ Bath room etc as directed and stacking the debris at place as shown.	200.00		Sqm	
99	Dismantling roofing including ridges, hips valleys and gutters etc., and stacking the material within 50 m lead of : Asbestos sheet	10.00		Sqm	
100	Dismantling G.I. Pipes (external work) including excavation and refilling trenches after taking out the pipes, manually / by mechanical means including stacking of pipes within 50 m lead as per direction of Engineer in charge. 15mm to 40 mm nominal bore	20.00		Mts	
101	Dismantling the existing grano flooring at all levels 25 to 50mm thickness and stacking the dismantled material within 50m lead.	1000.00		Sqm	
102	Dismantling G.I. Pipes (external work) including excavation and refilling trenches after taking out the pipes, manually / by mechanical means including stacking of pipes within 50 m as per direction of Engineer in charge. Above 40 mm dia nominal bore	10.00		Mts	
103	Dismantling old plaster or skirting, raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 m lead	300.00		Sqm	
104	Cutting holes upto 30 x 30 cm in walls including making good the same with F.P.S. bricks.(For exhaust fan opening)	60.00		Each	
105	Cutting holes upto 15 x 15 cm in R.C.C. floors and roofs for passing drain pipe etc. and repairing the hole after insertion of drain pipe etc. with cement concrete 1 : 2 : 4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) including finishing complete so as to make it leak proof.	75.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
106	Making chases upto 7.5 x 7.5 cm in walls including making good and finishing with matching surface after fixing G.I. Pipes etc. complete.	10.00		Mts	
107	Making hole upto 20 x 20 cm and embedding pipes upto 150 mm diameter in masonry and filling with cement concrete 1 : 3 : 6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) including disposal of malba.	10.00		Mts	
108	Providing and fixing 16mm MS fan clamps of standard shape and size in existing RCC slabs including cutting chase and making good and painting exposed portions of the clamps complete.	20.00		Each	
109	Demolishing RCC work manually / by mechanical means including stacking of steel bars and disposal of unserviceable material within 50m lead as per direction of Engineer in charge.	10.00		Cum	
110	Dismantling C.I. or asbestos rain water pipe with fittings and clamps including stacking the materials within 50 m lead 75 mm to 80 mm dia pipe.	70.00		Mts	
111	Dismantling C.I. or asbestos rain water pipe with fittings and clamps including stacking the materials within 50 m lead 100 mm dia pipe.	50.00		Mts	
112	Making the opening in brick masonry including dismantling in floors or walls by cutting masonry and making good the damages to walls, flooring and jambs complete to match the existing surface i/c disposal of mulba / rubbish to the nearest municipal dumping ground. For door / window / clerestory window.	10.00		Sqm	
113	Dismantling and stacking with in 50m lead Fencing post or struts including all earth work and dismantling of concrete in RCC etc complete.	10.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
114	Dismantling barbed wire or flexible wire rope in fencing including making rolls and stacking with in 50m lead	10.00		kg	
115	Repairing rolling shutter by replacing the damaged or worn out parts like bearing, Gears, shafts, laths, springs and applying wax to all parts and making into good condition etc complete.	30.00		Sqm	
116	Terrace cleaning by removing dry leaves, unwanted materials and removal of plantation growth as per the direction of the Engineer in charge for all levels.	1000.00		Sqm	
117	Removing of existing 1200mm dia spiral staircase steps for a height of 10.60m with middle support of circular RCC column including dismantling of RCC parapet wall and debris removing etc. complete.	10.00		Each	
118	Providing precast cement concrete jali 1:2:4 ( 1 cement : 2 coarse sand:4 Stone aggregate 6mm nominal size) reinforced with 1.6mm dia mild steel wire including centring and shuttering, roughening, cleaning, fixing and finishing in cement mortar 1:3 ( 1 cement:3 fine sand) etc., complete excluding plastering of the jambs, sills and soffits 50mm thick.	35.00		Sqm	
119	Providing and fixing hand rail of approved size by welding etc., to steel ladder railing, balcony railing, staircase railing & truss work including applying a priming coat of approved steel primer using G.I Pipes	150.00		Kg	
120	Providing Chemical injection in the form of Pressure grouting to the roof slab, beams of building at any depth by injecting cement slurry mixed with grout admixture Conbex 100 with polymer modifier Nito bond SBR for prefixed GI nozzles, 18mm dia holes in grid bottom at a required spacing as per manufacturers specifications etc, complete.	30.00		Each	
121	Add Extra for providing 400x400mm or 460x460 mm ceramic tiles, instead of 300x300mm tiles for the floor tile in the item no : 59	50.00		Sqm	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
122	Providing and fixing 1.80mm to 2mm thick FRP sheet including "J" bolt and net washer and bitumen washer including fixing properly in position using various colours of sheet as directed.	30.00		Sqm	
123	Charges for loading & unloading conveyance the existing available precast slab and placing to required areas for platform plinth protection , pathway etc as directed. The rate is including of laying the precast slab properly as directed	100.00		Sqm	
124	Supplying and applying two part flexible cementitious water proof coating brushbond 1.50 mm thick at a coverage of 12m2 / pack including necessary surface preparation etc., complete as per specifications	100.00		Sqm	
125	Providing and laying first quality vitrified tiles (johnson Endura) tiles or equivalent make of size 300x300mm (thickness to be specified by the manufacturer of approved make and colour laid over CM 1:4 (1cement :4 coarse sand) of 20mm thick bed mortar, including pointing joints with white cement and matching with colour pigments etc complete.	50.00		Sqm	
126	Labour charges for relaying the old available interlocking blocks at site over the sand bed as directed and for vibrating the same by mixing surface vibrator.	30.00		Sqm	
127	Labour charges for relaying the old available precast slabs at site as directed over the sand bed and pointing the same with cement mortar 1:4	60.00		Sqm	
<b>Schedule A</b>			<b>Total Amount</b>		

## SCHEDULE B – PAINTING WORK

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
1	White washing with lime on old work to give an even shade in all floors. One or more coats.	3000.00		Sqm	
2	White washing with lime on old work to give an even shade in all floors. Two or more coats.	14000.00		Sqm	
3	Colour washing with lime on old work to give an even shade in all floors. One or more coats	700.00		Sqm	
4	Colour washing with lime on old work to give an even shade in all floors. Two or more coats	3000.00		Sqm	
5	Distempering with oil Bound washable distemper of approved brand and manufacture to give an even shade. Old work (One or more coats).	10000.00		Sqm	
6	Distempering with 1st quality acrylic washable distemper (ready mixed) of approved manufacturer and of required shade and colour complete. as manufacturer's specification. Two or more coats on <b>old work.</b>	24000.00		Sqm	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
7	Distemping with oil Bound washable distemper of approved brand and manufacture to give an even shade in all floors. Old work (two or more coats) over and including priming coat with cement primer.	8000.00		Sqm	
8	Finishing walls with water proofing cement paint of required shade: Old work (One or more coats applied @ 2.20 kg / 10 sqm) over priming coat of primer applied @ 0.80 litres / 10 sqm complete including cost of priming coat.	300.00		Sqm	
9	Finishing walls with water proofing cement paint of required shade: Old work (Two or more coats applied @ 3.84kg/10sqm).	100.00		Sqm	
10	Finishing walls with water proofing cement paint of required shade: Old work (Two or more coats applied @ 3.84kg/10sqm) and including one coat of cement primer of approved brand and manufacture on wall surface: Cement primer ( Three coats)	300.00		Sqm	
11	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade in all floors for wood/steel work. 1st quality.: One or more coats on Old work.	4000.00		Sqm	
12	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade in all floors for wood/steel work. 1st quality. : Two or more coats on new work. Exterior painting	10000.00		Sqm	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
13	Wall painting with plastic acrylic emulsion paint of approved brand and manufacture to give an even shade in all floors: One or more coats on Old work.Exterior painting	1000.00		Sqm	
14	Wall painting with plastic acrylic emulsion paint of approved brand and manufacture to give an even shade in all floors: Two or more coats on Old work	1000.00		Sqm	
15	Removing existing wall finishing in interior faces such as white washing/Oil Bound distempering/plastic Emulsion paint etc., by thoughtly scrapping, sand papering, cleaning, washing and preparing the surface smooth including necessary repairs to scratches etc,complete.	10000.00		Sqm	
16	Prepare surface and repolishing the old wooden surface using approved quality and make french polish/varnish including bees waxing, wood filler etc., and such other required materials, one or more coats to give an even shade	700.00		Sqm	
17	Floor painting with floor enamel paint of approved brand and manufacture of required colour to give an even shade : 2 or more coats on new work	4000.00		Sqm	
18	Floor painting with floor enamel paint of approved brand and manufacture of required colour to give an even shade :one or more coats on old work	750.00		Sqm	



It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
19	Melamine polishin (two or more coats including a coat of wood filler and sealent) with finishing neat etc. complete.	50.00		Sqm	
20	Applying one coat of cement primer of approved brand and manufacture on wall surface etc. complete. Cement primer	300.00		Sqm	
21	Finishing walls with Epoxy paint (2 or more coats) at all locations prepared and applied as per manufacturers specification including appropriate priming coat, preparation of surface etc complete. On steel work	50.00		Sqm	
<b>Schedule B</b>			<b>Total Amount</b>		

**SCHEDULE C – CARPENTRY WORKS**

<b>It.No.</b>	<b>Description of work</b>	<b>Quantity</b>	<b>Rate Rs in words &amp; Figures</b>	<b>Per</b>	<b>Amount</b>
1	Providing and fixing aluminium tower bolts ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade with necessary screws etc complete.150 x10mm.	400.00		Each	
2	Providing and fixing aluminium tower bolts ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade with necessary screws etc complete.100 x10mm.	250.00		Each	
3	Providing and fixing bright finished brass handles with screws etc, complete 100 mm.	100.00		Each	
4	Making opening with existing window frame for fixing AC of various size including charges for additional wood painting labour for cutting window grill, window frame , charges for fixing 6mm thick BWR (kit ply / century ply) plywood for remaining portion etc complete. as directed by the Engineer in charge.	5.00		Each	
5	Providing and fixing aluminium handles ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to require colour or shade with necessary screws etc complete. 125mm.	50.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
6	Providing and fixing aluminium handles ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to require colour or shade with necessary screws etc complete. 100mm.	200.00		Each	
7	Providing and fixing aluminium handles ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to require colour or shade with necessary screws etc complete. 75mm.	20.00		Each	
8	Providing and fixing chromium plated brass handles with necessary screws etc complete 125mm.	5.00		Each	
9	Labour charges for cutting the windows and door frames to required height and altering the shutter to the required size (for kitchen window alteration including frame etc) and fixing the same in the new reduced / increased opening. The rate is inclusive of required all materilas such as wooden frames, nails etc and labour charges etc complete.	100.00		Each	
10	Providing and fixing ISI marked M.S pressed butt hinges bright finished with necessary screws etc complete.125x65x2.12mm.	125.00		Each	
11	Providing and fixing ISI marked M.S pressed butt hinges bright finished with necessary screws etc complete.100x58x1.90mm	250.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
12	Providing and fixing ISI marked M.S pressed butt hinges bright finished with necessary screws etc complete.75x47x1.70mm	100.00		Each	
13	Providing 40x5mm flat iron hold fast 40cm long including fixing to frame with 10mm dia. Bolts, nuts and wooden plugs and embeddings in cement concrete block 30x10x15cm 1:3:6 mix( 1 cement : 3 coarse sand: 6 graded stone aggregate 20mm nominal size)	100.00		Each	
14	Providing and fixing ISI :1287 marked Stainless steel Butt Hinges with stainless steel screws etc complete. <b>125x64x1.90mm.</b>	15.00		Each	
15	Providing and fixing ISI :1287 marked Stainless steel Butt Hinges with stainless steel screws etc complete. <b>100x58x1.90mm.</b>	15.00		Each	
16	Providing and fixing ISI :1287 marked Stainless steel Butt Hinges with stainless steel screws etc complete. <b>75x47x1.80mm.</b>	5.00		Each	
17	Providing and fixing ISI :1287 marked Stainless steel Butt Hinges with stainless steel screws etc complete. <b>50x37x1.50mm.</b>	50.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
18	Providing and fixing right finished brass tower bolts (barrel type) with necessary screws complete. <b>100x10mm.</b>	20.00		Each	
19	Providing and fixing bright finished brass hanging type floor door stopper with necessary screws etc complete.	20.00		Each	
20	Providing and fixing 4mm thick BWR plywood plain lining with necessary screws, priming coat on exposed surface, etc complete with Teak ply facing of approved manufacturer.	10.00		Sqm	
21	Providing and fixing 2nd class teak wood moulded beading to door and window frames with iron screws, plugs and priming coat on unexposed surface etc complete: 50x12 mm	20.00		Mts	
22	Providing and fixing 2nd class teak wood moulded beading to door and window frames with iron screws, plugs and priming coat on unexposed surface etc complete:50x20 mm	20.00		Mts	
23	Providing and fixing bright finished brass parliamentary hinges with necessary screw etc complete.125x125x27x5mm	10.00		Each	
24	Providing and fixing ISI marked oxidised M.S pressed parliamentary hinges with necessary screw etc complete.100x125x27x5mm	10.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
25	Providing and fixing ISI marked oxidised M.S pressed parliamentary hinges with necessary screw etc complete.75x100x20x3.2mm	10.00		Each	
26	Providing M.S piano hinges ISI marked IS :3818 finished with nickel plating and fixing with necessary screws etc complete: Overall width 35mm	10.00		Mts	
27	Providing M.S piano hinges ISI marked IS :3818 finished with nickel plating and fixing with necessary screws etc complete: Overall width 50mm	10.00		Mts	
28	Providing and fixing ISI marked oxidised M.S tower bolt black finish (barrel type) with necessary screws etc complete:250x10mm	10.00		Each	
29	Providing and fixing ISI marked oxidised M.S tower bolt black finish (barrel type) with necessary screws etc complete:200x10mm	10.00		Each	
30	Providing and fixing ISI marked oxidised M.S tower bolt black finish (barrel type) with necessary screws etc complete:150x10mm	10.00		Each	
31	Providing and fixing ISI marked oxidised M.S tower bolt black finish (barrel type) with necessary screws etc complete:100x10mm	10.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
32	Providing and fixing ISI marked 85mm x42mm oxidised M.S pull bolt lock confirming to IS :7534 with necessary screws, bolts, nuts and washers etc complete	10.00		Each	
33	Providing and fixing ISI marked oxidised M.S door latches conforming to IS:5930 with necessary screws etc complete.300x20x6mm	6.00		Each	
34	Providing and fixing ISI marked oxidised M.S door latches conforming to IS:5930 with necessary screws etc complete.250x20x6mm	10.00		Each	
35	Providing and fixing ISI marked oxidised M.S handles confirming to IS 4992 with necessary screws etc complete:125mm	10.00		Each	
36	Providing and fixing ISI marked oxidised M.S handles confirming to IS 4992 with necessary screws etc complete.100mm	6.00		Each	
37	Providing and fixing ISI marked oxidised M.S handles confirming to IS 4992 with necessary screws etc complete.75mm	6.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
38	Providing and fixing oxidised M.S casement stays (straight peg type) with necessary screws etc complete.300mm weighing not less than 200 grams	6.00		Each	
39	Providing and fixing oxidised M.S casement stays (straight peg type) with necessary screws etc complete.250mm weighing not less than 150 grams	6.00		Each	
40	Providing and fixing oxidised M.S casement stays (straight peg type) with necessary screws etc complete.200mm weighing not less than 120 grams	6.00		Each	
41	Providing and fixing bright finished brass door latch with necessary screws complete.300x16x5mm.	5.00		Each	
42	Providing and fixing bright finished brass door latch with necessary screws complete.250x16x5mm.	10.00		Each	
43	Providing and fixing special quality bright finished brass cupboard or wardrobe locks with 4 levers including necessary screws etc complete (best make of approved quality).40mm.	10.00		Each	



It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
44	Providing and fixing special quality bright finished brass cupboard or wardrobe locks with 4 levers including necessary screws etc complete best make of approved quality).50mm	10.00		Each	
45	Providing and fixing bright finished brass handles with screws etc, complete.125 mm	10.00		Each	
46	Providing and fixing bright finished brass handles with screws etc, complete.75 mm	18.00		Each	
47	Providing and fixing bright finished brass furniture handles - <b>75mm</b>	18.00		Each	
48	Providing and fixing IS:3564 marked Aluminium die cast body tubular type universal hydraulic door closer with necessary accessories and screws etc complete.	2.00		Each	
49	Providing and fixing bright finished brass hard drawn hooks and eyes: <b>300 mm</b>	6.00		Each	
50	Providing and fixing bright finished brass hard drawn hooks and eyes: <b>250 mm</b>	10.00		Each	
51	Providing and fixing bright finished brass hard drawn hooks and eyes: <b>200 mm</b>	30.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
52	Providing and fixing bright finished brass hard drawn hooks and eyes: <b>150 mm</b>	30.00		Each	
53	Providing and fixing bright finished brass hard drawn hooks and eyes: <b>100 mm</b>	30.00		Each	
54	Providing and fixing chromium plated brass butt hinges with necessary screws etc complete.125x70x4mm (ordinary type).	12.00		Each	
55	providing and fixing chromium plated brass butt hinges with necessary screws etc. complete.100x70x4mm (ordinary type).	12.00		Each	
56	providing and fixing chromium plated brass butt hinges with necessary screws etc.complete.75x65x4mm (heavy type).	12.00		Each	
57	Providing and fixing 85x42 chromium plated brass pull bolt lock with necessary screws, nuts bolts and washers etc complete.	12.00		Each	
58	Providing and fixing chromium plated brass 100mm mortice latch and lock with 6 levers and a pair of lever handles with necessary screws complete (best make of approved quality).	12.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
59	Providing and fixing special quality chromium plated brass cupboard locks with 6 levers including necessary screws etc., complete (best make of approved quality ) of :Size 50mm.	10.00		Each	
60	Providing and fixing chromium plated brass handles with necessary etc complete: <b>100mm</b>	15.00		Each	
61	Providing and fixing chromium plated brass handles with necessary etc complete: <b>75mm</b>	12.00		Each	
62	Providing and fixing aluminium hanging floor door stopper ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade with necessary screws etc complete.Single rubber stopper.	12.00		Each	
63	Providing and fixing aluminium hanging floor door stopper ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade with necessary screws etc complete.Twin rubber stopper.	6.00		Each	
64	Providing and fixing aluminium casement stays ISI marked anodised (anodised coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade with necessary screws etc complete.	12.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
65	Renewing bottom rail and / or top runner of collapsible gate including making good all damages and applying priming coat of zinc chromate yellow primer of approved brand and manufacturer.	30.00		Kg	
66	Repairing and refixing the existing window / door shutters by replacing the damaged style, rails, etc and making into serviceable condition for all type of windows , doors the rate only for labour, charge , necessary additional payment for the materials like wood and fittings will be paid separately.	30.00		Sqm	
67	Providing and fixing of aluminium sheet (0.80 to 1.00mm )for toilet flush door with necessary screws , nails and rail complete	175.00		Sqm	
68	Providing and fixing galvanised wire mesh of average width of aperture 1.4mm and nominal dia wire 0.63mm to window and ventilator including country wood (Padak / kongu ) repairs of single 2"x1" and painting the repairs etc	12.00		Sqm	
69	Renewing glass panes and refixing existing wooden fillets:Float glass panes of thickness 4mm (Saintgobain / modifloat)	50.00		Sqm	
70	Renewing glass panes and refixing existing wooden fillets.Float glass panes of thickness 5.5mm.	12.00		Sqm	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
71	Providing and fixing special quality bright finished brass cupborad or wardrobe locks with four levers including necessary screws etc complete (best making approved quality). 50mm.	6.00		Each	
72	Labour charges for dressing the butting edges of unfitted door / window / ventilator shutters and replacing the same in good condition and make it to open and close freely including removing the worm out hinges by replacing / refixing new hinges wherever required.	150.00		Each	
73	Providing wood work in frames, of doors, windows clerestory windows and other frames, wrought framed and fixed in position using second quality padak / kongu wood	1.00		Cum	
74	Providing wood work in frames, of doors, windows clerestory windows and other frames, wrought framed and fixed in position using second class teak wood	1.50		Cum	
75	Providing and fixing 19mm thick commercial plywood for cupboard shutters door etc with necessary screws, nails etc complete as per the direction of Engineer incharge	5.00		Sqm	
76	Providing and fixing the laminated sheet (0.8mm to 1mm) thick for cupboard shutter & cupboard work including cost of fevicol, labour charges for fixing, including required teak wood beeding..	5.00		Sqm	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
77	Providing and fixing nickel plated M.S pipe curtain rods with nickel plated brackets.20mm dia( Heavy type)	7.00		Mtrs	
78	Providing and fixing nickel plated M.S pipe curtain rods with nickel plated brackets.25mm dia( Heavy type)	6.00		Mtrs	
79	Providing and fixing MS round or square bars at required spacing in wooden frames of windows/ ventilator/ clerestory windows.	50.00		Kgs	
80	Replacement of broken wire mesh in doors windows and ventilators using M.S mesh of 2"x1", 1/2"x1/2",1"x1" etc. The charges inclusive of labour materials such as country wood beading, nails, screws putty etc complete. Area upto 1 sqm	200.00		Each	
81	Replacement of broken weld mesh in doors windows and ventilators using mesh of size 2"x1", 1/2"x1/2",1"x1"mm . The rate includes labour charge, material such as country wood beading (Kongu / padak wood), nails, screws, putty etc complete.	50.00		Sqm	
82	Providing and fixing of 90 x 30mm size MS weldmesh panelling for windows shutter with padak / kongu wood beading around the shutter and mesh including necessary screws , nails, etc complete (shutter frame work will be paid separately).	30.00		Sqm	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
83	Providing and fixing covering the exhaust fan opening of size 300mm dia. The covering should have 400 x 400 mm size with 50mm x 38mm best quality of country wood frame alround and fixed in position. The opening is covered with weld mesh covering in position including painting with synthetic enamel paint of best quality with required prime etc complete as directed.	200.00		No	
84	Providing and fixing fly proof galvanized S S wire gauge to windows and clerestory windows using SS wire gauge with average width of aperture 1.4mm in both directions with wire of dia 0.63 mm. With second class teak wood beading 30 x12mm.	100.00		Sqm	
85	Providing and fixing 4mm thick commercial BWR plywood (Century/ kit ply) for plain lining with necessary & priming coat on exposed surface etc complete.	5.00		Sqm	
86	Supplying and tying the 18mm gauge GI wire for all round windows etc complete of window size 1.5mx1.5m	20.00		Each	
87	Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows including ISI marked black enameled M.S butt hinges with necessary screws excluding panelling which will be paid for separately.(Secoond class teak wood) 30mm thick shutters.	120.00		Sqm	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
88	Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows including ISI marked black enameled M.S butt hinges with necessary screws excluding panelling which will be paid for separately.Kiln seasoned and chemically treated country wood.(padak / Kongu) 25 to 40mm thick shutters.	30.00		Sqm	
89	Extra for providing frosted glass panes 4mm thick instead of ordinary glass panes 4mm thick in doors , windows and clerestory window shutters.(Area of opening for glass panes excluding portion inside rebates shall be measured.	20.00		Sqm	
90	Deduct for providing pin heads glass panes instead of ordinary float glass panes weighing 4mm thick in doors, windows and clerestory windows shutters,(Area of opening for panes excluding portion inside rebate shall be measured.	1.00		Sqm	
91	Providing and fixing flat pressed 3 layer particle board medium density exterior grade (Grade I) or graded wood particle board IS :3087 marked to frame, backing or studding with screws etc. complete (Frames, backing or studding to be paid separately):12mm thick.	3.00		Sqm	



It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
92	Providing and fixing ISI marked flush door shutters conforming to IS:2202 (Part I) decorative type , core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters.30mm thick including ISI marked stainless steel butt hinges with necessary screws etc complete.	40.00		Sqm	
93	Extra for providing lipping with second class teak wood battens 25mm minimum depth on all edges of shutter (Over all area of door shutter to be measured)	40.00		Sqm	
94	Extra for providing vision panel not exceeding 0.1 sqm in all type of flush doors (cost of glass excluded) (Over all area of door shutter to be measured) Rectangular or square.	5.00		Sqm	
95	Providing and fixing MS grills of required pattern in frames of windows etc with MS flats square or round bars etc complete Fixed to opening / wooden frames with rawl plugs , screws etc., complete at all levels.	2000.00		Kgs	
96	Providing and fixing bright finished brass 100mm mortice latch and lock with 6 levers and a pair of lever handles with necessary screws complete (best make of approved quality)	5.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
97	<p>Providing and fixing anodised aluminium work for doors, windows, ventilators and partions with extruded built up standard tubular and other sections of approved make confirming to IS :733 and IS1285 , fixed with rawl plugs and screws or with fixing clips. or with expansion hold fastners including necessary filling up of gaps at junction , at top, bottom and sides with required PVC/neoprene felt etc. Aluminium sections shall be smooth, rust free straight , mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling C.P brass / stainless steel screws , all complete as per architectural drawing and the directions of Engineer in charge (Glazing and panelling to be paid for separately).For fixed portion shutters for doors, windows and ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of PVC / neoprene gasket required (Fittings shall be paid for seperately). Anodised aluminium (anodised transparent or dyed to required shade according to IS :1868, minimum anodic coating of grade AC15).</p>	100.00		kgs	
98	<p>Supplying and fixing aluminium ornamental grill of size 50x50x7mm thick to the aluminium frames. The rate including fabrication, cutting, erecting and material etc complete.</p>	20.00		Sqm	
99	<p>Supplying and fixing sun control film (Garware / grey - 5) for aluminum sliding window including cleaning the glasses neatly after the film and edges to be cut neatly etc. complete.</p>	10.00		Sqm	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
100	Providing and fixing openable cupboard with shutter using first quality padak / kongu wood of size 75mm x40mm frame and shutter and finished with two coats of enamel paint over a priming coat and including hardware fittings and labour charges etc complete.	5.00		Sqm	
101	Providing and fixing of PVC moulded Box type mirror with screws and etc complete (300mm x 350mm)	5.00		Each	
102	Providing and fixing ISI marked steel glazed doors, windows and ventilators of standard rolled steel sections joints mitred and welded with 15x3mm lugs of 10cm long, embedded in cement concrete blocks 15x10cm of 1:3:6 (1 cement: 3 coarse sand : 6 graded stone aggregate 20mm nominal size) etc complete.	5.00		Sqm	
103	Providing and fixing of Brass coated curtain rings with brass hooks and removing & refixing curtain cloth etc complete.	10.00		Each	
104	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6mm thick hard board backing. Rectangular shape 453x357mm	70.00		Sqm	
105	Providing and fixing of Brass Cylindrical lock of Godrej make with necessary screws and bolts etc complete.	5.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
106	<p><b><u>Deduction items:</u></b>  Deduct the cost of damaged flush door shutter removed will be permitted to taken by the contractor by making payment to the Institite as directed. The items will consists of with or wihtout frame including furniture fittigns available in the door shutter. this items will be permitted to taken by the contractor as per the direction by the engineer in charge area up to 3.00 sqm</p>	50.00		Each	
107	Deduct the cost of damaged pannelled or Glazed door / window shutter is removed while replacement .The pannelled shutter will be permittted to taken by the contractor with / wihtout frame inclusive of furniture fittings as per the directed by the Enginener in Charge by making payment to the Institute for an area up to 3.00 sqm	20.00		Each	
<b>Schedule C</b>			<b>Total Amount</b>		

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
	<b><u>Schedule D : Plumbing work</u></b>				
1	Providing and fixing brass bib cock of approved quality:15mm nominal bore.	50.00		Each	
2	Replacing the faulty wall shower with arm (Metro/Plumber) with new fitting. The rate including all material labour etc complete with <b>shower rose</b> .	20.00		Each	
3	Providing and fixing solid plastic seat with lid for pedestal type WC pan parryware / Hindware / seabird / orient (coral) complete.White solid plastic seat with lid	30.00		Each	
4	Charges for replacing waste coupling / waste pipe in wash basin, kitchen sink, laboratory sink including removal of existing damaged waste / waste pipe ,material like white lead, thread etc including cost of waste coupling and waste pips etc complete. (32mm or 40mm) waste coupling (32/40mm) waste pipe / spring hose (waste pipe ) (Rigid / flexible)	100.00		Each	
5	Providing and fixing PVC low level flushing cistern with manually controlled device (handle lever) conforming to IS:7231 with all fittings and fixtured complete.10 lts capacity – white	35.00		Each	
6	Labour charges for removing the rusted / broken GI pipe and replacing with new pipes/refixing after removing blockages including cutting, threading, connecting, painting the pipes fixing wooden plugs and clamps etc., complete for internal distribution of water lines of dia.15mm to 25mm.	20.00		Mts	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
7	Labour charges for removing broken defective flushing cistern and replacing and refixing after repairing with brackets fittings etc complete for low level flushing cistern <b>10 litres capacity</b>	10.00		Each	
8	Labour charges for dismantling and removing the broken / hanging wash basin of any size and replacing refixing the wash hand basin in position including the complete plumbing works replacing the wooden plug etc., complete.	20.00		Each	
9	Labour charges for removing defective or worn out taps and valves detached below and refixing the same including removing and refixing GI lines etc., complete ½" Brass taps, wheel valve , shower rose, stop cock.	25.00		Each	
10	Labour charges for removing blockage in the kitchen / bathroom toilet inspection chamber and in the manhole and cleaning, flushing removing stones mud and sludge deposits etc., for the free flow of the line. The rates includes the cost of materials such as rubber, plugs thread vall coir rope etc kitchen and bathroom gully.	5.00		Each	
11	Labour for removing blockage in the kitchen / bathroom toilet inspection chamber and in the manhole and cleaning, flushing removing stones mud and sludge deposits etc., for the free flow of the line. The rates includes the cost of materials such as rubber, plugs thread vall coir rope etc Outer side gully.	5.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
12	Labour for removing blockage in the kitchen / bathroom toilet inspection chamber and in the manhole and cleaning, flushing removing stones mud and sludge deposits etc, for the free flow of the line. The rates includes the cost of materials such as rubber, plugs, thread vall, coir rope etc Toilet.	5.00		Each	
13	Providing and fixing unplasticised PVC connection pipe brass unions:45 cm length - 15mm nominal bore.	75.00		Each	
14	Providing and fixing heavy duty nahini trap of dia 150mm.	80.00		Each	
15	Providing and fixing wash basin with CI /MS brackets, 15mm CP brass pillar taps, metro kingston / Gem /Techo/Parko, 32mm CP brass waste of standard pattern, including painting of fittings and brackets, cuttings and making good the walls and floors wherever required.White vitreous china flat back wash basin size 550x400mm with a single 15mm CP brass pillar taps.	30.00		Each	
16	Providing and fixing wash basin with CI /MS brackets / 15mm CP brass pillar taps, Metro/kingston/ Gem/ Techno/parko , 32mm CP brass waste of standard pattern, including painting of fittings and brackets , cutting and making good the walls and floors wherever required.White vitreous china flat back wash basin size 450x300m or 400x350mm with a single 15mm CP brass pillar taps.	10.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
17	Labour charges for removing the damaged pipes of the following size and refixing /replacing the pipe in position including packing and finishing the joints with CM : 1:3 etc complete 4"/3"/2" dia CI or AC or PVC pipe etc complete.	5.00		Mts	
18	Providing and fixing white vitreous china pedestal type (European type/ wash down type) water closet pan.	30.00		Each	
19	Providing and fixing of equivalent spindles with washer to the pillar cock, Bib cock long body tap etc complete.	10.00		Each	
20	Providing and fixing white vitreous china water closet squatting pan (Indian type).Orissa pattern WC pan of size 580x440 mm.	20.00		Each	
21	Providing and laying and jointing glazed stone ware pipes grade A with stiff mixture of cement mortar in the proportion of 1:1 ( 1 cement :1 fine sand) including testing of joints etc complete.100mm dia	10.00		Mts	
22	Providing and laying and jointing glazed stone ware pipes grade A with stiff mixture of cement mortar in the proportion of 1:1 ( 1 cement :1 fine sand) including testing of joints etc complete.150mm dia	10.00		Mts	
23	Providing and laying cement concrete 1:5:10 ( 1 cement :5 coarse sand:10 graded stone aggregate 40mm nominal size) around stone ware pipes including bed concrete as per standard design. <b>100mm dia stone ware pipe</b>	10.00		Mts	



It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
24	Providing and laying cement concrete 1:5:10 ( 1 cement :5 coarse sand:10 graded stone aggregate 40mm nominal size) around stone ware pipes including bed concrete as per standard design 150mm dia stone ware pipe	10.00		Mts	
25	Providing and fixing square mouth stone ware gully trap grade A complete with brick masonry chamber and water tight CI cover with frame of 300x300mm / CI cover size and 125x100mm size P trap etc., Complete.	75.00		Each	
26	Labour charges for dismantling old wash basin, urinal basin clamps, flush tank , brackets (both low and high level tank) old E.W.C/I.W.C with traps G.I pipes fittings and taps including required brick work and refixing gratings etc complete.	15.00		Each toilet	
27	Labour charges for dismantling the broken / cracked gully trap and fixing new gully trap including required brick work and refixing gratings etc complete.	5.00		Each	
28	Labour charges for removing the broken / kitchen sink (Porcelain/mosaic) and refixing the old / fixing new sink with necessary G.I brackets waste coupling, waste pipe etc complete.	5.00		Each	
29	Providing and fixing GI pipes complete with GI fittings and clamps including cutting and making good the walls etc. (internal work) exposed on wall.15mm dia nominal bore.	50.00		Mts	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
30	Providing and fixing GI pipes complete with GI fittings and clamps including cutting and making good the walls etc. (internal work) exposed on wall.20mm dia nominal bore.	150.00		Mts	
31	Providing and fixing GI pipes complete with GI fittings and clamps including cutting and making good the walls etc. (internal work) exposed on wall.25mm dia nominal bore.	25.00		Mts	
32	Providing and fixing GI pipes complete with GI fittings and clamps including cutting and making good the walls etc. (internal work) exposed on wall.32mm dia nominal bore.	10.00		Mts	
33	Providing and fixing GI pipes complete with GI fittings and clamps including cutting and making good the walls etc. (internal work) exposed on wall 40mm dia nominal bore	10.00		Mts	
34	Providing and fixing GI pipes complete with GI fittings and clamps including cutting and making good the walls etc. (internal work) exposed on wall.50mm dia nominal bore	10.00		Mts	
35	Providing and fixing GI pipes complete with GI fittings and clamps including trenches and refilling etc., External work. 15mm dia nominal bore.	10.00		Mts	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
36	Providing and fixing GI pipes complete with GI fittings and clamps including trenches and refilling etc., External work.20mm dia nominal bore.	10.00		Mts	
37	Providing and fixing GI pipes complete with GI fittings and clamps including trenches and refilling etc., External work.25mm dia nominal bore.	10.00		Mts	
38	Providing and fixing GI pipes complete with GI fittings and clamps including trenches and refilling etc., External work.32mm dia nominal bore.	10.00		Mts	
39	Providing and fixing GI pipes complete with GI fittings and clamps including trenches and refilling etc., External work.40mm dia nominal bore.	10.00		Mts	
40	Providing and fixing GI pipes complete with GI fittings and clamps including trenches and refilling etc., External work.50mm dia nominal bore.	10.00		Mts	
41	Concealed pipe including painting with anti-corrosive bitumastic paint, cutting chases and making good the wall. <b>15mm dia nominal bore.</b>	25.00		Mts	
42	Concealed pipe including painting with anti-corrosive bitumastic paint, cutting chases and making good the wall. <b>20mm dia nominal bore.</b>	100.00		Mts	

<b>It.No.</b>	<b>Description of work</b>	<b>Quantity</b>	<b>Rate Rs in words &amp; Figures</b>	<b>Per</b>	<b>Amount</b>
43	Providing and fixing GI union in GI pipe including cutting and threading the pipe and making long screws etc. complete (New work).15mm nominal bore	5.00		Each	
44	Providing and fixing GI union in GI pipe including cutting and threading the pipe and making long screws etc. complete (New work).20mm nominal bore.	25.00		Each	
45	Providing and fixing GI union in GI pipe including cutting and threading the pipe and making long screws etc. complete (New work).25mm nominal bore.	5.00		Each	
46	Providing and fixing GI union in GI pipe including cutting and threading the pipe and making long screws etc. complete (New work).32mm dia nominal bore.	5.00		Each	
47	Providing and fixing GI union in GI pipe including cutting and threading the pipe and making long screws etc. complete (New work).40mm dia nominal bore.	5.00		Each	
48	Providing and fixing GI union in GI pipe including cutting and threading the pipe and making long screws etc. complete (New work).50mm dia nominal bore.	5.00		Each	
49	Providing and fixing CPVC pipes complete with fittings and clamps including cutting and making good the walls etc. (internal work) exposed on wall.15mm dia nominal bore.	10.00		Mts	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
50	Providing and fixing CPVC pipes complete with fittings and clamps including cutting and making good the walls etc. (internal work) exposed on wall.20mm dia nominal bore.	25.00		Mts	
51	Providing and fixing CPVC pipes complete with fittings and clamps including cutting and making good the walls etc. (internal work) exposed on wall.25mm dia nominal bore.	15.00		Mts	
52	Labour charges for fixing washer / spindle to bib cocks / pillar cock etc complete.	5.00		Each	
53	Providing and fixing toilet paper holder white vitreous china .	5.00		Each	
54	Providing and fixing C.P brass angle valve for basin mixer and geyser points of approved quality conforming to IS : 8931.15mm nominal bore.	100.00		Each	
55	Providing and fixing CP brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms.15mm dia nominal bore.	50.00		Each	
56	Providing and fixing CP brass two way bib cock of approved quality conforming to IS:8931.15mm dia nominal bore (Tap with angle valve connection)	20.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
57	Supplying and fixing CP wall mixer of Metro or equivalent as approved by the Engineer in charge of 20mm dia nominal bore etc complete.	10.00		Each	
58	Providing and fixing salem stainless steel sink with drain board (Diamond make REK 4020 medium bowl of size 40"x20" and 1mm thick with necessary fittings etc complete.	10.00		Each	
59	Providing and fixing <b>salem stainless steel</b> sink ISI 304 (18/8) kitchen sink as per IS 13983 (without drain board) with CI brackets and stainless steel plug 40mm dia including painting the fittings, cuttings and making good the walls wherever required 610x510 mm and bowl depth 200mm.	6.00		Each	
60	Supplying and fixing CP towel rail (Metro or equivalent ) of size 20x600mm long including fixing in position etc complete.	25.00		Each	
61	Labour charges for removing the cracked EWC and replacing with new one with complete fittings etc complete.	10.00		Each	
62	Providing and fixing 600x450mm bevelled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleat with CP brass screws and washers etc complete.	5.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
63	Providing and fixing gun metal gate valve with CI wheel of approved quality (Screwed end):15mm nominal bore.	5.00		Each	
64	Providing and fixing gun metal gate valve with CI wheel of approved quality (Screwed end):20mm nominal bore.	10.00		Each	
65	Providing and fixing gun metal gate valve with CI wheel of approved quality (Screwed end):25mm nominal bore.	5.00		Each	
66	Providing and fixing gun metal gate valve with CI wheel of approved quality (Screwed end):32mm nominal bore.	5.00		Each	
67	Providing and fixing gun metal gate valve with CI wheel of approved quality (Screwed end):40mm nominal bore.	5.00		Each	
68	Providing and fixing gun metal gate valve with CI wheel of approved quality (Screwed end): 50mm nominal bore.	5.00		Each	
69	Painting GI pipes and fittings with synthetic enamel white paint over a ready mixed priming coat, both of approved quality for new work.15mm dia nominal bore	90.00		Mts	
70	Painting GI pipes and fittings with synthetic enamel white paint over a ready mixed priming coat, both of approved quality for new work.20mm dia nominal bore.	100.00		Mts	
71	Painting GI pipes and fittings with synthetic enamel white paint over a ready mixed priming coat, both of approved quality for new work.25mm dia nominal bore.	25.00		Mts	
72	Painting GI pipes and fittings with synthetic enamel white paint over a ready mixed priming coat, both of approved quality for new work.32mm dia nominal bore.	10.00		Mts	
73	Painting GI pipes and fittings with synthetic enamel white paint over a ready mixed priming coat, both of approved quality for new work.40mm dia nominal bore.	10.00		Mts	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
74	Painting GI pipes and fittings with synthetic enamel white paint over a ready mixed priming coat, both of approved quality for new work.50mm dia nominal bore.	10.00		Mts	
75	Repainting GI pipes and fittings with synthetic enamel white paint of approved quality:15mm dia nominal bore.	50.00		Mts	
76	Repainting GI pipes and fittings with synthetic enamel white paint of approved quality:20mm dia nominal bore	100.00		Mts	
77	Repainting GI pipes and fittings with synthetic enamel white paint of approved quality:25mm dia nominal bore.	70.00		Mts	
78	Repainting GI pipes and fittings with synthetic enamel white paint of approved quality:32mm dia nominal bore.	50.00		Mts	
79	Repainting GI pipes and fittings with synthetic enamel white paint of approved quality:40mm dia nominal bore.	50.00		Mts	
80	Repainting GI pipes and fittings with synthetic enamel white paint of approved quality:50mm dia nominal bore	60.00		Mts	
81	Labour charges for removing existing GI lines of dia 15mm to 40mm	20.00		Rm	
82	Labour charges for repairing the fittings like bibcock angle cock / gate valve and pillar cock etc with necessary spindles and washers.	10.00		Each	
83	Labour charges for refixing GI lines after removing blockage. The rate includes necessary clamps, screws, nails, earth work /refilling etc complete. 15mm to 50mm dia	30.00		Mts	
84	Providing and fixing of CP brass health faucet in metro / kingston or equivalent including all necessary fittings etc complete.	20.00		Each	



It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
85	Providing and fixing of 40mm thick CP brass waste coupling of approved make etc. complete.	60.00		Each	
86	Providing and fixing of 20mm dia CP brass swan neck tap including necessary fittings etc complete.	5.00		Each	
87	Providing and fixing of super Delux metro make 15mm dia CP brass pillar cock with necessary flange and etc complete as per direction of Engineer in charge	5.00		Each	
88	Providing and fixing of liquid soap container with necessary screws etc. complete as per direction of Engineer in charge.	5.00		Each	
89	Providing and fixing of CP Brass Towel ring with CP brass screws etc., Complete as per direction of Engineer in charge	5.00		Each	
90	Providing and fixing of CP Brass dish with CP screws etc. Complete as per the direction of Engineer in charge	5.00		Each	
91	Providing and fixing of corner piece granite slab 18 mm thick with necessary edge mouldings in toilet including chassing of wall and groutings the same etc complete.	90.00		Each	
92	Providing and fixing white vitreous china flat back half stall urinal of 580x380x350mm with white PVC automatic flushing cistern with fittings, standard size CP brass flush pipe spreaders with unions and clamps (all in CP brass) with waste fitting as per IS:2556, CI trap with outlet grating and other couplings in CP brass including painting of fittings and cutting and making good the walls and floors wherever required:Single half staff urinal with 5 litre PVC automatic flushing cistern.	10.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
93	Supplying and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings i/c fixing the pipe with clamps at 1.00m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in charge.Concealed work including cutting chases and making good the walls etc.15mm nominal outer dia. Pipes	20.00		Mts	
94	Supplying and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings i/c fixing the pipe with clamps at 1.00m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in charge.Concealed work including cutting chases and making good the walls etc.20mm nominal OD. Pipes.	20.00		Mts	
95	Supplying and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings i/c fixing the pipe with clamps at 1.00m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in charge.Concealed work including cutting chases and making good the walls etc.25mm nominal OD. Pipes	30.00		Mts	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
96	Supplying and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings i/c fixing the pipe with clamps at 1.00m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in charge. Concealed work including cutting chases and making good the walls etc. 32mm nominal outer dia. Pipes.	10.00		Mts	
97	Supplying and fixing 3 layer PP-R (Poly propylene Random copolymer) pipes SDR 7.4 U V stabilized & anti - microbial fusion welded, having thermal stability for hot & cold water supply including all PP-R plain & brass threaded polypropylene random fittings i/c fixing the pipe with clamps at 1.00m spacing. This includes the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in charge. Concealed work including cutting chases and making good the walls etc. PN -16 Pipe, 16 mm OD.	10.00		Mts	
98	Supplying and fixing 3 layer PP-R (Poly propylene Random copolymer) pipes SDR 7.4 U V stabilized & anti - microbial fusion welded, having thermal stability for hot & cold water supply including all PP-R plain & brass threaded polypropylene random fittings i/c fixing the pipe with clamps at 1.00m spacing. This includes the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in charge. Concealed work including cutting chases and making good the walls etc. PN - 16 Pipe, 20 mm OD.	10.00		Mts	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
99	Supplying and fixing 3 layer PP-R (Poly propylene Random copolymer) pipes SDR 7.4 U V stabilized & anti - microbial fusion welded, having thermal stability for hot & cold water supply including all PP-R plain & brass threaded polypropylene random fittings i/c fixing the pipe with clamps at 1.00m spacing. This includes the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in charge.Concealed work including cutting chases and making good the walls etc.PN -16 Pipe, 25mm OD.	10.00		Mts	
100	Supplying and fixing 3 layer PP-R (Poly propylene Random copolymer) pipes SDR 7.4 U V stabilized & anti - microbial fusion welded, having thermal stability for hot & cold water supply including all PP-R plain & brass threaded polypropylene random fittings i/c fixing the pipe with clamps at 1.00m spacing. This includes the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in charge.Concealed work including cutting chases and making good the walls etc.PN -16 Pipe, 32mm OD.	10.00		Mts	
101	Providing and fixing or super Delux metro make 15mm dia CP Brass Concealed stop cock with necessary flange and etc complete as per direction of Engineer In charge.	10.00		Each	
102	Providing and fixing or super Delux metro make 15mm dia Open stop cock with necessary flange and etc complete as per direction of Engineer In charge.	10.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
103	Providing and fixing PVC grating prayag or equivalent - 150mm	30.00		Each	
	<b>Deduction items</b>				
104	Deduct for removed old bib cock, pillar cock, stop cock, etc.Taken away from IIT campus as directed by Engineer in charge. (These item to be deducted for the replacement of new items and obtaining gate pass from the Engineer in charge as directed.	60.00		Each	
105	Deduct for removed and Two way taps, long body bib cock etc.Taken away from IIT campus as directed by Engineer in charge. (These item to be deducted for the replacement of new items and obtaining gate pass from the Engineer in charge as directed.	10.00		Each	
106	Deduct for removed of old wall mixture etc.Taken away from IIT campus as directed by Engineer in charge. (These item to be deducted for the replacement of new items and obtaining gate pass from the Engineer in charge as directed.	130.00		Each	
107	Deduct for removed old rusted GI pipes of the following dia etc.Taken away from IIT campus as directed by Engineer in charge.(These item to be deducted for the replacement of new items and obtaining gate pass from the Engineer in charge as directed. 15mm dia	10.00		Rm	
108	- do - 20 mm dia	40.00		Rm	
109	- do - 25mm dia	10.00		Rm	
110	- do - 32mm dia	10.00		Rm	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
111	- do - 40mm dia	8.00		Rm	
112	- do - 50mm dia	30.00		Rm	
113	Deduct for removed old flush tanks . Taken away from IIT campus as directed by Engineer in charge. (These item to be deducted for the replacement of new items and obtaining gate pass from the Engineer in charge as directed.	15.00		Each	
114	Deduct for removed PVC pipes . Taken away from IIT campus as directed by Engineer in charge. (These item to be deducted for the replacement of new items and obtaining gate pass from the Engineer in charge as directed. 75mm dia	25.00		Rm	
115	Deduct for removed PVC pipes . Taken away from IIT campus as directed by Engineer in charge. (These item to be deducted for the replacement of new items and obtaining gate pass from the Engineer in charge as directed. 110mm dia	25.00		Rm	
116	Deduct for removed old seat cover . Taken away from IIT campus as directed by Engineer in charge.(These item to be deducted for the replacement of new items and obtaining gate pass from the Engineer in charge as directed.	10.00		Each	
117	Deduct for removed old Gate valve etc.Taken away from IIT campus as directed by Engineer in charge.(These item to be deducted for the replacement of new items and obtaining gate pass from the Engineer in charge as directed. 15mm dia	25.00		Each	

It.No.	Description of work	Quantity	Rate Rs in words & Figures	Per	Amount
118	Deduct for removed old Gate valve etc.Taken away from IIT campus as directed by Engineer in charge.(These item to be deducted for the replacement of new items and obtaining gate pass from the Engineer in charge as directed. 20mm dia	25.00		Each	
119	Deduct for removed old Gate valve etc.Taken away from IIT campus as directed by Engineer in charge.(These item to be deducted for the replacement of new items and obtaining gate pass from the Engineer in charge as directed. 25mm dia	25.00		Each	
120	Deduct for removed old angle cock etc.Taken away from IIT campus as directed by Engineer in charge.(These item to be deducted for the replacement of new items and obtaining gate pass from the Engineer in charge as directed. 15mm dia	10.00		Each	
<b>SCHEDUL E D – Total Amount in Rs.</b>					

**Abstract**

SI No	Description of works			Amount
1	Schedule A	Page No 157	Civil Repair Work	
2	Schedule B	Page No 161	Painting Work	
3	Schedule C	Page No 180	Carpentry Work	
4	Schedule D	Page No 199	Plumbing Work	
	Grand Total (Schedule A + B + C+ D)			

**Grand Total Amount in words Rupees-----**

**Note: The rate quoted shall be exclusive of Service tax which will be reimbursed if the contractor submits the required documentary evidence for the Service tax actually paid to the Government of India for this work.**

Certified that the financial bid as published on the web contains 200 pages.

Signature of the contractor

**Executive Engineer**  
Engineering Unit.  
Administrative Building,  
3rd Floor, Engineering Unit,  
IIT Madras, Chennai – 600 036.