



DEPARTMENT OF BIOTECHNOLOGY
Indian Institute of Technology, Madras, Chennai, 600 036,
Telephone No.22574107, 22574101, FAX No.22574102

MUKESH DOBLE
Professor and Head

Date: 28.02.2014

Ref: BT/SMAH/2013/107/SPL

Dt. 28.02.14

Due Dt.07.03.14

1. Quotations are invited in duplicate for the various items shown below/overleaf/ enclosed list.
2. The quotations duly sealed and super scribed on the envelope with the reference No. and due date, should be addressed to the undersigned so as to reach him on or before the due date stipulated above.
3. The quotations should be valid for sixty days from the due date and the period of delivery required should also be clearly indicated.
4. If the item is under DGS & D Rate Contract, Rate Contract Number and the price must be mentioned. It may also please be indicated whether the supply can be made direct to us at the rate contract price. If so, please send copy of the R.C. (Please note that we are not Direct Demanding Officers).
5. Relevant literature pertaining to the items quoted with full specifications (and drawing, if any) should be sent along with the Quotations, wherever applicable. Samples if called for should be submitted free of charges and collected back at the supplier's expenses.
6. **Local Firms:** Quotations should be for free delivery to this Institute. If quotations are for Ex-Godown, delivery charges should be indicated separately.
7. **Firms outside Chennai:** Quotations should be for F.O.R Chennai. If F.O.R. Consigner stationer freight charges by passenger train/lorry transport must be indicated. If Ex-Godown, Packing, forwarding and freight charges must be indicated.
8. The rates of Sales/General Taxes and the percentage of such other taxes legally leviable and intended to be claimed should be distinctly shown along with the price quoted. Where this is not done, no claim for Sales/General Taxes will be admitted at any stage and on any ground whatsoever. **The taxes leviable should take into consideration that we are entitled to have concessional sales tax applicable to non-government educational institutions run with no profit motive for which a Concession. Sales tax certificates will be issued at the time of final settlement of the bill.**
9. Goods should be supplied carriage paid and insured.
10. Goods shall not be supplied without an official supply order.
11. **Payment:** Every attempt will be made to make payment within 30 days from the date of receipt of bill/acceptance of goods, whichever is later.

CONSUMABLES

| S.No | PRODUCT | NUMBER |
|-------------|----------------------------------------------|---------------|
| 1 | TIPS 0.1-10 μ l | 72000 |
| 2 | TIPS 2-200 μ l | 72000 |
| 3 | TIPS 50-1000 μ l | 86400 |
| 4 | 0.2ml 8 PCR tube strip with cap | 55000 |
| 5 | Micro centrifuge Tubes 0.5ml | 30000 |
| 6 | Micro centrifuge Tubes 1.5ml | 75000 |
| 7 | Micro centrifuge Tubes 2 ml | 40000 |
| 8 | Micro centrifuge Tubes 5 ml | 8000 |
| 9 | Low Protein binding tube 0.5ml | 3000 |
| 10 | Low Protein binding tube 1.5ml | 3000 |
| 11 | Low Protein binding tube 2 ml | 3000 |
| 12 | Low Protein binding tube 5 ml | 3000 |
| 13 | Low DNA binding tube 0.5ml | 3750 |
| 14 | Low DNA binding tube 1.5ml | 3750 |
| 15 | Low DNA binding tube 2 ml | 3750 |
| 16 | Low DNA binding tube 5 ml | 3750 |
| 17 | Maximum Recovery Tips T-300-L 0.1-10 μ l | 14400 |
| 18 | Maximum Recovery Tips 0.5-20 μ l | 14400 |
| 19 | Maximum Recovery Tips 2-200 μ l | 14400 |
| 20 | Maximum Recovery Tips 100-1000 μ l | 14400 |
| 21 | 0.1-10 μ l Filter tips | 14400 |
| 22 | 0.5-20 μ l Filter tips | 14400 |
| 23 | 2-200 μ l Filter tips | 14400 |

| S.No | PRODUCT | NUMBER |
|-------------|---------------------------------|---------------|
| 24 | 20-300µl Filter tips | 14400 |
| 25 | 50-1000µl Filter tips | 14400 |
| 26 | Tissue Culture Dish, 35x10 | 7500 |
| 27 | Tissue Culture Dish, 60x15 | 7500 |
| 28 | Tissue Culture Dish, 100x20 | 7500 |
| 29 | Cell Culture Flask, T25 | 9000 |
| 30 | Cell Culture Flask, T75 | 6000 |
| 31 | Cell Culture Flask, T150 | 400 |
| 32 | Tissue Culture Plate, 6 wells | 2500 |
| 33 | Tissue Culture Plate, 12 wells | 1500 |
| 34 | Tissue Culture Plate, 24 wells | 1250 |
| 35 | Tissue Culture Plate, 96 wells | 1000 |
| 36 | Cell Imaging Slides, 2 Chambers | 240 |
| 37 | Cell Imaging Slides, 4 Chambers | 400 |
| 38 | cell imaging dish 35-10mm | 600 |
| 39 | Serol. pipet, 2 mL | 12000 |
| 40 | Serol. pipet, 5 mL | 14000 |
| 41 | Serol. pipet, 10 mL | 20000 |
| 42 | Serol. pipet, 25 mL | 4000 |

Ref: BT/SMAH/2013/107/SPL

Dt. 28.02.14

Due Dt. 07.03.14

Head of the Department