



DEPARTMENT OF APPLIED
MECHANICS
INDIAN INSTITUTE OF
TECHNOLOGY MADRAS

22Jan.2019

Ref. No. ASE1617134MUAYTMMU/4

Opening date: 05 Feb. 2019

Due date: 05 Feb. 2019

Dear Sir/Madam,

On behalf of the Indian Institute of Technology Madras, offers are invited for the supply of
“Dual Channel Optical Power and Energy Meter with compatible Photodetector”
conforming to the specifications given in (Annexure – 1).

Instructions to the Bidder

- (i) Preparation of Bids: The Limited tenders should be submitted under Single bid system. The Tender for supply of **“Dual Channel Optical Power and Energy Meter with compatible Photodetector”** should be written on the left side of the cover and sealed.
- (ii) Delivery of the tender: The tender shall be sent to the below mentioned addresses either by post or by courier so as to reach the following address before the due date and time specified in our Schedule:

Dr. Satyanarayanan Seshadri, Dept. of Applied Mechanics, IIT Madras, Chennai 600 036

Prices:

The price should be quoted in net per unit (after breakup) and must include all packing and delivery charges to Department of Applied Mechanics. The offer/bid should be exclusive of taxes and duties, which will be paid by the purchaser as applicable. However, the percentage of tax & duties should be clearly indicated. The price should be quoted without custom duty and excise duty, since I.I.T. Madras is exempt from payment of excise duty, and the custom duty will be paid at concessional rate against duty exemption certificate. In case of import supply, the price should be quoted on EX-WORKS and CIP basis indicating the mode of shipment.

- (iii) Agency Commission:

Agency commission, if any, will be paid to the Indian agents in Rupees on receipt of the equipment and after satisfactory installation. Agency Commission will not be paid in foreign currency under a circumstances. The details should be

explicitly shown in Tender even in the case of ‘Nil’ commission. The tenderer should indicate the percentage of agency commission to be paid to the Indian agent. The foreign Principal should indicate about the percentage of payment and it should be included in the originally quoted basic price, if any.



**DEPARTMENT OF APPLIED
MECHANICS INDIAN INSTITUTE OF
TECHNOLOGY MADRAS**

(iv) Terms of Delivery:

The item should be supplied to our Departments as per Purchase Order. In case of import supply, the item should be delivered at the cost of the supplier to our Institution. The Installation/ Commissioning should be completed as specified in our important conditions.

(v) IIT Madras reserves the full right to accept / reject any tender at stage without assigning any reason.

Yours sincerely,

Dr. Satyanarayanan Seshadri

Email: satya@iitm.ac.in

Phone: [+91] (44) 2257 4078

SCHEDULE

Important Conditions of the tender:

- (1) The due date for the submission of the tender is 05.02.2019, 3:00 pm. The offers / bids should be submitted. Bid should consist of all technical details / specifications; indicate item-wise price for each item and it should contain all Commercial Terms and Conditions including Taxes, transportation, packing & forwarding, installation, guarantee, payment terms, pricing terms etc... The Limited Tender for supply of “Dual Channel Optical Power and Energy Meter with compatible Photodetector” should be written on the left side of the cover and sealed.
- (2) If an Indian agent is involved, the following documents must be closed:
Foreign principal's proforma invoice indicating the commission payable to the Indian Agent and nature of after-sales service to be rendered by the Indian Agent. Copy of the agency agreement with the foreign principal and the precise relationship between them and their mutual interest in the business. The enlistment of the Indian agent with Director General of Supplies & Disposals under the Compulsory Registration Scheme of Ministry of Finance.
- (3) The offer/bids should be sent only for a machine that is available in the market and supplied to a number of customers. A list of customers in India and abroad with details must accompany the quotations. Quotations for a prototype machine will not be accepted.
- (4) Original catalogue (not any photocopy) of the quoted model duly signed by the principals must accompany the quotation in the bid.
- (5) Documentary proof for the claimed position and repetition accuracies must be obtained from the principals and submitted along with the relevant pages of the standards.
- (6) Compliance or Confirmation report with reference to the specifications and other terms & conditions should also be obtained from the principal.
- (7) Validity: Validity of Quotation not less than 90 days from the due date of tender.
- (8) Delivery Schedule

The tenderer should indicate clearly the time required for delivery of the item. In case there is any



DEPARTMENT OF APPLIED MECHANICS INDIAN INSTITUTE OF TECHNOLOGY MADRAS

deviation in the delivery schedule, liquidated damages clause will be enforced or penalty for the delayed supply period will be levied.

(9) Risk Purchase Clause:

In the event of failure of supply of the item/equipment within the stipulated delivery schedule, the purchaser has all the right to purchase the item/equipment from other sources on the total risk of the supplier under risk purchase clause.

(10) Payment:

No advance payment is generally admissible. In case of specific percentage of advance payment is paid the Foreign Vendor

(11) On-site Installation:

The equipment or machinery has to be installed or commissioned by the successful bidder within 15 to 20 days from the date of receipt of the item at site of IIT Madras.

(12) Previous Experience:

The offer should clearly specify the warranty or guarantee period for the machinery/equipment. Any extended warranty offered for the same has to be mentioned separately (for more details please refer our Technical Specifications). The vendor should clearly specify the details of the organizations where such systems have been supplied.

(13) Late offer:

The offers received after the due date and time will not be considered. The Institute shall not be responsible for the late receipt of Tender on account of Postal, Courier or any other delay.

(14) Acceptance and Rejection:

I.I.T. Madras has the right to accept the whole or any part of the Tender or portion of the quantity offered or reject it in full without assigning any reason.

(15) Do not quote the optional items or additional items unless otherwise mentioned in the Tender documents /Specifications.

(16) Disputes and Jurisdiction:

a. Settlement of Disputes: Any dispute, controversy or claim arising out of or in connection with this PO including any question regarding its existence, validity, breach or termination, shall in the first instance be attempted to be resolved amicably by both the Parties. If attempts for such amicable resolution fails or no decision is reached within 30 days whichever is earlier, then such disputes shall be settled by arbitration in accordance with the Arbitration and Conciliation Act, 1996. Unless the Parties agree on a sole arbitrator, within 30 days from the receipt of a written request by one Party from the other Party to so agree, the arbitral panel shall comprise of three arbitrators. In that event, the supplier will nominate one arbitrator and the Project Coordinator of IITM shall nominate one arbitrator. The Dean IC&SR will nominate the Presiding Arbitrator of the arbitral tribunal. The arbitration proceedings shall be carried out in English language. The cost of arbitration and fees of the arbitrator(s) shall be shared equally by the Parties. The seat of arbitration shall be at IC&SR IIT Madras, Chennai.

b. The Applicable Law: This Purchase Order shall be construed, interpreted and governed by the



**DEPARTMENT OF APPLIED
MECHANICS INDIAN INSTITUTE OF
TECHNOLOGY MADRAS**

Laws of India, Court at Chennai shall have exclusive jurisdiction subject to the arbitrate on clause.

c. Any legal disputes arising out of any breach of contract pertaining to this tender shall be settled in the court of competent jurisdiction located within the city of Chennai in TamilNadu.

- (17) All Amendments, time extension, clarifications etc., will be uploaded on the website only and will not be published in newspapers. Bidders should regularly visit the above website to keep themselves updated. No extension in the bid due date/ time shall be considered on account of delay in receipt of any document by mail.

Acknowledgement:

It is hereby acknowledged that the tenderer has gone through all the conditions mentioned above and agrees to abide by them.

SIGNATURE OF TENDERER

ALONG WITH SEAL OF THE

COMPANY WITH DATE



DEPARTMENT OF APPLIED
MECHANICS
INDIAN INSTITUTE OF
TECHNOLOGY MADRAS

Annexure I

Ref.No.ASE1617134MUAYTMMU/4

Date: 22Jan.2019

Due date: 05Feb.2019

TECHNICAL SPECIFICATION FOR DUAL CHANNEL OPTICAL POWER AND ENERGY METER WITH COMPATIBLE PHOTODETECTOR

Scope of supply:

Detection of absorption and scattered light intensity by multiple gases, water vapors and liquid water simultaneously for non-intrusive type optical measurement system.

General Specifications for Dual Channel Optical Power and Energy Meter with compatible Photodetector:

The optical power and energy meter should have 2 channels for coupling the compatible photodetector. Instrument should be able to provide enough gain and measurement for UV, Visible and IR range of compatible detector. It should have fiber coupling and free space option to connect the compatible photodetector. The detector should be compatible with optical power and energy meter. Optional accessories for coupling and mounting can be added in tender quotation. Warranty of the instrument should be at least 1 Year.

Quantity Required:

Optical Power and Energy Meter – 1 No.

UV-VIS Detector -1 No.

IR Detector- 1No.

Technical Specifications:

1. Optical Power and Energy Meter

- Number of Channels 2
- It should be compatible with Photodiode, Thermopile, Piezoelectric Detectors
- Computer Interfaces USB and RS-232
- Sampling Rate 250 kHz
- Data Storage 250,000 Point Internal Storage and External Storage with USB Drive
- Analog Output 0-1 V, 0-2 V, 0-5 V or 0-10 V (user selectable output impedance)
Bandwidth Up to 500 kHz (Photodiode), Up to 1 MHz (Thermopile or Piezoelectric),
depending on Range
- Accuracy $\pm 0.2\%$ for CW, $\pm 1\%$ for Peak to Peak, Pulse to Pulse, and Integration Mode
- Power Requirements 90-240 VAC
- Detector Input Up to 25 mA for photodiode, 130 V for thermopile and piezoelectric detectors
- Display Mode 20 mm Numeric, Bar Chart, Min/Max Bar, Statistics, Analog Needle
- Display Type 5.7 in. Graphical TFT LCD, 1/4 VGA
- Display Refresh Rate 20 Hz
- Frequency Measurement Range 1 Hz - 250 kHz



DEPARTMENT OF APPLIED
MECHANICS
INDIAN INSTITUTE OF
TECHNOLOGY MADRAS

-
- Gain Ranges 8 ranges, 7 decades
 - Resolution 0.0004% of Range Full Scale
 - Dimensions 308 x 216 x 133 mm
 - Operating Temperature 5 to 40°C, <70% RH
 - Storage Temperature -20°C to 60°C, <90% RH
 - CE and RoHS Compliant
 - Measurement Rate Up to 10 kHz pulses for pyroelectric, Up to 20 kHz for photodiode (peak to peak measurement)

2. UV-VIS Detector:

Sensor Size : $\geq \varnothing 11.3$ mm

Spectral Range: 200 - 1100 nm

Maximum Power Density ≥ 0.2 W/cm²

Linearity : ± 0.5 %

Uniformity : ± 2 %

Material : UV Enhanced Silicon

Rise Time : ≤ 2 μ s

Connector Type : DB15

Minimum Detectable Power <20 pW

Cable Length : ≥ 1.5 m

Compatibility: Should be compatible with quoted optical power meter and energy meter

3. IR Detector:

Sensor Size : $\geq \varnothing 3$ mm

Spectral Range : 800 - 1650 nm

Maximum Power Density : ≥ 3 W/cm²

Linearity : ± 0.5 %

Uniformity : ± 2 %

Material : Indium Gallium Arsenide

Rise Time : ≤ 2 μ s

Connector Type : DB15

Minimum Detectable Power : < 20 pW

Cable Length : >1.5 m

Compatibility: Should be compatible with quoted optical power meter and energy meter