INDIAN INSTITUTE OF TECHNOLOGY MADRAS Chennai 600 036



Telephone: [044] 2257 9763 E-mail: tender@imail.iitm.ac.in

The Manager (Project Purchase)

TEV NORD Tyrinda Made Lik. I So good

Date: 20.10.2022

Open Tender Reference No: AE/RAJ/052/2022/HIGHPRESSTANK

GEM NAR ID: GEM/GARPTS/12102022/0CKMPER5G2KY

Due Date/Time: 09.11.2022@ 3:00 PM

Dear Sir/Madam,

On behalf of the Indian Institute of Technology Madras, Tenders are invited in two bid system from Class-I local suppliers and Class II local suppliers, for the supply of: "High-Pressure Storage Tank" Conforming to the specifications given in Annexure -A.

Tender Documents may be downloaded from Central Public Procurement Portal <u>https://etenders.gov.in/eprocure/app</u>. Aspiring Bidders who have not enrolled / registered in e-procurement should enroll / register before participating through the website <u>https://etenders.gov.in/eprocure/app</u>. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at **"Help for contractors"**. [Special Instructions to the Contractors/Bidders for the e-submission of the bids online through this eProcurement Portal"]

Bidders can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type 'IIT'. Thereafter, click on "GO" button to view all IIT Madras tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website <u>https://etenders.gov.in/eprocure/app</u> as per the schedule attached.

<u>1)</u>	Pre-bid Meeting Details	:	NA
<u>2)</u>	ICSR Vendor Registration	:	 <u>Vendor registration code</u>. Vendor registration with IC&SR (IITM) is mandatory for bidders to participate in tenders. ** For Vendor Registration & Guidelines, Please follow the website :
			https://icandsr.iitm.ac.in/vendorportal; Helpdesk: <u>vendorhelpdesk@icsrpis.iitm.ac.in</u>

<u>No manual bids will be accepted.</u> All tender documents including Technical and Financial bids should be submitted in the E-procurement portal.

Last date for receipt of tender		09.11.2022 @ 3:00 PM
Date & time of opening of tender	••	10.11.2022 @ 3:00 PM

<u>A)</u>	Searching for tender	:	
	documents		 There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal. Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective "My Tender" folder. This would enable the CPP Portal to intimate the bidders through SMS / email in case there is any corrigendum issued to the tender document.
			• The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.
<u>B)</u>	Assistance to bidders	•	 Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender. Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is [0120-4200462, 0120-4001002, 0120-4001005]
<u>C)</u>	Enrollment Process	:	REGISTRATION
	to Bidders		 Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal <u>URL:https://etenders.gov.in/eprocure/app</u> by clicking on "Online Bidder Enrollment". Enrollment on the CPP Portal is free of charge. As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal. Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse. Bidder then may log in to the site through the secured log-in by entering their user ID / password and the password of the DSC / eToken. Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name

			 is a prerequisite for registration and participating in the bid submission activities through https://etenders.gov.in/eprocure/app Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site https://etenders.gov.in/eprocure/app under the "Information about DSC".
<u>D)</u>	Preparation of bids		 Bidder should take into account any corrigendum published on the tender document before submitting their bids. Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid. Bidder, in advance, should prepare the bid documents to be submitted as indicated in the tender document / schedule and generally shall be in PDF / XLS formats as the case may be. Bid documents may be scanned with 100 dpi with black and white option. To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, GSTIN Details, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Documents" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.
<u>E)</u>	Submission of bids	:	 Bidder should log into the site well in advance for bid submission so that he/she can upload the bid in time i.e. on or before the bid submission date and time. Bidder will be responsible for any delay due to other issues. The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document. Bidder has to select the bid security declaration. Otherwise, the tender will be summarily rejected. A standard BOQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BOQ file, open it and complete the detail with their respective financial quotes and other details (such as name of the bidder). If the BOQ file is found to be modified by the bidder, the bid will be rejected. The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.

	 The Tender Inviting Authority (TIA) will not be held responsible for any sort of delay or the difficulties faced during the submission of bids online by the bidders due to local issues. The uploaded tender documents become readable only after the
	· · ·
	tender opening by the authorized bid openers.
	• Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
	 Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet. More information useful for submitting online bids on the CPP Portal may be obtained at: <u>https://etenders.gov.in/eprocure/app</u>. All tender documents including pre-qualification bid, Technical Bid &Financial Bid should be submitted separately in online CPP portal as per the specified format only. Right is reserved to ignore any tender which fails to comply with the above instructions. No manual bid submission will be entertained.
F) Marking o Technical Bid 0	• The bidder eligibility criteria, technical specification and supply of item for this tender is given in Annexure A.
	• The Bidders shall go through the specification and submit the technical bid.
	• The Technical bid should be submitted in the proforma as per Annexure-B in pdf format only through online (e-tender). No manual submission of bid will be entertained.
	• The technical bid should have a page-wise heading as "Technical Bid" and page no. in all pages with seal and signature of authorized signatory. The total no. of pages should be mentioned at the last page of the documents.
	• The technical bid should consist of bidder eligibility criteria details and all technical details along with catalogue/ pamphlet which will give a detailed description of product with technical data sheet so that technical compliance can be verified.
<u>G)</u> Marking on Price Bi	• Financial bid (BoQ) should be submitted in the prescribed proforma format as per Annexure-C in xls format through e-tender only. No manual or other form of submission of Financial Bid will not be entertained

 4) Preparation of Tender: The bidders should submit the bids in two bid system as detailed below.
 Bid I _Technical Bid The technical bid should consist of bidder eligibility criteria and technical specification compliance sheet as per Annexure-B.
 Bid II _Price Bid The price bid should be submitted in excel format (BoQ) as per the proforma (Annexure C) uploaded in the e-Tender web site. The Quoted price should be for supply and installation of the item and inclusive of all cost and statutory levies at IIT Madras.

5)	 Price: 1) The price should be quoted only in INR net per unit (after breakup) and must include all packing, transit insurance and delivery charges to IIT Madras Discovery Campus Thaiyur, Tamil Nadu. 2) The rate quoted shall be all inclusive of all taxes and no extra payment will be made other than statutory revisions as per the terms and conditions stipulated in this contract document. 3) The percentage of tax & duties should be clearly indicated separately. IIT Madras is eligible for custom duty (5.5%). Relevant certificates will be issued wherever necessary. 4) The offer/bids should be submitted through online only in two bid system i.e. Technical Bid and Financial Bid separately.
6)	Tenderer shall submit along with this tender:
	(i) Proof of having ISO or other equivalent certification given by appropriate authorities.
	(ii) Name and full address of the Banker and their swift code and PAN No. and GSTIN number.
	(iii) GST registration proof showing registration number, area of registration etc.
	(iv) All of your future correspondences including Invoices should bear the GST No. and Area Code.
7)	Terms of Delivery:
,	 a) Supplier will be fully responsible for the safe carriage, Installation/Commissioning of goods up to IIT Madras Discovery Campus Thaiyur, Tamil Nadu, or named place as per PO, Insurance coverage will be in the scope of the supplier.
	The tenderer should indicate clearly the time required for delivery of the item (subject to the approval of the Executive Committee-IIT-Madras). In case there is any deviation in the delivery schedule, liquidated damages clause will be enforced or penalty for the delayed supply period will be levied.
	In the event of delay or non-supply of materials/execution of Contract beyond the date of delivery/completion of job. The penalty will be levied @1% per week of delay subject to a max of 10% of the value of purchase order and if the delay is more than accepted time frame by IIT M, the PO would be partially or fully cancelled and liquidated damages will be enforced accordingly.
8)	Period for which the offer will remain open:
	The Tender shall remain open for acceptance/validity till: 120 days from the date of opening of the tender. However, the day up to which the offer is to remain open being declared closed holiday for the Indian Institute of Technology Madras, the offer shall remain open for acceptance till the next working day.
9)	 EMD: The EMD of Rs. 1,20, 000 to be transferred to the account details mentioned in Annexure D and proof should be enclosed in the Technical Bid. Any offer not accompanied with the EMD shall be rejected summarily as non-responsive. The EMD of the unsuccessful bidders shall be returned within 30 days of the end of the bid validity period. The same shall be forfeited, if the tenderers withdraw their offer after the opening during the bid validity period. The Institute shall not be liable for payment of any interest on EMD. EMD is exempted for Micro and Small Enterprises (MSE) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) and Startups as recognized by Department of Industrial Policy & Promotion (DIPP). (MSE/MSME/DIPP PROOF should be enclosed in

10)	Performance Security: -
	The successful bidder should submit Performance Security for an amount of 3% of the value of the contract/supply. The Performance Security may be furnished in the form of an Account Payee DD, FD Receipt in the name of "The Registrar, IIT Madras" from any scheduled commercial bank or Bank Guarantee from any scheduled commercial bank in India. The performance security should be furnished within 14 days from the date of the purchase order.
	Performance Security in the form of Bank Guarantee: - In case the successful bidder wishes to submit Performance Security in the form of Bank Guarantee, the Bank Guarantee should be routed directly to IIT Madras from the Bank.
	The Bank Guarantee should remain valid for a period of sixty days beyond the date of completion of all contractual obligations of the supplier including the warranty obligations.
11)	For the same tender, either the OEM or the authorized dealer/service provider can only quote. But both of them cannot quote separately for the same tender.
12)	The offers/bids should be sent only for a item/Equipments of latest version that is available in the market and supplied to a number of customers. A list of customers in India with details must accompany the quotations. Quotations for a prototype machine will not be accepted
13)	Original catalogue (not any photocopy) of the quoted model duly signed by the principals must accompany the quotation in the Technical bid.
14)	Compliance or Confirmation report with reference to the specifications and other terms & conditions should also be obtained from the principal/OEM.
15)	Risk Purchase Clause
	In the event of failure of supply of the item/equipment within the stipulated delivery schedule, the purchaser has all the right to purchase the item/equipment from other sources on the total risk of the supplier under risk purchase clause.
16)	Payment:
	(i) No Advance payment will be made. However, 90% Payment against Delivery and 10% after installation are agreed to wherever the installation is involved.
	(ii) Advance Payment: No advance payment is generally admissible. In case a specific percentage of advance payment is required, the Vendor has to submit a Bank Guarantee from a scheduled commercial bank in India equivalent to the amount of advance payment.
17)	On-site Installation:
	The equipment/item or Machinery has to be installed or commissioned by the successful bidder within the number of days (as prescribed by PI) from the date of receipt of the item at the site of IIT Madras.
18)	Warranty/Guarantee:
	The offer should clearly specify the warranty or guarantee period for the machinery/equipment. Any extended warranty offered for the same has to be mentioned separately (For more details please refer our Technical Specifications).
	** Note: PO which involves installation, warranty/guarantee shall be applicable from date of installation.
19)	Acceptance and Rejection:
	Failure to comply with any of the instructions stated in this document or offering unsatisfactory explanations for non-compliance will likely to lead to rejection of offers.
	I.I.T. Madras has the right to accept the whole or any part of the Tender or portion of the quantity offered or reject it in full without assigning any reason.

20)	Debarment from Bidding:
	In case of breach of Terms & Conditions, Bidder may be suspended from being eligible for bidding in any contract with the IIT Madras up to 2 Years [as per Rule 151(iii) of GFR] from the date of Tender.
21)	Disputes and Jurisdiction:
	 Settlement of Disputes: Any dispute, controversy or claim arising out of or in connection with this PO including any question regarding its existence, validity, breach or termination, shall in the first instance be attempted to be resolved amicably by both the Parties. If attempts for such amicable resolution fails or no decision is reached within 30 days whichever is earlier, then such disputes shall be settled by arbitration in accordance with the Arbitration and Conciliation Act, 1996. Unless the Parties agree on a sole arbitrator, within 30 days from the receipt of a written request by one Party from the other Party to so agree, the arbitral panel shall comprise of three arbitrators. In that event, the supplier will nominate one arbitrator and the Project Coordinator of IITM shall nominate on arbitrator. The Dean IC&SR will nominate the Presiding Arbitrator of the arbitral tribunal. The arbitration proceeding shall be carried out in English language. The cost of arbitration and fees of the arbitrator(s) shall be shared equally by the Parties. The seat of arbitration shall be at IC&SR IIT Madras, Chennai. a. The Applicable Law: The Purchase Order shall be construed, interpreted and governed by the Laws of India. Court at Chennai shall have exclusive jurisdiction subject to the arbitration
	clause.
	b. Any legal disputes arising out of any breach of contact pertaining to this tender shall be settled in
	the court of competent jurisdiction located within the city of Chennai in Tamil Nadu.
22)	Force Majeure: The Supplier shall not be liable for forfeiture of its performance security, liquidated damages or termination for default, if and to the extent that, it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.
	For purposes of this Clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not limited to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
	If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such conditions and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.
23)	Eligibility Criteria:
	As per the Government of India Order, only "Class - I Local Suppliers" and "Class - II Local Suppliers" <u>can participate in this tender.</u>
	Bidder should confirm their acceptance that they comply with the provisions with report to "Guidelines for eligibility of a bidder from a country which shares a land border with India as detailed at Annexure-F. The bidder should submit Certificate for "Bidder from/ Not from Country sharing Land border with India & Registration of Bidder with Not from the there is a land border with India & Registration of Bidder with Bidder with India & Registration of Bidder with
	<u>Competent Authority" as per Order of DoE F.No.6/18/2019-PPD dated 23.07.2020 as</u> mentioned.
24)	Preference to "class I Local Suppliers" : preference will be given to " class 1 local suppliers " (subject to class -I local supplier's quoted price falling within the margin of purchase preference) as per public procurement (preference to make in India) order 2017 .O.M No P- 45021/2/2017 – pp(BE - 11) dt
	04/06/2020 subject to the conditions that the "class 1 Local Supplier" should agree to supply goods / provide service at L1 rate and furnish a certificate with the technical bid document that the goods/service provided by them consists local content equal to or more than 50%.(certificate from Chartered

	1
	Accountant in case value of contract exceeds Rs 10 crore).
	Class - I local supplier' means a supplier or service provider whose goods, services or works
	offered for procurement consists of local content equal to or more than 50% as defined under the
	above said order. Declaration to be provided as per Annexure-II per item/service/work.
	Class - II local supplier' means a supplier or service provider whose goods, services or works
	offered for procurement consists of local content equal to 20% but less than 50% as defined under
	the above said order. Declaration to be provided as per Annexure-II per item/service/work.
	➤ 'Margin of purchase preference': - The margin of purchase preference shall be 20%. The
	Definition of the margin of purchase preference is defined in the Govt. of India Order No: P-
	45021/12/2017-PP (BE-II) Dt.4th June, 2020) Order 2017. As per the Government of India
	Order – "Margin of Purchase Preference" means the maximum extent to which the price
	quoted by a "Class-I local supplier" may be above the L1 for the purpose of purchase
	preference.
	**Note: Local content percentage to be calculated in accordance with the definition provided at
	clause 2 of revised public procurement preference to Make in India Policy vide GoI Order no. P-
	45021/2/2017-PP (B.EII) dated 15.06.2017 (subsequently revised vide orders dated 28.05.2018,
	29.05.2019and 04.06.2020) MOCI order No. 45021/2/2017-PP (BE II) Dt.16th September 2020 & P-
	45021/102/2019-BE-II-Part(1) (E-50310) Dt.4th March 2021
25)	Evaluation of Bids
	Bid evaluation will take place in two stages.
	Stage I Technical Bid evaluation
	All bidders who have fully complied with bidder eligibility criteria I, II and technical evaluation
	(Annexure A) will only be considered for opening of price bid. Stage II: Price Bid Evaluation
	The price bid evaluation will be based on price quoted by the bidder. The rate quoted for High -
	Pressure Storage Tank unit will alone be taken up for arrival of Lowest Bid (L1) value.
20	Selection of successful bidder and Award of Order
26)	The order will be directly awarded to the technically qualified bidder as per the condition in para 3A of
	DIPP, MoCI Order No. 45021/2/2017-PP (BE II) dated 16th September 2020.
27)	All information including selection and rejection of technical or financial bids of the prospective bidders
27)	will be communicated through e-Tender portal. In terms of Rule 173(iv) of General Financial Rule 2017,
	the bidder shall be at liberty to question the bidding conditions, bidding process and/or rejection of bids.
28)	The tenderer shall certify that the tender document submitted by him / her are of the same replica of the
28)	tender document as published by IIT Madras and no corrections, additions and alterations made to the
	same. If any deviation found in the same at any stage and date, the bid / contract will be rejected /
	terminated and actions will be initiated as per the terms and conditions of the contract.
29)	Due to Covid-19 pandemic pre-bid meeting will be conducted through online. Clarification to the queries
<i>49</i>)	and doubts raised by the bidders will be issued as a corrigendum/addendum in the e-tenders portal.
20)	Due to Covid-19 pandemic the bidders will not be entertained to participate in opening of Bids. Since the
30)	tender is e-tender, the opening of the bids may be checked using the respective logins of the bidders.
L	

ACKNOWLEDGEMENT

It is hereby acknowledged that I/We have gone through all the points listed under "Specification, Guidelines, Terms and Conditions" of tender document. I/We totally understand the terms and conditions and agree to abide by the same.

SIGNATURE OF TENDERER ALONG WITH SEAL OF THE COMPANY WITH DATE

Bidder Eligibility Criteria and Technical Specification for High-Pressure Storage Tank

Tender No. AE/RAJ/052/2022/HIGHPRESSTANK

Bidder Eligibility Criteria – I (Public Procurement – Preference to Make in India)

Only 'Class-I local suppliers' and 'Class-II local suppliers', as defined under DIPP, MoCI Order No. P-45021/2/2017-PP (BE-II) dated 16th September 2020 and other subsequent orders issued therein.

Bidder Eligibility Criteria – II

 The bidder/OEM should have carried out at least 2 similar works to IITs, NITs, IISERs, CSIR Labs or other Govt. R&D organizations in the last 5 years, PO copies or installation certificates along with contact details of end user need to be submitted as the proof of supply. IIT at its own discretion may seek opinion of the customer, based on which the vendor's offer may be accepted or rejected.

III. TECHNICAL SPECIFICATION for High-Pressure Storage Tank

Air Storage containers (2Nos), 15m³ capacity at working pressure 40 bar with accessories.

S.NO	SPECIFICATION
1	Fabricated using Corrosion Resistance Steel Selected from ASME SA516 Gr. 70 (Meeting the requirement of ASME Sec II - Part A)
2	Code to be followed: ASME Sec VIII Division -1.
3	Pressure Vessel content: Air.
4	Working Pressure: 40 Bar.
5	Design pressure: 45 Bar.
6	Design temperature: 100 °C.
7	Volume of each container: 15 m ³
8	Type of container: Horizontal, Cylindrical with dished ends.
9	Number of containers: 02 Nos.
10	Max Length of tank: 8 mtrs.
11	Corrosion allowance: 1.5mm.
	Additional requirements
1	Air charging port 4" with flange end.
2	Delivery line of 12" with flange end.
3	Pressure relief valve, 1" flanged connection (2nos).
4	Pressure sensor, ¹ / ₂ " NPT Threaded(F).
5	Pressure Gauge, ¹ / ₂ " NPT Threaded(F).

6	Vent valve - 1" flanged connection.
7	Manhole nozzle with blind flange - 24"
	Conditions
1	The Vendor has to design the pressure vessels for the rated pressure and make detailed design and production Drawings.
2	The vendor have to select and employ any Quality management systems (QMS) certified inspectors of The National Accreditation Board for Certification Bodies (NABCB) as the third party (hereinafter referred as"Third party").
3	The design calculation and detailed production drawings and the process plan shall be prepared by the vendor and get approval from the Third Party and IIT.
4	The Vendor shall generate the QA Plan and assign a third party for detailed inspections during the course of the fabrication process.
5 6 7	 Detailed documents for the welding processes must be prepared and submitted to IIT/Third Party for approval. •The WPS and PQR is to be generated by Vendor and submitted prior to any welding operation. •Welding procedures and welder should be qualified as per ASME Boiler and Pressure Vessel code Sec-IX. Existing qualifications under any other agency can be used only after the review and approval by IIT/Thirdparty. •100% GTAW process shall be adopted with high quality (99%) Argon gas shielding, right from root to final passes for all butt welds. •Radiography testing (100%) to be done on all butt welds including nozzle neck to flange joints. •Radiographic test (RT) procedure shall be as per ASME Sec. V / Sec VIII Div. 1. The RT interpretation is o be conducted by a ASNT/ISNT Level III qualified person. The fabricated tank must be stress relieved as per standards at 400~600 oC, for a minimum soaking time of 1.5 to 2 hours (or as per the maximum thickness) with rate of heating and cooling at 75 to 100 °C per hour (to be carried out prior to hydro test). The finished containers must satisfactorily pass the Hydro-static pressure tests in the presence of inspecting authority. Each container should be subjected to an internal hydrostatic test pressure of 1.3
	times of the working pressure as per ASME code for boiler and pressure vessels. The container must be maintained at that specified test pressure for a sufficient amount of time (minimum of 30 minutes) to permit a thorough examination of all the seams and joints for leakage.
8	ASME-U stamping is mandatory.
9	The outer surface of the tanks are to be be painted in skyblue color with a three coat system. (Epoxy primer, midcoat and top coat). The interior wall of the vessels are to be coated using suitable paints in order to minimise corrosion.
	Documents to be submitted to IIT/Third party
	The fabrication process has to be documented at each stage of the work in order to keep record of various activities. The following documents have to be submitted.
1	Engineering Drawing
2	Material Certifications Mil test certificates Laboratory reports

	Inspection reports
	Inspection Release Notes
3	Welding Procedure Specification (WPS)
4	Performance Qualification Record (PQR)
5	Report of Dimensional checks
6	NDT Reports
Ũ	•Radiography
	•Liquid Penetrant Test
	•Other tests
7	Pressure Test Reports
	Notes to the vendor
1	The vendor must supply the following accessories along with the vessels.
	i) Pressure Relief Valve
	Normal Working Pressure: 40 Bar
	Type of valve: Spring loaded
	Set Pressure: 42 Bar \pm 2% tolerances
	Material of Construction: OEM standard
	Accumulation: The container pressure shall not overshoot by 10% of set pressure
	Preferable Make: Fainger Laser/Forbes Marshall
	ii) Drain/Vent Valve
	Normal Working Pressure: 40 Bar
	Size: 1"
	Class: AS per ASME standard.
	Material of Construction: SS 304/316 Preferable
	Make: Sankey / Audco / L&T / AMCO
	iii) Block and Bleed Valve
	Size: ¹ /2" (F) NPT
	Class: AS per ASME standard.
	Material of Construction: SS 304/316
	Preferable Make: Festo / Aster / Parker / Wika
	iv) Pressure Gauge
	Dial: 6" Bottom connection
	MOC: SS internals and SS gauge
	Range: 0- 75 Bar
	Preferable Make: Wika / Gauge Bourdon
	v) Pressure Transmitter
	Model: S10
	Output: 4-20 mA
	Connection: ¹ / ₂ " BSP (F)
	Enclosure: WP
	Power supply: DC 10-30 V
	Response time: $\leq 1 \text{ ms}$
	Accuracy: $\leq 0.25\%$ of spam
	Compensated temperature: $0 \text{ TO} + 80^{\circ} \text{c}$ range
	Working Protection: Protected against reverse polarity over voltage and short circuiting.
	The transmitter must contain CE conformity

TECHNICAL BID PROFORMA Tender No. AE/RAJ/052/2022/HIGHPRESSTANK Item Name: High-Pressure Storage Tank

1.0 Bidder Eligibility Criteria:

I	Bidder Eligibility Criteria-I (Public Procurement – Preference to Make in India)	Class I / Class II	Local Content value	Reference, Page No.
Ι	Only 'Class-I local suppliers' and 'Class-II local suppliers', as defined under DIPP, MoCI Order No. P-45021/2/2017-PP (BE II) dated 16 th September 2020 and other subsequent orders issued therein.			
2.0	Bidder Eligibility Criteria-II	Compliance (Yes/No)	Reference Page No.	Remarks, If any
1	The bidder/OEM should have carried out at least 2 similar works to IITs, NITs, IISERs, CSIR Labs or other Govt. R&D organizations in the last 5 years, PO copies or installation certificates along with contact details of end user need to be submitted as the proof of supply. IIT at its own discretion may seek opinion of the customer, based on which the vendor's offer may be accepted or rejected.			

3.0 Technical Compliance:

Air Storage containers (2Nos), 15m³ capacity at working pressure 40 bar with accessories.

S.NO	SPECIFICATION	COMPLIED/ NOT COMPLIED	CATALOGUE PAGE NO
1	Fabricated using Corrosion Resistance Steel Selected from ASME SA516 Gr. 70 (Meeting the requirement of ASME Sec II - Part A)		
2	Code to be followed: ASME Sec VIII Division -1.		
3	Pressure Vessel content: Air.		
4	Working Pressure: 40 Bar.		
5	Design pressure: 45 Bar.		
6	Design temperature: 100 °C.		
7	Volume of each container: 15 m ³		
8	Type of container: Horizontal, Cylindrical with dished ends.		
9	Number of containers: 02 Nos.		
10	Max Length of tank: 8 mtrs.		
11	Corrosion allowance: 1.5mm.		

	Additional requirements	
1	Air charging port 4" with flange end.	
2	Delivery line of 12" with flange end.	
3	Pressure relief valve, 1" flanged connection (2nos).	
4	Pressure sensor, ¹ / ₂ " NPT Threaded(F).	
5	Pressure Gauge, ¹ /2" NPT Threaded(F).	
6	Vent valve.	
7	Manhole nozzle with blind flange - 24"	
	Conditions	
1	The Vendor has to design the pressure vessels for the rated	
2	pressure and make detailed design and production Drawings.	
2	The vendor have to select and employ any Quality management systems (QMS) certified inspectors of The	
	National Accreditation Board for Certification Bodies	
	(NABCB) as the third party (hereinafter "Third party").	
3	The design calculation and detailed production drawings and	
	the process plan shall be prepared by the vendor and get	
4	approval from the Third Party and IIT.The Vendor shall generate the QA Plan and assign a third	
-	party for detailed inspections during the course of the	
	fabrication process.	
5	Detailed documents for the welding processes must be	
	prepared and submitted to IIT/Third Party for approval.	
	•The WPS and PQR is to be generated by Vendor and	
	submitted prior to any welding operation.	
	•Welding procedures and welder should be qualified as per ASME Boiler and Pressure Vessel code Sec-IX. Existing	
	qualifications under any other agency can be used only after	
	the review and approval by IIT/Thirdparty.	
	•100% GTAW process shall be adopted with high quality	
	(99%) Argon gas shielding, right from root to final passes for	
	all butt welds. •Radiography testing (100%) to be done on all butt welds	
	including nozzle neck to flange joints.	
	•Radiographic test (RT) procedure shall be as per ASME Sec.	
	V / Sec VIII Div. 1. The RT interpretation is o be conducted	
	by a ASNT/ISNT Level III qualified person.	
6	The fabricated tank must be stress relieved as per standards at $100 \pm 000 \pm 000$ for a minimum scaling time of 1.5 to 2 hours (and	
	400~600 oC, for a minimum soaking time of 1.5 to 2 hours (or as per the maximum thickness) with rate of heating and	
	as per the maximum thickness) with rate of heating and cooling at 75 to 100 oC per hour (to be carried out prior to	
	hydro test).	
7	The finished containers must satisfactorily pass the Hydro-	
l	static pressure tests in the presence of inspecting authority.	

	Each container should be subjected to an internal hydrostatic	
	test pressure of 1.3 times of the working pressure as per	
	ASME code for boiler and pressure vessels. The container	
	must be maintained at that specified test pressure for a	
	sufficient amount of time (minimum of 30 minutes) to permit	
	a thorough examination of all the seams and joints for	
	leakage.	
8	ASME-U stamping is mandatory.	
9	The outer surface of the tanks are to be be painted in skyblue	
	color with a three coat system. (Epoxy primer, midcoat and	
	top coat). The interior wall of the vessels are to be coated	
	using suitable paints in order to minimise corrosion.	
	Documents to be submitted to IIT/Third	
	party	
	The fabrication process has to be documented at each stage of	
	the work in order to keep record of various activities. The	
	following documents have to be submitted.	
1	Engineering Drawing	
2	Material Certifications	
	Mil test certificates	
	Laboratory reports	
	Inspection reports	
	Inspection Release Notes	
3	Welding Procedure Specification (WPS)	
4	Performance Qualification Record (PQR)	
-		
5	Report of Dimensional checks	
6	NDT Reports	
	•Radiography	
	•Liquid Penetrant Test	
	•Other tests	
7	Pressure Test Reports	
	Notes to the vendor	
1	The vendor must supply the following accessories along with	
1	the vessels.	
	i) Pressure Relief Valve	
	Normal Working Pressure: 40 Bar	
	Type of valve: Spring loaded	
	Set Pressure: 42 Bar \pm 2% tolerances	
	Material of Construction: OEM standard	
	Accumulation: The container pressure shall not overshoot by	
	10% of set pressure	
	Preferable Make: Fainger Laser/Forbes Marshall	

ii) Drain/Vent Valve	
Normal Working Pressure: 40 Bar	
Size: 1"	
Class: AS per ASME standard.	
Material of Construction: SS 304/316 Preferable	
Make: Sankey / Audco / L&T / AMCO	
iii) Block and Bleed Valve	
Size: ¹ /2" (F) NPT	
Class: AS per ASME standard.	
Material of Construction: SS 304/316	
Preferable Make: Festo / Aster / Parker / Wika	
iv)Pressure Gauge	
Dial: 6" Bottom connection	
MOC: SS internals and SS gauge	
Range: 0- 75 Bar	
Preferable Make: Wika / Gauge Bourdon	
v) Pressure Transmitter	
Model: S10	
Output: 4-20 mA	
Connection: ¹ / ₂ " BSP (F)	
Enclosure: WP	
Power supply: DC 10-30 V	
Response time: $\leq 1 \text{ ms}$	
Accuracy: $\leq 0.25\%$ of spam	
Compensated temperature: $0 \text{ TO} + 80^{\circ} \text{c}$ range	
Working Protection: Protected against reverse polarity over	
voltage and short circuiting.	
The transmitter must contain CE conformity	

SIGNATURE OF BIDDER ALONG WITH SEAL OF THE COMPANY WITH DATE

FINANCIAL BID (PROFORMA) - BILL OF QUANTITIES (BOQ)

Item Name: High-Pressure Storage Tank Tender No. AE/RAJ/052/2022/HIGHPRESSTANK

It. No	Description of work	Quantity	Units	Basic Rate in INR	GST in Percentage	Total Amount with taxes in INR
1	Air Storage containers (15m ³ capacity at working pressure 40 bar with accessories)	2	Nos.			
	Grand Total					

Total Amount Rupees in words _____



CENTRE FOR INDUSTRIAL CONSULTANCY & SPONSORED RESEARCH (IC&SR) INDIAN INSTITUTE OF TECHNOLOGY MADRAS CHENNAI 600 036



ELECTRONIC CLEARING SERVICE (Credit Clearing)/ REAL TIME GROSS SETTLEMENT (RTGS) FACILITY FOR RECEIVING PAYMENTS A. Details of Account Holder

Name of the Institution	Indian Institute of Technology - Madras
Complete Contact Address	Industrial Consultancy and Sponsored Research Indian Institute of Technology-Madras, IIT- Madras Campus Post Office, Sardar Patel Road, Guindy, CHENNAI - 600 036
Telephone No./ Fax No.	Tel - 044-2257 8356
E- mail ID of the FO/AO/REG/DIR	dricsr@iitm.ac.in

B. Bank Account Details:

Institution Account Name (As per Bank	The Registrar, Indian Institute of
Record)	Technology - Madras
Account No.	2722101003872
Account Print Name	IIT F A/C , The Registrar IIT Madras
IFSC CODE	CNRB0002722
Bank Name (in full)	Canara Bank
Branch Name	IIT-Madras Branch
Complete Branch Address	Canara Bank,
	IIT-Madras Branch,
	IIT- Madras Campus Post Office,
	Sardar Patel Road,
	Guindy, CHENNAI - 600 036
MICR No.	600015085
Account Type	Savings Account

Certified that the Institute's account is in an RTGS enabled branch. I hereby declare that the particulars given above are correct and complete.

Date:

Signature of the competent Authority of the Institution with seal.

FORMAT FOR AFFIDAVIT OF SELF-CERTIFICATION UNDER PREFERENCE TO MAKE IN INDIA – PER ITEM

Tender Reference Number:

Name of the item / Service:

Data

I/We	_S/o, D/o, W/o,
Resident of	

Hereby solemnly affirm and declare as under:

That I will agree to abide by the terms and conditions of the Public Procurement (Preference to Make in India) Policy vide GoI Order no. P-45021/2/2017-PP (B.E.-II) dated 15.06.2017 (subsequently revised vide orders dated 28.05.2018, 29.05.2019and 04.06.2020) MOCI order No. 45021/2/2017-PP (BE II) Dt.16th September 2020 & P- 45021/102/2019-BE-II-Part (1) (E-50310) Dt.4th March 2021 and any subsequent modifications/Amendments, if any and

That the local content for all inputs which constitute the said item/service/work has been verified by me and I am responsible for the correctness of the claims made therein.

Tick (✓) and Fill the Appropriate Category			
	I/We[name of the supplier] hereby confirm in respect of quoted items		
	that Local Content is equal to or more than 50% and come under "Class-I Local Supplier" category.		
	I/We [name of the supplier] hereby confirm in respect of quoted items that Local Content is equal to 20% but less than 50% and come under "Class-II Local Supplier"		
	category.		
• The details of the location (s) at which the local value addition is made and the proportionate value of local			
content in percentage			
Addre	Percentage of Local content:%		

For and on behalf of (Name of firm/entity)

Authorized signatory (To be duly authorized by the Board of Directors) <Insert Name, Designation and Contact No.>

[Note: In case of procurement for a value in excess of Rs. 10 Crores, the bidders shall provide this certificate from statutory auditor or cost auditor of the company (in the case of companies) or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content.]

This letter should be on the letterhead of the quoting firm and should be signed by a competent authority. Nonsubmission of this will lead to Disqualification of bids.

<u>Annexure – F</u>

(To be given on the letter head of the bidder)

No._____

Dated: _____

CERTIFICATE

(Bidders from India)

I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and hereby certify that I am not from such a country.

OR (whichever is applicable)

(Bidders from Country which shares a land border with India)

I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and hereby certify that I from ______ (Name of Country) and has been registered with the Competent Authority. I also certify that I fulfil all the requirements in this regard and is eligible to be considered. (Copy/ evidence of valid registration by the Competent Authority is to be attached)

Place: Date: Signature of the Tenderer Name & Address of the Tenderer with Office Stamp