

INDIAN INSTITUTE OF TECHNOLOGY MADRAS Chennai 600 036

Telephone: [044] 2257 9763 E-mail: tender@imail.iitm.ac.in



The Manager (Project Purchase)

Date: 02.06.2023

Open Tender Reference No: PH/SUBR/116/2023/MICROWAVEMSYS

GEM NAR ID: GEM/GARPTS/01062023/DI90X4BV7S8T Due Date/Time: 22.06.2023@ 3:00 PM

Dear Sir/Madam,

On behalf of the Indian Institute of Technology Madras, Tenders are invited in two bid system from Class-I local suppliers and Class II local suppliers, for the supply of "Microwave Measurement System" Conforming to the specifications given in Annexure -A.

Tender Documents may be downloaded from Central Public Procurement Portal https://etenders.gov.in/eprocure/app. Aspiring Bidders who have not enrolled / registered in e-procurement should enroll / register before participating through the website https://etenders.gov.in/eprocure/app. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at "Help for contractors". [Special Instructions to the Contractors/Bidders for the e-submission of the bids online through this eProcurement Portal"]

Bidders can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type 'IIT'. Thereafter, click on "GO" button to view all IIT Madras tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website https://etenders.gov.in/eprocure/app as per the schedule attached.

<u>1)</u>	Pre-bid Meeting Details	:	NA
2)	ICSR Vendor Registration	•	Vendor registration code. Vendor registration with IC&SR (IITM) is mandatory for bidders to participate in tenders. ** For Vendor Registration & Guidelines, Please follow the website: https://icandsr.iitm.ac.in/vendorportal; Helpdesk: vendorhelpdesk@icsrpis.iitm.ac.in

<u>No manual bids will be accepted.</u> All tender documents including Technical and Financial bids should be submitted in the E-procurement portal.

Last date for receipt of tender	:	22.06.2023 @ 3:00 PM
Date & time of opening of tender	:	23.06.2023 @ 3:00 PM

3. Instructions to the Bidder:

<u>A)</u>	Searching for tender documents	:	 There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal. Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective "My Tender" folder. This would enable the CPP Portal to intimate the bidders through SMS / email in case there is any corrigendum issued to the tender document. 	
			• The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.	
<u>B)</u>	Assistance to bidders	:	 Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender. Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is [0120-4200462, 0120-4001002, 0120-4001005] 	
<u>C)</u>	Enrollment to Bidders Process	:	 Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal URL:https://etenders.gov.in/eprocure/app by clicking on "Online Bidder Enrollment". Enrollment on the CPP Portal is free of charge. As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal. Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse. Bidder then may log in to the site through the secured log-in by entering their user ID / password and the password of the DSC / eToken. Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name 	

			is a prerequisite for registration and participating in the bid submission activities through https://etenders.gov.in/eprocure/app • Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site https://etenders.gov.in/eprocure/app under the "Information about DSC".
<u>D)</u>	Preparation of bids	:	Bidder should take into account any corrigendum published on the tender document before submitting their bids.
			 Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
			 Bidder, in advance, should prepare the bid documents to be submitted as indicated in the tender document / schedule and generally shall be in PDF / XLS formats as the case may be. Bid documents may be scanned with 100 dpi with black and white option.
			• To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, GSTIN Details, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Documents" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.
<u>E)</u>	Submission of bids	:	Bidder should log into the site well in advance for bid submission so that he/she can upload the bid in time i.e. on or before the bid submission date and time. Bidder will be responsible for any delay due to other issues.
			The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
			Bidder has to select the bid security declaration. Otherwise, the tender will be summarily rejected.
			 A standard BOQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BOQ file, open it and complete the detail with their respective financial quotes and other details (such as name of the bidder). If the BOQ file is found to be modified by the bidder, the bid will be rejected.
			• The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.

		• The Tender Inviting Authority (TIA) will not be held responsible for any sort of delay or the difficulties faced during the submission of bids online by the bidders due to local issues.
		The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
		• Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
		 Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet. More information useful for submitting online bids on the CPP Portal may be obtained at: https://etenders.gov.in/eprocure/app. All tender documents including pre-qualification bid, Technical Bid &Financial Bid should be submitted separately in online CPP portal as per the specified format only. Right is reserved to ignore any tender which fails to comply with the above instructions. No manual bid submission will be entertained.
<u>F)</u>	Marking on Technical Bid	• The bidder eligibility criteria, technical specification and supply of item for this tender is given in Annexure A.
		• The Bidders shall go through the specification and submit the technical bid.
		• The Technical bid should be submitted in the proforma as per Annexure-B in pdf format only through online (e-tender). No manual submission of bid will be entertained.
		• The technical bid should have a page-wise heading as "Technical Bid" and page no. in all pages with seal and signature of authorized signatory. The total no. of pages should be mentioned at the last page of the documents.
		• The technical bid should consist of bidder eligibility criteria details and all technical details along with catalogue/ pamphlet which will give a detailed description of product with technical data sheet so that technical compliance can be verified.
<u>G</u>)	Marking on Price Bid	• Financial bid (BoQ) should be submitted in the prescribed proforma format as per Annexure-C in xls format through e-tender only. No manual or other form of submission of Financial Bid will not be entertained

4) **Preparation of Tender**: The bidders should submit the bids in two bid system as detailed below.

Bid I _Technical Bid

The technical bid should consist of bidder eligibility criteria and technical specification compliance sheet as per Annexure-B.

Bid II _Price Bid

The price bid should be submitted in excel format (BoQ) as per the proforma (Annexure C) uploaded in the e-Tender web site. The Quoted price should be for supply and installation of the item and inclusive of all cost and statutory levies at IIT Madras.

5) Price:

- a) The price should be quoted only in INR net per unit (after breakup) and must include all packing, transit insurance and delivery charges to the ent of **Department of Physics.** The rate quoted shall be all inclusive of all taxes and no extra payment will be made other than statutory revisions as per the terms and conditions stipulated in this contract document.
- b) The percentage of tax & duties should be clearly indicated separately. IIT Madras is eligible for custom duty (5.5%). Relevant certificates will be issued wherever necessary.
- c) The offer/bids should be submitted through online only in two bid system i.e. Technical Bid and Financial Bid separately.

6) Tenderer shall submit along with this tender:

- (i) Proof of having ISO or other equivalent certification given by appropriate authorities.
- (ii) Name and full address of the Banker and their swift code and PAN No. and GSTIN number.
- (iii) GST registration proof showing registration number, area of registration etc.
- (iv) All of your future correspondences including Invoices should bear the GST No. and Area Code.

7) Terms of Delivery:

Supplier will be fully responsible for the safe carriage, Installation/Commissioning of goods up to the **Department of Physics**., IIT Madras or named place as per PO, Insurance coverage will be in the scope of the supplier.

The tenderer should indicate clearly the time required for delivery of the item (subject to the approval of the Executive Committee-IIT-Madras). In case there is any deviation in the delivery schedule, liquidated damages clause will be enforced or penalty for the delayed supply period will be levied.

In the event of delay or non-supply of materials/execution of Contract beyond the date of delivery/completion of job. The penalty will be levied @1% per week of delay subject to a max of 10% of the value of purchase order and if the delay is more than accepted time frame by IIT M, the PO would be partially or fully cancelled and liquidated damages will be enforced accordingly.

8) Period for which the offer will remain open:

The Tender shall remain open for acceptance/validity till: 120 days from the date of opening of the tender. However, the day up to which the offer is to remain open being declared closed holiday for the Indian Institute of Technology Madras, the offer shall remain open for acceptance till the next working day.

9) **EMD**:

The EMD of **Rs.4,00,000** to be transferred to the account details mentioned in Annexure V and proof should be enclosed in the Technical Bid. Any offer not accompanied with the EMD shall be rejected summarily as non-responsive. The EMD of the unsuccessful bidders shall be returned within 30 days of the end of the bid validity period. The same shall be forfeited, if the tenderers withdraw their offer after the opening during the bid validity period. The Institute shall not be liable for payment of any interest on EMD. EMD is exempted for Micro and Small Enterprises (MSE) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) and Startups as recognised by Department of Industrial Policy & Promotion (DIPP). (MSE/MSME/DIPP PROOF should be enclosed in the cover containing technical bid)

10) Performance Security: -

The successful bidder should submit Performance Security for an amount of 3% of the value of the contract/supply. The Performance Security may be furnished in the form of an Account Payee DD, FD

Receipt in the name of "The Registrar, IIT Madras" from any scheduled commercial bank or Bank Guarantee from any scheduled commercial bank in India. The performance security should be furnished within 14 days from the date of the purchase order. Performance Security in the form of Bank Guarantee: - In case the successful bidder wishes to submit Performance Security in the form of Bank Guarantee, the Bank Guarantee should be routed directly to IIT Madras from the Bank. Otherwise, the Indian Agent of the foreign vendor has to submit a Bank Guarantee from any scheduled commercial bank in India. The Bank Guarantee should remain valid for a period of sixty days beyond the date of completion of all contractual obligations of the supplier including the warranty obligations. 11) For the same tender, either the OEM or the authorized dealer/service provider can only quote. But both of them cannot quote separately for the same tender. The offers/bids should be sent only for a item/Equipments of latest version that is available in the market 12) and supplied to a number of customers. A list of customers in India with details must accompany the quotations. Quotations for a prototype machine will not be accepted 13) Original catalogue (not any photocopy) of the quoted model duly signed by the principals must accompany the quotation in the Technical bid. **14**) Compliance or Confirmation report with reference to the specifications and other terms & conditions should also be obtained from the principal/OEM. **15**) **Risk Purchase Clause** In the event of failure of supply of the item/equipment within the stipulated delivery schedule, the purchaser has all the right to purchase the item/equipment from other sources on the total risk of the supplier under risk purchase clause. **16**) **Payment:** No Advance payment will be made. However, 90% Payment against Delivery and 10% after installation are agreed to wherever the installation is involved. Advance Payment: No advance payment is generally admissible. In case a specific (ii) percentage of advance payment is required, the Vendor has to submit a Bank Guarantee from a scheduled commercial bank in India equivalent to the amount of advance payment. **On-site Installation: 17**) The equipment/item or Machinery has to be installed or commissioned by the successful bidder within the number of days (as prescribed by PI) from the date of receipt of the item at the site of IIT Madras. 18) Warranty/Guarantee: The offer should clearly specify the warranty or guarantee period for the machinery/equipment. Any extended warranty offered for the same has to be mentioned separately (For more details please refer our Technical Specifications). ** Note: PO which involves installation, warranty/guarantee shall be applicable from date of installation. **19**) **Acceptance and Rejection:** Failure to comply with any of the instructions stated in this document or offering unsatisfactory explanations for non-compliance will likely to lead to rejection of offers. I.I.T. Madras has the right to accept the whole or any part of the Tender or portion of the quantity offered or reject it in full without assigning any reason. 20) **Debarment from Bidding:** In case of breach of Terms & Conditions, Bidder may be suspended from being eligible for bidding in any contract with the IIT Madras up to 2 Years [as per Rule 151(iii) of GFR] from the date of Tender.

21) Disputes and Jurisdiction:

Settlement of Disputes: Any dispute, controversy or claim arising out of or in connection with this PO including any question regarding its existence, validity, breach or termination, shall in the first instance be attempted to be resolved amicably by both the Parties. If attempts for such amicable resolution fails or no decision is reached within 30 days whichever is earlier, then such disputes shall be settled by arbitration in accordance with the Arbitration and Conciliation Act, 1996. Unless the Parties agree on a sole arbitrator, within 30 days from the receipt of a written request by one Party from the other Party to so agree, the arbitral panel shall comprise of three arbitrators. In that event, the supplier will nominate one arbitrator and the Project Coordinator of IITM shall nominate on arbitrator. The Dean IC&SR will nominate the Presiding Arbitrator of the arbitral tribunal. The arbitration proceeding shall be carried out in English language. The cost of arbitration and fees of the arbitrator(s) shall be shared equally by the Parties. The seat of arbitration shall be at IC&SR IIT Madras, Chennai.

- a. **The Applicable Law:** The Purchase Order shall be construed, interpreted and governed by the Laws of India. Court at Chennai shall have exclusive jurisdiction subject to the arbitration clause.
- b. Any legal disputes arising out of any breach of contact pertaining to this tender shall be settled in the court of competent jurisdiction located within the city of Chennai in Tamil Nadu.
- **Force Majeure:** The Supplier shall not be liable for forfeiture of its performance security, liquidated damages or termination for default, if and to the extent that, it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

For purposes of this Clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not limited to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.

If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such conditions and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

23) Eligibility Criteria:

- > As per the Government of India Order, only "Class I Local Suppliers" and "Class II Local Suppliers" can participate in this tender.
- Bidder should confirm their acceptance that they comply with the provisions with report to "Guidelines for eligibility of a bidder from a country which shares a land border with India as detailed at Annexure-E. The bidder should submit Certificate for "Bidder from/Not from Country sharing Land border with India & Registration of Bidder with Competent Authority" as per Order of DoE F.No.6/18/2019-PPD dated 23.07.2020 as mentioned.
- Preference to "class I Local Suppliers": preference will be given to "class 1 local suppliers" (subject to class -I local supplier's quoted price falling within the margin of purchase preference) as per public procurement (preference to make in India) order 2017 .O.M No P- 45021/2/2017 pp(BE 11) dt 04/06/2020 subject to the conditions that the "class 1 Local Supplier" should agree to supply goods / provide service at L1 rate and furnish a certificate with the technical bid document that the goods/service provided by them consists local content equal to or more than 50%.(certificate from Chartered Accountant in case value of contract exceeds Rs 10 crore).
 - > 'Class I local supplier' means a supplier or service provider whose goods, services or works

- offered for procurement consists of local content equal to or more than 50% as defined under the above said order. **Declaration to be provided as per Annexure-D per item/service/work.**
- ➤ 'Class II local supplier' means a supplier or service provider whose goods, services or works offered for procurement consists of local content equal to 20% but less than 50% as defined under the above said order. Declaration to be provided as per Annexure-D per item/service/work.
- ➢ 'Margin of purchase preference': The margin of purchase preference shall be 20%. The Definition of the margin of purchase preference is defined in the Govt. of India Order No: P-45021/12/2017-PP (BE-II) Dt.4th June, 2020) Order 2017. As per the Government of India Order − "Margin of Purchase Preference" means the maximum extent to which the price quoted by a "Class-I local supplier" may be above the L1 for the purpose of purchase preference.

**Note: Local content percentage to be calculated in accordance with the definition provided at clause 2 of revised public procurement preference to Make in India Policy vide GoI Order no. P-45021/2/2017-PP (B.E.-II) dated 15.06.2017 (subsequently revised vide orders dated 28.05.2018, 29.05.2019and 04.06.2020) MOCI order No. 45021/2/2017-PP (BE II) Dt.16th September 2020 & P-45021/102/2019-BE-II-Part(1) (E-50310) Dt.4th March 2021

Evaluation of Bids

Bid evaluation will take place in two stages.

Stage I Technical Bid evaluation

All bidders who have fully complied with bidder eligibility criteria I,II and technical evaluation (Annexure A) will only be considered for opening of price bid.

Stage II: Price Bid Evaluation

The price bid evaluation will be based on price quoted by the bidder. The rate quoted for "Microwave Measurement System" unit will alone be taken up for arrival of Lowest Bid (L1) value.

- 26) Selection of successful bidder and Award of Order
 - The order will be directly awarded to the technically qualified bidder as per the condition in para 3A of DIPP, MoCI Order No. 45021/2/2017-PP (BE II) dated 16th September 2020.
- All information including selection and rejection of technical or financial bids of the prospective bidders will be communicated through e-Tender portal. In terms of Rule 173(iv) of General Financial Rule 2017, the bidder shall be at liberty to question the bidding conditions, bidding process and/or rejection of bids.
- The tenderer shall certify that the tender document submitted by him / her are of the same replica of the tender document as published by IIT Madras and no corrections, additions and alterations made to the same. If any deviation found in the same at any stage and date, the bid / contract will be rejected / terminated and actions will be initiated as per the terms and conditions of the contract.
- Due to Covid-19 pandemic pre-bid meeting will be conducted through online. Clarification to the queries and doubts raised by the bidders will be issued as a corrigendum/addendum in the e-tenders portal.
- Due to Covid-19 pandemic the bidders will not be entertained to participate in opening of Bids. Since the tender is e-tender, the opening of the bids may be checked using the respective logins of the bidders.

<u>ACKNOWLEDGEMENT</u>
It is hereby acknowledged that I/We have gone through all the points listed under "Specification, Guidelines, Terms
and Conditions" of tender document. I/We totally understand the terms and conditions and agree to abide by the same.
SIGNATURE OF TENDERER ALONG WITH SEAL OF THE COMPANY WITH DATE

Bidder Eligibility Criteria and Technical Specification for "Microwave Measurement System" Tender No. PH/SUBR/116/2023/MICROWAVEMSYS

Bidder Eligibility Criteria – I (Public Procurement – Preference to Make in India)

Only 'Class-I local suppliers' and 'Class-II local suppliers', as defined under DIPP, MoCI Order No. P-45021/2/2017-PP (BE-II) dated 16th September 2020 and other subsequent orders issued therein.

Bidder Eligibility Criteria – II

The bidder/OEM should have supplied at least 3 similar items to IITs, NITs, IISERs, CSIR Labs or other Govt. In R & D organizations in the last 5 years, PO copies or installation certificates along with contact details of the end user need to be submitted as the proof of supply. IIT Madras reserves its right to verify the claims submitted by the bidder and the feedback from the previous customers will be part of technical evaluation.

III. Technical Specification For "Microwave Measurement System"

S. No.	Parameter	Specification			
A	Proposed system should be a dedicated single box solution 10 MHz to 67 GHz Two port				
	Vector Network Analyzer with a configura				
	· · · · · · · · · · · · · · · · · · ·	hardware, and software pre-installed in it.			
1	Frequency range	10 MHz to 67 GHz			
2	Frequency Resolution	1 Hz			
3	Frequency Accuracy	$\pm 0.7 \text{ ppm}$			
4	No. of ports	2			
5	Output power on all ports	At least +9 dBm			
6	Power resolution	0.01 dB			
7	System Dynamic range at Test Port	10 MHz to 100 MHz: 93 dB			
	(typical)	100 MHz to 26.5GHz: 130 dB			
		26.5 GHz to 67 GHz: 116 dB			
8	Non harmonics	-75 dBc (typ)			
9	IF Bandwidth variable between	1 Hz to 15 MHz			
10	Directivity at 67 GHz	32 dB			
11	Source Match at 67 GHz	25 dB			
12	Load Match at 67 GHz	23 dB			
13	Reflection Tracking Magnitude at 67 GHz	±0.14 dB			
14	Reflection Tracking Phase at 67 GHz	±0.8 degree			
15	Transmission Tracking Magnitude at 67 GHz	±0.23 dB			
16	Transmission Tracking Phase at 67 GHz	±1.6 degree			
17	Maximum No. of points	100003			
18	Display Range	Magnitude: ±2500 dB (at 500 dB/div), max Phase: ±2500° (at 500 degrees/div), max Polar: 10 pUnits, min 10,000 Units, max			
19	Phase resolution	0.01°/div			
20	Markers	Minimum 4 nos. per trace			
21	Marker Resolution	Magnitude: 0.001 dB, min Phase : 0.01°, min Polar :10 pUnit, min			

22	Test port Damage input level	+23 dBm, 40 V
23	Ref IN	10 MHz and 100 MHz
24	RF connector interface for test ports	1.85 mm (male), 50 ohm
25	Display	Touchscreen, 12", Must be built-in Color
		display, LCD
26	Operating system	Windows
28	AC input Power	220 V±10%, 50 Hz
29	Connectivity Ports	USB (4Nos), LAN, DP/VGA out
30	Electromagnetic compatibility	As per International Standard IEC/EN 61326-1
31	Measurement modes	Instrument should be able to make frequency
22	m: 5 · 5	and time domain response measurements
32	Time Domain Response	Should have option to enables the analyser to view reflection and transmission responses in time or distance.
33	Software suite for measurement of intrinsic electromagnetic properties of dielectric and magnetic materials	The equipment can be used for measuring properties of materials up to 67 GHz using S, Y and Z parameters, Wave quantities, Impedance Ratios.
		Material Test Fixtures / Probes can be based on any method like — Transmission, Reflection, Coaxial Probe etc.
		The unit must be stand-alone model (must not need any PC/Laptop or other equipment) for testing. The measurement software should have a capability for measuring intrinsic electromagnetic properties of dielectric and magnetic materials in a variety of formats: ε_r ', ε_r ", μ_r ', μ_r ".
		Results are displayed as a function of frequency.
		This software should support algorithms like Reflection/Transmission Mu and Epsilon, Reflection/Transmission Epsilon Precision, Transmission Epsilon Fast, Polynomial Fit Reflection/Transmission Mu and Epsilon, Polynomial Fit Transmission Epsilon, Stack Transmission Mu and Epsilon, Reflection Only Epsilon Short-Backed for material properties measurements.
		Transmission Line measurement must include an algorithm to correct for the effects of air gap.
		Dielectric Probe kit frequency range from 500 MHz to 50 GHz for measuring the properties of Liquids and Semi-solids along with accessories like probe stand, RF cable, holder, Keyset, and

		storage box should be provided by the vendor.
		X-Band and P-Band Waveguide sample holders along with Cal Kits and necessary adapters should be provided by the vendor.
34	RF Accessories	1.85mm Phase stable Flexible Test port RF cables (2 Nos)
		2 port E-Cal module upto 67 GHz
		1.85 mm Female to WR-19 (40 to 60 GHz) Qty 2 No's
		1.85 mm Male to WR-19 (40 to 60 GHz) Qty 2 No's
		2.4 mm Female to WR-28 (26 to 40 GHz) Qty 2 No's
		2.4 mm Male to WR-28 (26 to 40 GHz) Qty 2 No's
		3.5 mm Female to WR-42 (18-26 GHz) Qty 2 No's
		3.5 mm Male to WR-42 (18-26 GHz) Qty 2 No's 1.85 mm Female to 1.85 mm Female Coaxial
		Adapters Qty 2 No's
		1.85 mm Male to 1.85 mm Male Coaxial
		Adapters Qty 2 No's
		2.4 mm Male to 3.5 mm Male Coaxial Adapters
		Qty 2 No's
		2.4 mm Female to 3.5 mm Female Coaxial Adapters Qty 2 No's
		Calibration kit with precision mechanical
		standards required to calibrate the systematic
		errors of network analysers and suitable
		waveguide Flanges should be provided (WR-42, WR-28, WR-19) to hold the samples.
35	Future Upgrades	1. Provision to extend the frequency of operation
	тапе ордине	at least upto 110 GHz in future
		1. Low Frequency must be extendable to 900
		Hz.
		2. Instrument must be upgradeable to 4 ports, in-
		built combiner, Low noise Receiver, and IF
		inputs.
		3. Instrument must be upgradable to nonlinear
		characterization of active components, mixer measurements, Noise Figure Measurements,
		Spectrum Analysis, Pulsed Characterization,
		Phase Noise Characterization etc
Other Te	erms and Conditions	
36	Training	Operational training shall be provided onsite.
37	Warranty	3 years from the date of installation
38	Calibration and Service Support	Calibration certificate shall be provided.

TECHNICAL BID PROFORMA
Tender No. PH/SUBR/116/2023/MICROWAVEMSYS Item Name: "Microwave Measurement System"

Bidder Eligibility Criteria:

1.0	Bidder Eligibility Criteria-I (Public Procurement – Preference to Make in India)	Class I / Class II	Local Content value	Reference, Page No.
I	Only 'Class-I local suppliers' and 'Class-II local suppliers', as defined under DIPP, MoCI Order No. P-45021/2/2017-PP (BE II) dated 16 th September 2020 and other subsequent orders issued therein.			
2.0	Bidder Eligibility Criteria-II Complied/Not Complied		Reference, Page No.	
II	The bidder/OEM should have supplied at least 3 similar items to IITs, NITs, IISERs, CSIR Labs or other Govt. In R & D organizations in the last 5 years, PO copies or installation certificates along with contact details of the end user need to be submitted as the proof of supply. IIT Madras reserves its right to verify the claims submitted by the bidder and the feedback from the previous customers will be part of technical evaluation.			

3.0Technical Compliance:

S. No.	Parameter	Specification	Complied/Not Complied	Ref, Page No.
A	Proposed system should be a dedicated single box solution 10 MHz to 67 GHz Two port Vector			ort Vector
	_	configurable test set, source attenuators, reco	eiver attenuators	, bias tees,
	and all the required hardw	are, and software pre-installed in it.	,	
1	Frequency range	10 MHz to 67 GHz		
2	Frequency Resolution	1 Hz		
3	Frequency Accuracy	±0.7 ppm		
4	No. of ports	2		
5	Output power on all	At least +9 dBm		
	ports			
6	Power resolution	0.01 dB		
7	System Dynamic range	10 MHz to 100 MHz: 93 dB		
	at Test Port (typical)	100 MHz to 26.5GHz: 130 dB		
		26.5 GHz to 67 GHz: 116 dB		
8	Non harmonics	-75 dBc (typ)		
9	IF Bandwidth variable	1 Hz to 15 MHz		
	between			
10	Directivity at 67 GHz	32 dB		
11	Source Match at 67 GHz	25 dB		
12	Load Match at 67 GHz	23 dB		

13	Reflection Tracking	±0.14 dB	
	Magnitude at 67 GHz		
14	Reflection Tracking	±0.8 degree	
1.5	Phase at 67 GHz	. 0.22 ID	
15	Transmission Tracking Magnitude at 67 GHz	±0.23 dB	
16	Transmission Tracking	±1.6 degree	
10	Phase at 67 GHz		
17	Maximum No. of points	100003	
18	Display Range	Magnitude: ±2500 dB (at 500 dB/div),	
		max	
		Phase : $\pm 2500^{\circ}$ (at 500	
		degrees/div), max	
		Polar : 10 pUnits, min	
		10,000 Units, max	
19	Phase resolution	0.01°/div	
20	Markers	Minimum 4 nos. per trace	
21	Marker Resolution	Magnitude: 0.001 dB, min	
		Phase : 0.01°, min	
		Polar :10 pUnit, min	
22	Test port Damage input	+23 dBm, 40 V	
22	level	10 MH 1 100 MH-	
23	Ref IN	10 MHz and 100 MHz	
24	RF connector interface for test ports	1.85 mm (male), 50 ohm	
25	Display	Touchscreen, 12", Must be built-in Color	
		display, LCD	
26	Operating system	Windows	
28	AC input Power	220 V±10%, 50 Hz	
29	Connectivity Ports	USB (4Nos), LAN, DP/VGA out	
30	Electromagnetic	As per International Standard IEC/EN	
	compatibility	61326-1	
31	Measurement modes	Instrument should be able to make	
		frequency and time domain response	
22	T: 5 : 5	measurements	
32	Time Domain Response	Should have option to enables the	
		analyser to view reflection and	
		transmission responses in time or distance.	
33	Software suite for	The equipment can be used for	
	measurement of intrinsic	measuring properties of materials up to	
	electromagnetic	67 GHz using S, Y and Z parameters,	
	properties of dielectric	Wave quantities, Impedance Ratios.	
	and magnetic materials	r	
		Material Test Fixtures / Probes can be	
		based on any method like —	
		Transmission, Reflection, Coaxial Probe	
		etc.	
		The unit must be stand-alone model	
		(must not need any PC/Laptop or other	

		equipment) for testing. The measurement software should have a capability for measuring intrinsic electromagnetic properties of dielectric and magnetic materials in a variety of formats: ϵ_r , ϵ_r , μ_r , μ_r , μ_r . Results are displayed as a function of frequency. This software should support algorithms like Reflection/Transmission Mu and Epsilon, Reflection/Transmission Epsilon Precision, Transmission Epsilon Fast, Polynomial Fit Reflection/Transmission Mu and Epsilon, Polynomial Fit Transmission Epsilon, Stack Transmission Mu and Epsilon, Reflection Only Epsilon Short-Backed for material properties measurements. Transmission Line measurement must include an algorithm to correct for the effects of air gap. Dielectric Probe kit frequency range from 500 MHz to 50 GHz for measuring the properties of Liquids and Semi-solids along with accessories like probe stand, RF cable, holder, Keyset, and storage box should be provided by the vendor. X-Band and P-Band Waveguide sample holders along with Cal Kits and necessary adapters should be provided by the vendor.	
34	RF Accessories	1.85mm Phase stable Flexible Test port RF cables (2 Nos) 2 port E-Cal module upto 67 GHz 1.85 mm Female to WR-19 (40 to 60 GHz) Qty 2 No's 1.85 mm Male to WR-19 (40 to 60 GHz) Qty 2 No's 2.4 mm Female to WR-28 (26 to 40 GHz) Qty 2 No's 2.4 mm Male to WR-28 (26 to 40 GHz) Qty 2 No's 2.5 mm Female to WR-28 (26 to 40 GHz) Qty 2 No's 3.5 mm Female to WR-42 (18-26 GHz) Qty 2 No's 3.5 mm Male to WR-42 (18-26 GHz) Qty 2 No's	

		1.85 mm Female to 1.85 mm Female Coaxial Adapters Qty 2 No's 1.85 mm Male to 1.85 mm Male Coaxial Adapters Qty 2 No's 2.4 mm Male to 3.5 mm Male Coaxial Adapters Qty 2 No's 2.4 mm Female to 3.5 mm Female Coaxial Adapters Qty 2 No's	
		Calibration kit with precision mechanical standards required to calibrate the systematic errors of network analysers and suitable waveguide Flanges should be provided (WR-42, WR-28, WR-19) to hold the samples.	
35	Future Upgrades	1. Provision to extend the frequency of operation at least upto 110 GHz in future 1. Low Frequency must be extendable to 900 Hz. 2. Instrument must be upgradeable to 4 ports, in-built combiner, Low noise Receiver, and IF inputs. 3. Instrument must be upgradable to nonlinear characterization of active components, mixer measurements, Noise Figure Measurements, Spectrum Analysis, Pulsed Characterization, Phase Noise Characterization etc	
Other Terms and Conditions			
37	Training	Operational training shall be provided onsite.	
38	Warranty	3 years from the date of installation	
39	Calibration and Service Support	Calibration certificate shall be provided.	

(Note: It is mandatory for the bidders to provide the compliance statement in tabular column format along with catalogue page number (comply/not comply) for the above points with document proof as required. Failing which bidders will be technically disqualified)

SIGNATURE OF BIDDER ALONG WITH SEAL OF THE COMPANY WITH DATE

ANNEXURE: C

FINANCIAL BID (PROFORMA) - BILL OF QUANTITIES (BOQ)

Item Name: "Microwave Measurement System" Tender No. PH/SUBR/116/2023/MICROWAVEMSYS

It. No	Description of work	Quantity	Units	Basic Rate in INR	GST in Percentage	Total Amount with taxes in INR
1	Microwave Measurement System with Standard 3 years warranty.	1	Nos.			
	Grand Total					

Total Amount Rupees in words		
Total Amount Rupees in words		



CENTRE FOR INDUSTRIAL CONSULTANCY & SPONSORED RESEARCH (IC&SR) INDIAN INSTITUTE OF TECHNOLOGY MADRAS CHENNAI 600 036



ELECTRONIC CLEARING SERVICE (Credit Clearing) / REAL TIME GROSS SETTLEMENT (RTGS) FACILITY FOR RECEIVING PAYMENTS A. Details of Account Holder

Name of the Institution	Indian Institute of Technology - Madras
Complete Contact Address	Industrial Consultancy and Sponsored Research Indian Institute of Technology-Madras, IIT- Madras Campus Post Office, Sardar Patel Road, Guindy, CHENNAI - 600 036
Telephone No./ Fax No.	Tel - 044-2257 8356
E- mail ID of the	dricsr@iitm.ac.in

B. Bank Account Details:

FO/AO/REG/DIR

Institution Account Name (As per Bank	The Registrar, Indian Institute of	
Record)	Technology - Madras	
Account No.	2722101003872	
Account Print Name	IIT F A/C , The Registrar IIT Madras	
IFSC CODE	CNRB0002722	
Bank Name (in full)	Canara Bank	
Branch Name	IIT-Madras Branch	
Complete Branch Address	Canara Bank,	
	IIT-Madras Branch,	
	IIT- Madras Campus Post Office,	
	Sardar Patel Road,	
	Guindy, CHENNAI - 600 036	
MICR No.	600015085	
Account Type	Savings Account	

Certified that the Institute's account is in an RTGS enabled branch.

I hereby declare that the particulars given above are correct and complete.

Date:

Signature of the competent Authority of the Institution with seal.

FORMAT FOR AFFIDAVIT OF SELF-CERTIFICATION UNDER PREFERENCE TO MAKE IN INDIA – PER ITEM

Γender Reference Number:				
Name of the item / Service:				
Date: I/WeS/o, D/o, W/o, Resident of				
Hereby solemnly affirm and declare as under:				
That I will agree to abide by the terms and conditions of the Public Procurement (Preference to Make in India) Policy vide GoI Order no. P-45021/2/2017-PP (B.EII) dated 15.06.2017 (subsequently revised vide orders dated 28.05.2018, 29.05.2019and 04.06.2020) MOCI order No. 45021/2/2017-PP (BE II) Dt.16th September 2020 & P-45021/102/2019-BE-II-Part (1) (E-50310) Dt.4th March 2021 and any subsequent modifications/Amendments, if any and				
That the local content for all inputs which constitute the said item/service/work has been verified by me and I am responsible for the correctness of the claims made therein.				
Tick (✓) and Fill the Appropriate Category				
I/We [name of the supplier] hereby confirm in respect of quoted items that Local Content is equal to or more than 50% and come under "Class-I Local Supplier" category.				
I/We [name of the supplier] hereby confirm in respect of quoted items that Local Content is equal to 20% but less than 50% and come under "Class-II Local Supplier" category.				
• The details of the location (s) at which the local value addition is made and the proportionate value of local				
content in percentage Address Percentage of Local content:%				
For and on behalf of(Name of firm/entity)				
Authorized signatory (To be duly authorized by the Board of Directors) <insert and="" contact="" designation="" name,="" no.=""></insert>				
[Note: In case of procurement for a value in excess of Rs. 10 Crores, the bidders shall provide this certificate from statutory auditor or cost auditor of the company (in the case of companies) or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content.]				

This letter should be on the letterhead of the quoting firm and should be signed by a competent authority. Non-submission of this will lead to Disqualification of bids.

<u>Annexure – F</u>

	(To be given on the letter head of the b	oidder)
No	Dat	red:
	CERTIFICATE	
	(Bidders from India)	
_	ng restrictions on procurement from a be ertify that I am not from such a country	•
	OR (whichever is applicable)	
(Bidde	rs from Country which shares a land bor	der with India)
border with India and hereby registered with the Competen	ng restrictions on procurement from a book certify that I from t Authority. I also certify that I fulfil all will evidence of valid registration by the Company to the Company that I fulfil all the Company the	(Name of Country) and has been the requirements in this regard and is
Place: Date:		Signature of the Tenderer Name & Address of the Tenderer with Office Stamp