

INDIAN INSTITUTE OF TECHNOLOGY MADRAS Chennai 600 036

Telephone: [044] 2257 9763 E-mail: tender@imail.iitm.ac.in



Date: 13.06.2023

The Manager (Project Purchase)

Open Tender Reference No: OE/MURA/122/2023/AISBASESTAACC

GEM NAR ID: GEM/GARPTS/07062023/SVXBVAVPTB9Q Due Date/Time: 03.07.2023@ 3:00 PM

Dear Sir/Madam,

On behalf of the Indian Institute of Technology Madras, Tenders are invited in two bid system from Class-I local suppliers and Class II local suppliers, for the supply of: "Automatic Identification Systems (AIS) Base Station and Accessories" Conforming to the specifications given in Annexure -A.

Tender Documents may be downloaded from Central Public Procurement Portal https://etenders.gov.in/eprocure/app. Aspiring Bidders who have not enrolled / registered in e-procurement should enroll / register before participating through the website https://etenders.gov.in/eprocure/app. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at "Help for contractors". [Special Instructions to the Contractors/Bidders for the e-submission of the bids online through this eProcurement Portal"]

Bidders can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type 'IIT'. Thereafter, click on "GO" button to view all IIT Madras tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website https://etenders.gov.in/eprocure/app as per the schedule attached.

<u>1)</u>	Pre-bid Meeting Details	:	NA
2)	ICSR Vendor Registration	••	Vendor registration code. Vendor registration with IC&SR (IITM) is mandatory for bidders to participate in tenders. ** For Vendor Registration & Guidelines, Please follow the website: https://icandsr.iitm.ac.in/vendorportal; Helpdesk: vendorhelpdesk@icsrpis.iitm.ac.in

<u>No manual bids will be accepted.</u> All tender documents including Technical and Financial bids should be submitted in the E-procurement portal.

Last date for receipt of tender	:	03.07.2023 @ 3:00 PM
Date & time of opening of tender	:	04.07.2023 @ 3:00 PM

3. Instructions to the Bidder:

<u>A)</u>	Searching for tender documents		• There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
			 Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective "My Tender" folder. This would enable the CPP Portal to intimate the bidders through SMS / email in case there is any corrigendum issued to the tender document.
			• The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.
<u>B)</u>	Assistance to bidders	 Any queries relating to the tender document and the terms a conditions contained therein should be addressed to the Tend Inviting Authority for a tender or the relevant contact persindicated in the tender. Any queries relating to the process of online bid submission queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk [0120-4200462, 0120-4001002, 0120-4001005] 	
<u>C)</u>	Enrollment to Bidders Process	:	Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal URL:https://etenders.gov.in/eprocure/app by clicking on "Online Bidder Enrollment". Enrollment on the CPP Portal is free of charge. As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal. Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse. Bidder then may log in to the site through the secured log-in by entering their user ID / password and the password of the DSC / eToken. Possession of a Valid Class II/III Digital Signature Certificate

			 (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through https://etenders.gov.in/eprocure/app Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site https://etenders.gov.in/eprocure/app under the "Information about DSC".
<u>D)</u>	Preparation of bids	:	Bidder should take into account any corrigendum published on the tender document before submitting their bids.
			 Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
			 Bidder, in advance, should prepare the bid documents to be submitted as indicated in the tender document / schedule and generally shall be in PDF / XLS formats as the case may be. Bid documents may be scanned with 100 dpi with black and white option. To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, GSTIN Details, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Documents" area available to them to upload such documents. These documents may be directly submitted from the "My
			Documents " area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.
<u>E)</u>	Submission of bids	•	Bidder should log into the site well in advance for bid submission so that he/she can upload the bid in time i.e. on or before the bid submission date and time. Bidder will be responsible for any delay due to other issues.
			The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
			 Bidder has to select the bid security declaration. Otherwise, the tender will be summarily rejected.
			• A standard BOQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BOQ file, open it and complete the detail with their respective financial quotes and other details (such as name of the bidder). If the BOQ file is found to be modified by the bidder, the bid will be rejected.
			• The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The

		bidders should follow this time during bid submission.
		• The Tender Inviting Authority (TIA) will not be held responsible for any sort of delay or the difficulties faced during the submission of bids online by the bidders due to local issues.
		 The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
		• Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
		 Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet. More information useful for submitting online bids on the CPP Portal may be obtained at: https://etenders.gov.in/eprocure/app. All tender documents including pre-qualification bid, Technical Bid &Financial Bid should be submitted separately in online CPP portal as per the specified format only. Right is reserved to ignore any tender which fails to comply with the above instructions. No manual bid submission will be entertained.
<u>F)</u>	Marking on Technical Bid	The bidder eligibility criteria, technical specification and supply of item for this tender is given in Annexure A.
		The Bidders shall go through the specification and submit the technical bid.
		 The Technical bid should be submitted in the proforma as per Annexure-B in pdf format only through online (e-tender). No manual submission of bid will be entertained.
		• The technical bid should have a page-wise heading as "Technical Bid" and page no. in all pages with seal and signature of authorized signatory. The total no. of pages should be mentioned at the last page of the documents.
		The technical bid should consist of bidder eligibility criteria details and all technical details along with catalogue/ pamphlet which will give a detailed description of product with technical data sheet so that technical compliance can be verified.
<u>G)</u>	Marking on Price Bid	Financial bid (BoQ) should be submitted in the prescribed proforma format as per Annexure-C in xls format through e-tender only. No manual or other form of submission of Financial Bid will not be entertained

4) **Preparation of Tender**: The bidders should submit the bids in two bid system as detailed below. Bid I _Technical Bid The technical bid should consist of bidder eligibility criteria and technical specification compliance sheet as per Annexure-B. Bid II _Price Bid The price bid should be submitted in excel format (BoQ) as per the proforma (Annexure C) uploaded in the e-Tender web site. The Quoted price should be for supply and installation of the item and inclusive of all cost and statutory levies at IIT Madras. 5) **Price:** a) The price should be quoted only in INR net per unit (after breakup) and must include all packing, transit insurance and delivery charges to the NTCPWC, IITM. b) The rate quoted shall be all inclusive of all taxes and no extra payment will be made other than statutory revisions as per the terms and conditions stipulated in this contract document. c) The percentage of tax & duties should be clearly indicated separately. IIT Madras is eligible for custom duty (5.5%). Relevant certificates will be issued wherever necessary. d) The offer/bids should be submitted through online only in two bid system i.e. Technical Bid and Financial Bid separately. **6**) Tenderer shall submit along with this tender: (i) Proof of having ISO or other equivalent certification given by appropriate authorities. (ii) Name and full address of the Banker and their swift code and PAN No. and GSTIN number. (iii) GST registration proof showing registration number, area of registration etc. (iv) All of your future correspondences including Invoices should bear the GST No. and Area Code. 7) **Terms of Delivery:** Supplier will be fully responsible for the safe carriage, Installation/Commissioning of goods up to Paradip Port Authority, Paradip – 754 142, Odisha, India.or named place as per PO, Insurance coverage will be in the scope of the supplier. The tenderer should indicate clearly the time required for delivery of the item (subject to the approval of the Executive Committee-IIT-Madras). In case there is any deviation in the delivery schedule, liquidated damages clause will be enforced or penalty for the delayed supply period will be levied. In the event of delay or non-supply of materials/execution of Contract beyond the date of delivery/completion of job. The penalty will be levied @1% per week of delay subject to a max of 10% of the value of purchase order and if the delay is more than accepted time frame by IIT M, the PO would be partially or fully cancelled and liquidated damages will be enforced accordingly. Period for which the offer will remain open: 8) The Tender shall remain open for acceptance/validity till: 120 days from the date of opening of the tender. However, the day up to which the offer is to remain open being declared closed holiday for the Indian Institute of Technology Madras, the offer shall remain open for acceptance till the next working day. EMD: NA 9)

10) **Performance Security: -**The successful bidder should submit Performance Security for an amount of 3% of the value of the contract/supply. The Performance Security may be furnished in the form of an Account Payee DD, FD Receipt in the name of "The Registrar, IIT Madras" from any scheduled commercial bank or Bank Guarantee from any scheduled commercial bank in India. The performance security should be furnished within 14 days from the date of the purchase order. Performance Security in the form of Bank Guarantee: - In case the successful bidder wishes to submit Performance Security in the form of Bank Guarantee, the Bank Guarantee should be routed directly to IIT Madras from the Bank. The Bank Guarantee should remain valid for a period of sixty days beyond the date of completion of all contractual obligations of the supplier including the warranty obligations. For the same tender, either the OEM or the authorized dealer/service provider can only quote. But both 11) of them cannot quote separately for the same tender. The offers/bids should be sent only for a item/Equipments of latest version that is available in the market **12**) and supplied to a number of customers. A list of customers in India with details must accompany the quotations. Quotations for a prototype machine will not be accepted **13**) Original catalogue (not any photocopy) of the quoted model duly signed by the principals must accompany the quotation in the Technical bid. Compliance or Confirmation report with reference to the specifications and other terms & conditions **14**) should also be obtained from the principal/OEM. **Risk Purchase Clause 15**) In the event of failure of supply of the item/equipment within the stipulated delivery schedule, the purchaser has all the right to purchase the item/equipment from other sources on the total risk of the supplier under risk purchase clause. **16**) **Payment:** No Advance payment will be made. However, 90% Payment against Delivery and 10% after installation are agreed to wherever the installation is involved. Advance Payment: No advance payment is generally admissible. In case a specific percentage of advance payment is required, the Vendor has to submit a Bank Guarantee from a scheduled commercial bank in India equivalent to the amount of advance payment. **17**) **On-site Installation:** The equipment/item or Machinery has to be installed or commissioned by the successful bidder within the number of days (as prescribed by PI) from the date of receipt of the item at the site of IIT Madras. **18**) Warranty/Guarantee: The offer should clearly specify the warranty or guarantee period for the machinery/equipment. Any extended warranty offered for the same has to be mentioned separately (For more details please refer our Technical Specifications). ** Note: PO which involves installation, warranty/guarantee shall be applicable from date of installation. **19**) **Acceptance and Rejection:** Failure to comply with any of the instructions stated in this document or offering unsatisfactory explanations for non-compliance will likely to lead to rejection of offers. I.I.T. Madras has the right to accept the whole or any part of the Tender or portion of the quantity offered or reject it in full without assigning any reason.

20) Debarment from Bidding:

In case of breach of Terms & Conditions, Bidder may be suspended from being eligible for bidding in any contract with the IIT Madras up to 2 Years [as per Rule 151(iii) of GFR] from the date of Tender.

21) Disputes and Jurisdiction:

Settlement of Disputes: Any dispute, controversy or claim arising out of or in connection with this PO including any question regarding its existence, validity, breach or termination, shall in the first instance be attempted to be resolved amicably by both the Parties. If attempts for such amicable resolution fails or no decision is reached within 30 days whichever is earlier, then such disputes shall be settled by arbitration in accordance with the Arbitration and Conciliation Act, 1996. Unless the Parties agree on a sole arbitrator, within 30 days from the receipt of a written request by one Party from the other Party to so agree, the arbitral panel shall comprise of three arbitrators. In that event, the supplier will nominate one arbitrator and the Project Coordinator of IITM shall nominate on arbitrator. The Dean IC&SR will nominate the Presiding Arbitrator of the arbitral tribunal. The arbitration proceeding shall be carried out in English language. The cost of arbitration and fees of the arbitrator(s) shall be shared equally by the Parties. The seat of arbitration shall be at IC&SR IIT Madras, Chennai.

- a. **The Applicable Law:** The Purchase Order shall be construed, interpreted and governed by the Laws of India. Court at Chennai shall have exclusive jurisdiction subject to the arbitration clause.
- b. Any legal disputes arising out of any breach of contact pertaining to this tender shall be settled in the court of competent jurisdiction located within the city of Chennai in Tamil Nadu.
- **Force Majeure:** The Supplier shall not be liable for forfeiture of its performance security, liquidated damages or termination for default, if and to the extent that, it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

For purposes of this Clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not limited to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.

If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such conditions and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

23) Eligibility Criteria:

- > As per the Government of India Order, only "Class I Local Suppliers" and "Class II Local Suppliers" can participate in this tender.
- Bidder should confirm their acceptance that they comply with the provisions with report to "Guidelines for eligibility of a bidder from a country which shares a land border with India as detailed at Annexure-E. The bidder should submit Certificate for "Bidder from/Not from Country sharing Land border with India & Registration of Bidder with Competent Authority" as per Order of DoE F.No.6/18/2019-PPD dated 23.07,2020 as mentioned.
- Preference to "class I Local Suppliers": preference will be given to "class 1 local suppliers" (subject to class -I local supplier's quoted price falling within the margin of purchase preference) as per public procurement (preference to make in India) order 2017 .O.M No P- 45021/2/2017 pp(BE 11) dt 04/06/2020 subject to the conditions that the "class 1 Local Supplier" should agree to supply goods / provide service at L1 rate and furnish a certificate with the technical bid document that the goods/service provided by them consists local content equal to or more than 50%.(certificate from

Chartered Accountant in case value of contract exceeds Rs 10 crore). > 'Class - I local supplier' means a supplier or service provider whose goods, services or works offered for procurement consists of local content equal to or more than 50% as defined under the above said order. Declaration to be provided as per Annexure-D per item/service/work. > 'Class - II local supplier' means a supplier or service provider whose goods, services or works offered for procurement consists of local content equal to 20% but less than 50% as defined under the above said order. Declaration to be provided as per Annexure-D per item/service/work. 'Margin of purchase preference': - The margin of purchase preference shall be 20%. The Definition of the margin of purchase preference is defined in the Govt. of India Order No: P-45021/12/2017-PP (BE-II) Dt.4th June, 2020) Order 2017. As per the Government of India Order - "Margin of Purchase Preference" means the maximum extent to which the price quoted by a "Class-I local supplier" may be above the L1 for the purpose of purchase preference. **Note: Local content percentage to be calculated in accordance with the definition provided at clause 2 of revised public procurement preference to Make in India Policy vide GoI Order no. P-45021/2/2017-PP (B.E.-II) dated 15.06.2017 (subsequently revised vide orders dated 28.05.2018, 29.05.2019and 04.06.2020) MOCI order No. 45021/2/2017-PP (BE II) Dt.16th September 2020 & P-45021/102/2019-BE-II-Part(1) (E-50310) Dt.4th March 2021 **Evaluation of Bids** 25) Bid evaluation will take place in two stages. Stage I Technical Bid evaluation All bidders who have fully complied with bidder eligibility criteria I, II and technical evaluation (Annexure A) will only be considered for opening of price bid. **Stage II: Price Bid Evaluation** The price bid evaluation will be based on price quoted by the bidder. The rate quoted for Automatic Identification Systems (AIS) Base Station and Accessories unit will alone be taken up for arrival of Lowest Bid (L1) value. Selection of successful bidder and Award of Order **26**) The order will be directly awarded to the technically qualified bidder as per the condition in para 3A of DIPP, MoCI Order No. 45021/2/2017-PP (BE II) dated 16th September 2020. All information including selection and rejection of technical or financial bids of the prospective bidders **27**) will be communicated through e-Tender portal. In terms of Rule 173(iv) of General Financial Rule 2017, the bidder shall be at liberty to question the bidding conditions, bidding process and/or rejection of bids. The tenderer shall certify that the tender document submitted by him / her are of the same replica of the **28**) tender document as published by IIT Madras and no corrections, additions and alterations made to the same. If any deviation found in the same at any stage and date, the bid / contract will be rejected / terminated and actions will be initiated as per the terms and conditions of the contract. Due to Covid-19 pandemic pre-bid meeting will be conducted through online. Clarification to the queries **29**) and doubts raised by the bidders will be issued as a corrigendum/addendum in the e-tenders portal. Due to Covid-19 pandemic the bidders will not be entertained to participate in opening of Bids. Since the **30**) tender is e-tender, the opening of the bids may be checked using the respective logins of the bidders.

<u>ACKNOWLEDGEMENT</u>
It is hereby acknowledged that I/We have gone through all the points listed under "Specification, Guidelines, Terms and Conditions" of tender document. I/We totally understand the terms and conditions and agree to abide by the same.
SIGNATURE OF TENDERER ALONG WITH SEAL OF THE COMPANY WITH DATE

Bidder Eligibility Criteria and Technical Specification for Automatic Identification Systems (AIS) Base Station and Accessories

Tender No. OE/MURA/122/2023/AISBASESTAACC

Bidder Eligibility Criteria – I (Public Procurement – Preference to Make in India)

Only 'Class-I local suppliers' and 'Class-II local suppliers', as defined under DIPP, MoCI Order No. P-45021/2/2017-PP (BE-II) dated 16th September 2020 and other subsequent orders issued therein.

Bidder Eligibility Criteria – II

The participating Bidder's firm shall be the Original Equipment Manufacturer (OEM) or OEM Certified / authorized firm. (Annexure F)

The bidder/OEM shall attach proof of minimum three purchase orders for having supplied Automatic Identification Systems (AIS) Base Station to Ports, Navy, Coast Guard, IWAI, IITs or other Government organizations in the last 5 years in the period 2018 to 2022. Purchase Orders, Invoice copies, Work Completion Certificate, Performance Certificate along with contact details of end user need to be submitted as the proof of supply. IIT Madras reserves its right to verify the claims submitted by the bidder and the feedback from the previous customers will be part of technical evaluation.

III. TECHNICAL SPECIFICATION for Automatic Identification Systems (AIS) Base Station and Accessories

Sl.	Specification			
No.	<u> </u>	175007 150 007 NV (TEV) D 16107 1		
1.	Frequency bands	156.025-162.025 MHz (ITU-R M.1371-5)		
2.	Channel bandwidth	25 kHz		
3.	Transmit power	12.5W/2W (depending on the power level setting)		
4.	Operating range	Up to 40 nautical miles		
5.	Dual-channel receiver	It should be Dual Channel receiver		
6.	Sensitivity	-107 dBm (20% PER)		
7.	Receiver selectivity	≥70 dB (20 kHz), ≥50 dB (10 kHz)		
8.	Channel spacing	12.5 & 25 kHz		
9.	Modulation type	GMSK (Gaussian Minimum Shift Keying)		
10.	Data rate	9,600 bps		
11.	Data protocol	NMEA 0183, NMEA 2000		
12.	GPS receiver	Built-in, with support for SBAS (WAAS, EGNOS, MSAS)		
13.	GPS accuracy	< 2.5 meters CEP (Circular Error Probable)		
14.	Dynamic range	>100 dB		
15.	Intermodulation rejection	>70 dB		
16.	Spurious emissions	< -36 dBm		
17.	Audio output power	2.5 W (into 4 Ω load)		
18.	Environmental conditions	Operating temperature: -15°C to +55°C, Storage temperature: -25°C		
		to +70°C, Humidity: up to 95% non-condensing		
19.	Dimensions	240 mm (W) x 240 mm (H) x 95 mm (D)		
20.	Weight	3.5 kg (approx.)		
21.	Power supply	10-32 V DC (12/24 V DC nominal), power consumption 5A @12V, 2.5A @24V		
22.	Interfaces	terfaces RS-232 serial port, Ethernet port, USB port (for firmware updates)		
23.				

24.	AIS reception frequency	161.975 MHz and 162.025 MHz		
25.	AIS transmission frequency	156.025 MHz to 162.025 MHz (in 25 kHz steps)		
26.	AIS message types supported	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 13, 14, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, and 28		
27.	AIS message transmission power	Up to 12.5 W (adjustable in 1 dB steps)		
28.	Virtual AtoN message types supported	Types 8, 21, and 27		
29.	Virtual AtoN transmission power	Up to 2 W (adjustable in 1 dB steps)		
30.	Virtual AtoN range	Up to 20 nautical miles		
31.	GPS antenna	External GPS antenna with 10 meter cable extra		
32.	AIS antenna	External VHF antenna with 10 meter cable extra		
33.	AIS message processing rate	Up to 500 messages per second		
34.	Virtual AtoN message processing rate	Up to 30 messages per second		
35.	AIS data output formats	NMEA 0183 and IEC 61162-1/2		
36.	Virtual AtoN data output format	NMEA 0183		
37.	No. of AtoN channels	30 to 50 nos.		
38.	Range od AtoN	1 to 10 NM		
39.	NMEA input/output	To support NMEA 0183 input and output, with configurable baud rates up to 38400 baud		
40.	IEC input/output	To support IEC 61162-1/2 input and output, with configurable baud rates up to 38400 baud.		
41.	Automatic message	To support automatic retransmission of up to 3 AIS messages that		
	retransmission	were not acknowledged by the receiving station.		
42.	Network connectivity	Ethernet connectivity for remote configuration and monitoring. To support TCP/IP, SNMP, and HTTP protocols.		
43.	Power supply	The transceiver base station requires 100-240 VAC, 50/60 Hz, and to consume a maximum		
44.	Operating temperature	To operate in temperatures ranging from -15°C to 55°C (5°F to 131°F).		
45.	Humidity range	To operate in environments with a relative humidity range of 0% to		
46.	Compliance	95% (non-condensing). The AIS Class-A Transceiver Base station should have Virtual AtoN facility to be compliant with the following standards and regulations:		
		IEC 61993-2:2006 (AIS Class A equipment) ITU-R M.1371-5 (AIS specifications) IEc 62320-2 (AtoN Standard) IEC 60945:2002 (Maritime navigation and radio communication equipment and systems) IEC 62288:2014 (Maritime navigation and radiocommunication equipment and systems – Shipborne automatic identification systems (AIS) – Operational and performance requirements, methods of test and required test results) FCC Part 15 and Part 80 (United States regulations for maritime communication equipment) IMO MSC.74(69) Annex 3 (Guidelines for the onboard operational use of shipborne automatic identification systems (AIS)		

47.	Data interface The AIS Class-A Transceiver Base station with Virtual AtoN facility shall have multiple data interfaces, including Ethernet, RS 232, RS-422, and USB ports, for easy integration with other systems.			
48.	Data rate	To support data rates of up to 38.4 kbps.		
49.	Antenna requirements	The AIS Class-A Transceiver Base station with Virtual AtoN facility requires a VHF antenna with a gain of at least 6 dB		
1.	Warranty The warranty for the above equipment should be minimum of 12 months or more after the installation of the equipment or any portion thereof as the case may be. In case of any defect noticed in the equipment during the warranty period, the vendor has to rectify service and replace the spares at free of cost and made it operation to the satisfaction of the end user. The warranty certificate should be furnished in the prescribed format.			
2.	Specification test on delivery of item	After delivery of item, specification test will be carried out on all supplied items by NTCPWC, IITM for its acceptance.		
3.	Training	Technical operational training to be provided to the Engineers of NTCPWC, IITM		
Genera	al Terms and Conditions			
4.	Price should be inclusive of basic warranty for 1 Year.	c cost, freight, insurance, installation, commissioning, training, and		
5.	Grand Total of price inclusive of all taxes will be considered by NTCPWC, IITM for selection of L1 Bidder.			
6.	The successful L1 bidder has to coordinate for obtaining operating licence from WPC. Price escalation due to delay in getting licence from GoI/WPC will not be entertained.			
7.	End-of-Life (EOL) & End-of-service-Life (EOSL) certificate for the product and spare availability for the next 5 years to be provided.			
8.	Delivery Time: All the items should be supplied within 10 - 12 weeks from the date of purchase order.			
9.	Functional and Operational Test components shall be provided.	Reports : Functional and operational Test Reports for all the		

<u>TECHNICAL BID PROFORMA</u> Tender No. OE/MURA/122/2023/AISBASESTAACC

Item Name: Automatic Identification Systems (AIS) Base Station and Accessories

Bidder Eligibility Criteria: 1.0

I	Bidder Eligibility Criteria-I (Public Procurement – Preference to Make in India)	Class I / Class II	Local Content value	Reference, Page No.
I	Only 'Class-I local suppliers' and 'Class-II local suppliers', as defined under DIPP, MoCI Order No. P-45021/2/2017-PP (BE II) dated 16 th September 2020 and other subsequent orders issued therein.			
II	Bidder Eligibility Criteria-II	Complied/	Not Complied	Ref Pg.No
1	The bidder/OEM shall attach proof of minimum three purchase orders for having supplied Automatic Identification Systems (AIS) Base Station to Ports, Navy, Coast Guard, IWAI, IITs or other Government organizations in the last 5 years in the period 2018 to 2022. Purchase Orders, Invoice copies, Work Completion Certificate, Performance Certificate along with contact details of end user need to be submitted as the proof of supply. IIT Madras reserves its right to verify the claims submitted by the bidder and the feedback from the previous customers will be part of technical evaluation.			
2	The participating Bidder's firm shall be the Original Equipment Manufacturer (OEM) or OEM Certified / authorized firm. (Annexure F)			

3.0Technical Compliance:

Sl.		Specification	Complied/	Ref Pg.No
No.			Not Complied	
1.	Frequency bands	156.025-162.025 MHz (ITU-R		
		M.1371-5)		
2.	Channel bandwidth	25 kHz		
3.	Transmit power	12.5W/2W (depending on the power		
		level setting)		
4.	Operating range	Up to 40 nautical miles		
5.	Dual-channel receiver	It should be Dual Channel receiver		
6.	Sensitivity	-107 dBm (20% PER)		
7.	Receiver selectivity	≥70 dB (20 kHz), ≥50 dB (10 kHz)		
8.	Channel spacing	12.5 & 25 kHz		
9.	Modulation type	GMSK (Gaussian Minimum Shift		
		Keying)		
10.	Data rate	9,600 bps		
11.	Data protocol	NMEA 0183, NMEA 2000		
12.	GPS receiver	Built-in, with support for SBAS		
		(WAAS, EGNOS, MSAS)		
13.	GPS accuracy	< 2.5 meters CEP (Circular Error		

		Probable)	
14.	Dynamic range	>100 dB	
15.	Intermodulation rejection	>70 dB	
16.	Spurious emissions	< -36 dBm	
17.	Audio output power	2.5 W (into 4 Ω load)	
18.	Environmental conditions	Operating temperature: -15°C to +55°C, Storage temperature: -25°C to +70°C, Humidity: up to 95% non-condensing	
19.	Dimensions	240 mm (W) x 240 mm (H) x 95 mm (D)	
20.	Weight	3.5 kg (approx.)	
21.	Power supply	10-32 V DC (12/24 V DC nominal), power consumption 5A @12V, 2.5A @24V	
22.	Interfaces	RS-232 serial port, Ethernet port, USB port (for firmware updates)	
23.	Certifications	Compliant with IEC 60945, IEC 62287-1, and ITU-R M.1371-5 standards, and approved by FCC, CE, and IC.	
24.	AIS reception frequency	161.975 MHz and 162.025 MHz	
25.	AIS transmission frequency	156.025 MHz to 162.025 MHz (in 25 kHz steps)	
26.	AIS message types supported	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 13, 14, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, and 28	
27.	AIS message transmission power	Up to 12.5 W (adjustable in 1 dB steps)	
28.	Virtual AtoN message types supported	Types 8, 21, and 27	
29.	Virtual AtoN transmission power	Up to 2 W (adjustable in 1 dB steps)	
30.	Virtual AtoN range	Up to 20 nautical miles	
31.	GPS antenna	External GPS antenna with 10 meter cable extra	
32.	AIS antenna	External VHF antenna with 10 meter cable extra	
33.	AIS message processing rate	Up to 500 messages per second	
34.	Virtual AtoN message processing rate	Up to 30 messages per second	
35.	AIS data output formats	NMEA 0183 and IEC 61162-1/2	
36.	Virtual AtoN data output format	NMEA 0183	
37.	No. of AtoN channels	30 to 50 nos.	
38.	Range od AtoN	1 to 10 NM	
39.	NMEA input/output	To support NMEA 0183 input and	

		output, with configurable baud rates up to 38400 baud		
40.	IEC input/output	To support IEC 61162-1/2 input and		
io. IEC input output		output, with configurable baud rates up		
		to 38400 baud.		
41.	Automatic message	To support automatic retransmission of		
	retransmission	up to 3 AIS messages that were not		
		acknowledged by the receiving station.		
42.	Network connectivity	Ethernet connectivity for remote		
		configuration and monitoring. To		
		support TCP/IP, SNMP, and HTTP		
		protocols.		
43.	Power supply	The transceiver base station requires		
	11 7	100-240 VAC, 50/60 Hz, and to		
		consume a maximum		
44.	Operating temperature	To operate in temperatures ranging		
		from -15°C to 55°C (5°F to 131°F).		
45.	Humidity range	To operate in environments with a		
		relative humidity range of 0% to 95%		
		(non-condensing).		
46.	Compliance	The AIS Class-A Transceiver Base		
		station should have Virtual AtoN		
		facility to be compliant with the following standards and regulations:		
		Tollowing standards and regulations.		
		IEC 61993-2:2006 (AIS Class A		
		equipment)		
		ITU-R M.1371-5 (AIS specifications)		
		IEc 62320-2 (AtoN Standard)		
		IEC 60945:2002 (Maritime navigation		
		and radio communication equipment		
		and systems)		
		IEC 62288:2014 (Maritime navigation		
		and radiocommunication equipment		
		and systems – Shipborne automatic identification systems (AIS) –		
		Operational and performance		
		requirements, methods of test and		
		required test results)		
		FCC Part 15 and Part 80 (United States		
		regulations for maritime		
		communication equipment)		
		IMO MSC.74(69) Annex 3 (Guidelines		
		for the onboard operational use of		
		shipborne automatic identification		
47	Data intenfar	systems (AIS)		
47.	Data interface	The AIS Class-A Transceiver Base		
		station with Virtual AtoN facility shall have multiple data interfaces, including		
		Ethernet, RS-232, RS-422, and USB		
		ports, for easy integration with other		
<u> </u>	l .	11, ,	l .	

		systems.			
48.	Data rate	To support data rates of up to 38.4			
		kbps.			
49.	Antenna requirements	The AIS Class-A Transceiver Base			
	_	station with Virtual AtoN facility			
		requires a VHF antenna with a gain of			
		at least 6 dB			
Other	Terms and Conditions				
50.	Warranty	The warranty for the above equipment			
	•	should be minimum of 12 months or more			
		after the installation of the equipment or			
		any portion thereof as the case may be. In			
		case of any defect noticed in the equipment			
		during the warranty period, the vendor has			
		to rectify, service and replace the spares at			
		free of cost and made it operational to the			
		satisfaction of the end user. The warranty			
		certificate should be furnished in the			
		prescribed format.			
51.	Specification test on	After delivery of item, specification test			
	delivery of item	will be carried out on all supplied items by			
	m · ·	NTCPWC, IITM for its acceptance.			
52.	Training	Technical operational training to be			
		provided to the Engineers of NTCPWC, IITM			
Comoni	al Tarres and Canditions	11 1 WI			
Genera 53.	General Terms and Conditions				
33.	7 6 7				
54.	commissioning, training, and warranty for 1 Year.				
34.	Grand Total of price inclusive of all taxes will be considered by NTCPWC, IITM for selection of L1 Bidder.				
55.	The successful L1 bidder ha				
33.					
	licence from WPC. Price escalation due to delay in getting licence from GoI/WPC will not be entertained.				
56.	End-of-Life (EOL) & End-of-				
	product and spare availability for the next 5 years to be provided.				
57.		s should be supplied within 10 - 12 weeks			
	from the date of purchase order.				
58.	Functional and Operational Test Reports : Functional and operational				
	Test Reports for all the com	ponents shall be provided.			

SIGNATURE OF BIDDER ALONG WITH SEAL OF THE COMPANY WITH DATE

FINANCIAL BID (PROFORMA) - BILL OF QUANTITIES (BOQ)

Item Name: Automatic Identification Systems (AIS) Base Station and Accessories Tender No. OE/MURA/122/2023/AISBASESTAACC

It. No	Description of work	Quantity	Units	Basic Rate in INR	GST in Percentage	Total Amount with taxes in INR
1	Supply of AIS Base Station and its accessories as per the technical Specification. (The cost includes installation, commissioning and training) with 1 year warranty	1	No.			
2	Charges covering P&F, Transit Insurance and transport charges on door delivery basis upto destination project location of NTCPWC at Paradip Port Authority, Paradip – 754 142, Odisha.	1	No.			
	Grand Total					

Total Amount Rupees in words	

FORMAT FOR AFFIDAVIT OF SELF-CERTIFICATION UNDER PREFERENCE TO MAKE IN INDIA – PER ITEM

Cender Reference Number:				
Name of the item / Service:				
Date: I/WeS/o, D/o, W/o, Resident of				
Hereby solemnly affirm and declare as under:				
That I will agree to abide by the terms and conditions of the Public Procurement (Preference to Make in India) Policy vide GoI Order no. P-45021/2/2017-PP (B.EII) dated 15.06.2017 (subsequently revised vide orders dated 28.05.2018, 29.05.2019 and 04.06.2020) MOCI order No. 45021/2/2017-PP (BE II) Dt.16th September 2020 & P- 45021/102/2019-BE-II-Part (1) (E-50310) Dt.4th March 2021 and any subsequent modifications/Amendments, if any and				
That the local content for all inputs which constitute the said item/service/work has been verified by me and I am responsible for the correctness of the claims made therein.				
Tick (✓) and Fill the Appropriate Category I/We [name of the supplier] hereby confirm in respect of quoted items thatLocal Content is equal to or more than 50% and come under "Class-I Local Supplier"				
category. I/We[name of the supplier] hereby confirm in respect of quoted items that Local Content is equal to 20% but less than 50% and come under "Class-II Local Supplier" category.				
• The details of the location (s) at which the local value addition is made and the proportionate value of local content in percentage				
Address Percentage of Local content:%				
For and on behalf of(Name of firm/entity)				
Authorized signatory (To be duly authorized by the Board of Directors) <insert and="" contact="" designation="" name,="" no.=""></insert>				
[Note: In case of procurement for a value in excess of Rs. 10 Crores, the bidders shall provide this certificate from statutory auditor or cost auditor of the company (in the case of companies) or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content.]				

This letter should be on the letterhead of the quoting firm and should be signed by a competent authority. Non-submission of this will lead to Disqualification of bids.

$\underline{Annexure-E}$

(To be giv	ven on the letter head of the bidder)
No	Dated:
	CERTIFICATE
	(Bidders from India)
I have read the clause regarding restriction border with India and hereby certify that	ons on procurement from a bidder of a country which shares a land I am not from such a country.
	OR (whichever is applicable)
(Bidders from Co	ountry which shares a land border with India)
border with India and hereby certify the registered with the Competent Authority	ons on procurement from a bidder of a country which shares a land at I from (Name of Country) and has been y. I also certify that I fulfil all the requirements in this regard and is e of valid registration by the Competent Authority is to be attached)
Place: Date:	Signature of the Tenderer Name & Address of the Tenderer with Office Stamp

OEM CERTIFICATION FORM (In Original Letter Head of OEM)

Tender No:		Dated:		
We are Original Equipment Manufacturers	(OEM) of		(Nam	e of the
company) Ms	(1	Name of the v	endor) is on	e of our
Distributors/Dealers/Resellers/Partners	(tick	one)	for	the
		and is particip	ating in the	above-
mentioned tender by offering our produ	ct model		(Nan	ne of the
product with model number).				
	is	s authorized t	o bid, sell	and provide
service support warranty for our product				
as mentioned above.				

Name and Signature of the authorized signatory of OEM along with seal of the company with Date