



INDIAN INSTITUTE OF TECHNOLOGY MADRAS
Chennai 600 036



Telephone: [044] 2257 9763
E-mail: tender@imail.iitm.ac.in

The Senior Manager (Project Purchase)

Date: 08.01.2024

Open Tender Reference No: GTB16/MSR/2023/01/SIMUTHEANALY

GEM NAR ID: GEM/GARPTS/08012024/E9FRQPHL2Q7V Due Date/Time: 06.02.2024 @ 3:00 PM

Dear Sir/Madam,

On behalf of the Indian Institute of Technology Madras, digitally signed online bids are invited in two bid system from Class-I & Class II and Non local suppliers, for the supply of: **“TGA- DSC-DTA Simultaneous Thermal Analyser”** Conforming to the specifications given in **Annexure -A**.

Tender Documents may be downloaded from Central Public Procurement Portal <https://etenders.gov.in/e procure/app>. Aspiring Bidders who have not enrolled / registered in e-procurement should enroll / register before participating through the website <https://etenders.gov.in/e procure/app>. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at **“Help for Vendors”**. [Special Instructions to the Vendors / Bidders for the e-submission of the bids online through this eProcurement Portal”]

Bidders can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type ‘IIT’. Thereafter, click on “GO” button to view all IIT Madras tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website <https://etenders.gov.in/e procure/app> as per the schedule attached.

1)	Pre-bid Meeting Details	:	If required will be intimated
2)	ICSR Vendor Registration	:	<p>Vendor registration: Vendor registration with IC&SR (IITM) is mandatory for bidders to participate in tenders.</p> <p>** For Vendor Registration & Guidelines, Please follow the website : https://icandsr.iitm.ac.in/vendorportal; Helpdesk: vendorhelpdesk@icsrpiis.iitm.ac.in</p>

No manual bids will be accepted. All tender documents including Technical and Financial bids should be submitted in the E-procurement portal.

Last date for receipt of tender	:	06.02.2024 @ 3:00 PM
Date & time of opening of tender	:	07.02.2024 @ 3:00 PM

3. Instructions to the Bidder:

A)	Searching for tender documents	:	<ul style="list-style-type: none"> • There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal. • Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective “My Tender” folder. This would enable the CPP Portal to intimate the bidders through SMS / email in case there is any corrigendum issued to the tender document. • The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.
B)	Assistance to bidders	:	<ul style="list-style-type: none"> • Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender. • Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is [0120-4200462, 0120-4001002, 0120-4001005]
C)	Enrollment Process to Bidders	:	<p><u>REGISTRATION</u></p> <ul style="list-style-type: none"> • Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal URL:https://etenders.gov.in/eprocure/app by clicking on “Online Bidder Enrollment”. Enrollment on the CPP Portal is free of charge. • As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts. • Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal. • Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.) • Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse. • Bidder then may log in to the site through the secured log-in by entering their user ID / password and the password of the DSC / eToken. • Possession of a Valid Class II/III Digital Signature Certificate

			<p>(DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through https://etenders.gov.in/eprocure/app</p> <ul style="list-style-type: none"> Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site https://etenders.gov.in/eprocure/app under the “Information about DSC”.
D)	Preparation of bids	:	<ul style="list-style-type: none"> Bidder should take into account any corrigendum published on the tender document before submitting their bids. Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid. Bidder, in advance, should prepare the bid documents to be submitted as indicated in the tender document / schedule and generally shall be in PDF / XLS formats as the case may be. Bid documents may be scanned with 100 dpi with black and white option. To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, GSTIN Details, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use “My Documents” area available to them to upload such documents. These documents may be directly submitted from the “My Documents” area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.
E)	Submission of bids	:	<ul style="list-style-type: none"> Bidder should log into the site well in advance for bid submission so that he/she can upload the bid in time i.e. on or before the bid submission date and time. Bidder will be responsible for any delay due to other issues. The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document. Bidder has to select the bid security declaration. Otherwise, the tender will be summarily rejected. A standard BOQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BOQ file, open it and complete the detail with their respective financial quotes and other details (such as name of the bidder). If the BOQ file is found to be modified by the bidder, the bid will be rejected. The server time (which is displayed on the bidders’ dashboard) will be considered as the standard time for referencing the deadlines for

		<p>submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.</p> <ul style="list-style-type: none"> • The Tender Inviting Authority (TIA) will not be held responsible for any sort of delay or the difficulties faced during the submission of bids online by the bidders due to local issues. • The uploaded tender documents become readable only after the tender opening by the authorized bid openers. • Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details. • Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet. • More information useful for submitting online bids on the CPP Portal may be obtained at: https://etenders.gov.in/eprocure/app. • All tender documents including pre-qualification bid, Technical Bid & Financial Bid should be submitted separately in online CPP portal as per the specified format only. Right is reserved to ignore any tender which fails to comply with the above instructions. No manual bid submission will be entertained.
F)	Marking on Technical Bid	<ul style="list-style-type: none"> • The bidder eligibility criteria, technical specification and supply of item for this tender is given in Annexure A. • The Bidders shall go through the specification and submit the technical bid. • The Technical bid should be submitted in the proforma as per Annexure-B in pdf format only through online (e-tender). No manual submission of bid will be entertained. • The technical bid should have a page-wise heading as “Technical Bid” and page no. in all pages with seal and signature of authorized signatory. The total no. of pages should be mentioned at the last page of the documents. • The technical bid should consist of bidder eligibility criteria details and all technical details along with catalogue/ pamphlet which will give a detailed description of product with technical data sheet so that technical compliance can be verified.
G)	Marking on Price Bid	<ul style="list-style-type: none"> • Financial bid (BoQ) should be submitted in the prescribed proforma format as per Annexure-C in xls format through e-tender only. No manual or other form of submission of Financial Bid will not be entertained

4)	<p>Preparation of Tender: The bidders should submit the bids in two bid system as detailed below.</p> <p>Bid I _Technical Bid</p> <p>The technical bid should consist of bidder eligibility criteria and technical specification compliance sheet as per Annexure-B.</p> <p>Bid II _Price Bid</p> <p>The price bid should be submitted in excel format (BoQ) as per the proforma (Annexure C) uploaded in the e-Tender web site. The Quoted price should be for supply and installation of the item and inclusive of all cost and statutory levies at IIT Madras.</p>
5)	<p>Price:</p> <ul style="list-style-type: none"> a) The price should be quoted in net per unit (after breakup) and must include all packing, transit insurance and delivery charges to the India Centre for Lab-Grown Diamond, Material Science Research Center, IIT Madras. b) The offer/bid should be exclusive of taxes and duties. The percentage of tax & duties should be clearly indicated separately. c) In the case of import supply, the price should be quoted without custom duty. IIT Madras is eligible for concessional custom duty (not exceeding 5.5%) and the price should be quoted with detailed break up on EX-WORKS and CIP (<u>stating the Cost, Insurance, Freight separately and other charges in detail etc.,</u>) and indicating the mode of shipment. IIT M - ICSR will provide all necessary documents for customs clearance of consignment including Customs Duty Exemption certificate etc. d) The rate quoted shall be all inclusive of all taxes and no extra payment will be made other than statutory revisions as per the terms and conditions stipulated in this contract document. e) The offer/bids should be submitted through online only in two bid system i.e. Technical Bid and Financial Bid separately.
6)	<p>Agency Commission:</p> <p>Agency commission, if any, will be paid to the Indian agents in rupees after receipt of the equipment and its satisfactory installation. Agency Commission will not be paid in foreign currency under any circumstances. The details should be explicitly shown in the tender document even in the case of ‘Nil’ commission. The tenderer should indicate the percentage of agency commission to be paid to the Indian agent. The Foreign Principal should indicate the percentage of payment and it should be included in the basic price quoted originally (if any).</p>
7)	<p>Tenderer shall submit along with this tender:</p> <ul style="list-style-type: none"> (i) Proof of having ISO or other equivalent certification given by appropriate authorities. (ii) Name and full address of the Banker and their swift code and PAN No. and GSTIN number. (iii) GST registration proof showing registration number, area of registration etc. (iv) All of your future correspondences including Invoices should bear the GST No. and Area Code.
8)	<p>Terms of Delivery:</p> <p>Import Purchase – Responsibility of carriage of goods will be governed by Incoterms.</p> <p>Domestic Purchase –Supplier will be fully responsible for the safe carriage, Installation/Commissioning of goods up to the India Centre for Lab-Grown Diamond, Material Science Research Center, IIT Madras, or named place as per PO, Insurance coverage will be in the scope of the supplier.</p> <p>The tenderer should indicate clearly the time required for delivery of the item (subject to the approval of the Exclusive Purchase Committee-IIT-Madras). In case there is any deviation in the delivery schedule, liquidated damages clause will be enforced or penalty for the delayed supply period will be levied.</p>

	In the event of delay or non-supply of materials/execution of Contract beyond the date of delivery/completion of job. The penalty will be levied @1% per week of delay subject to a max of 10% of the value of purchase order and if the delay is more than accepted time frame by IIT M, the PO would be partially or fully cancelled and liquidated damages will be enforced accordingly.
9)	<p>Period for which the offer will remain open:</p> <p>The Tender shall remain open for acceptance/validity till: 120 days from the date of opening of the tender. However, the day up to which the offer is to remain open being declared closed holiday for the Indian Institute of Technology Madras, the offer shall remain open for acceptance till the next working day.</p>
10)	<p>EMD:</p> <p>The EMD of Rs.1,60,000 to be transferred to the account details mentioned in Annexure I and proof should be enclosed in the Technical Bid. Any offer not accompanied with the EMD shall be rejected summarily as non-responsive.</p> <p>The EMD of the unsuccessful bidders shall be returned within 30 days of the end of the bid validity period. The same shall be forfeited, if the tenderers withdraw their offer after the opening during the bid validity period. The Institute shall not be liable for payment of any interest on EMD.</p> <p>EMD is exempted for Micro and Small Enterprises (MSE) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) and Startups as recognized by Department of Industrial Policy & Promotion (DIPP). (MSE/MSME/DIPP PROOF should be enclosed in the cover containing technical bid)</p>
11)	<p>Performance Security: -</p> <p>The successful bidder should submit Performance Security for an amount of 5% of the basic invoice value of the contract/supply. The Performance Security may be furnished in the form of an Account Payee DD,FD Receipt in the name of “The Registrar, IIT Madras” from any scheduled commercial bank or Bank Guarantee from any scheduled commercial bank in India. The performance security should be furnished within 14 days from the date of the purchase order.</p> <p>Performance Security in the form of Bank Guarantee: - In case the successful bidder wishes to submit Performance Security in the form of Bank Guarantee, the Bank Guarantee should be routed directly to IIT Madras from the Bank.</p> <p>The Bank Guarantee should remain valid for a period of sixty days beyond the date of completion of all contractual obligations of the supplier including the warranty obligations.</p>
12)	<p>Indian agent: If an Indian agent is involved, the following documents must be enclosed.</p> <p>(i) Foreign Principal’s pro-forma invoice indicating the commission payable to the Indian Agent and nature of after-sales service to be rendered by the Indian Agent.</p> <p>(ii) A Copy of the agency agreement with the foreign principal and the precise relationship between them.</p> <p>(iii) For the same tender, either the OEM or the authorized dealer/service provider can only quote. But both of them cannot quote separately for the same tender.</p>
13)	The offers/bids should be sent only for an Item/Equipment of latest version that is available in the market and supplied to a number of customers. A list of customers in India with details must accompany the quotations. Quotations for a prototype machine will not be accepted
14)	Original catalogue (not any photocopy) of the quoted model duly signed by the principals must accompany the quotation in the Technical bid.
15)	Compliance or Confirmation report with reference to the specifications and other terms & conditions should also be obtained from the Principal/OEM.

16)	<p>Risk Purchase Clause</p> <p>In the event of failure of supply of the item/equipment within the stipulated delivery schedule, the purchaser has all the right to purchase the Item/Equipment from other sources on the total risk of the supplier under risk purchase clause.</p>
17)	<p>Payment:</p> <p>(i) No Advance payment will be made. However, 90% Payment after supply and 10% after installation are agreed to wherever the installation is involved. In the case of import supplies, the payment will be made only through 100% Letter of Credit i.e. (90% payment will be released against shipping documents and 10% after successful installation wherever the installation is being done)</p> <p>(ii) Advance Payment: No advance payment is generally admissible. In case a specific percentage of advance payment is required, the Vendor has to submit a Bank Guarantee from a scheduled commercial bank in India equivalent to the amount of advance payment.</p>
18)	<p>On-site Installation:</p> <p>The Equipment/Item or Machinery has to be installed or commissioned by the successful bidder within the number of days (as prescribed by PI) from the date of receipt of the item at the site of IIT Madras.</p>
19)	<p>Warranty/Guarantee:</p> <p>The offer should clearly specify the warranty or guarantee period for the machinery/equipment. Any extended warranty offered for the same has to be mentioned separately (For more details please refer our Technical Specifications).</p> <p>** Note: PO which involves Installation, Warranty/Guarantee shall be applicable from the date of Installation.</p>
20)	<p>Acceptance and Rejection:</p> <p>Failure to comply with any of the instructions stated in this document or offering unsatisfactory explanations for non-compliance will likely to lead to rejection of offers.</p> <p>I.I.T. Madras has the right to accept the whole or any part of the Tender or portion of the quantity offered or reject it in full without assigning any reason.</p>
21)	<p>Debarment from Bidding:</p> <p>In case of breach of Terms & Conditions, Bidder may be suspended from being eligible for bidding in any contract with the IIT Madras up to 2 Years [as per Rule 151(iii) of GFR] from the date of Tender.</p>
22)	<p>Disputes and Jurisdiction:</p> <p>Settlement of Disputes: Any dispute, controversy or claim arising out of or in connection with this PO including any question regarding its existence, validity, breach or termination, shall in the first instance be attempted to be resolved amicably by both the Parties. If attempts for such amicable resolution fails or no decision is reached within 30 days whichever is earlier, then such disputes shall be settled by arbitration in accordance with the Arbitration and Conciliation Act, 1996. Unless the Parties agree on a sole arbitrator, within 30 days from the receipt of a written request by one Party from the other Party to so agree, the arbitral panel shall comprise of three arbitrators. In that event, the supplier will nominate one arbitrator and the Project Coordinator of IITM shall nominate on arbitrator. The Dean IC&SR will nominate the Presiding Arbitrator of the arbitral tribunal. The arbitration proceeding shall be carried out in English language. The cost of arbitration and fees of the arbitrator(s) shall be shared equally by the Parties. The seat of arbitration shall be at IC&SR IIT Madras, Chennai.</p> <p>a. The Applicable Law: The Purchase Order shall be construed, interpreted and governed by the Laws of India. Court at Chennai shall have exclusive jurisdiction subject to the arbitration</p>

	<p>clause.</p> <p>b. Any legal disputes arising out of any breach of contract pertaining to this tender shall be settled in the court of competent jurisdiction located within the city of Chennai in Tamil Nadu.</p>
23)	<p>Force Majeure: The Supplier shall not be liable for forfeiture of its performance security, liquidated damages or termination for default, if and to the extent that, it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.</p> <p>For purposes of this Clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not limited to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.</p> <p>If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such conditions and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.</p>
24)	<p>Eligibility Criteria:</p> <ul style="list-style-type: none"> ➤ <u>As per the Government of India Order, only "Class - I & II" and "Non Local suppliers" can participate in this tender.</u> ➤ <u>Bidder should confirm their acceptance that they comply with the provisions with report to "Guidelines for eligibility of a bidder from a country which shares a land border with India as detailed at Annexure-E. The bidder should submit Certificate for "Bidder from/ Not from Country sharing Land border with India & Registration of Bidder with Competent Authority" as per Order of DoE F.No.6/18/2019-PPD dated 23.07.2020 and No.F.7/10/2021-PPD(1) dated 23.02.2023.</u> ➤ Selection of Successful bidder and Award of Order - Evaluation and Award of contract will be done as per GOI MOCI Order No. 45021/2/2017-PP (BE II) Dt.16th September 2020 & P- 45021/102/2019-BE-II-Part(1) (E-50310) Dt.4th March 2021 and any subsequent Modifications/Amendments and latest orders if any issued by Govt. of India.
25)	<p>Preference to "class I Local Suppliers": preference will be given to "class I local suppliers" (subject to class -I local supplier's quoted price falling within the margin of purchase preference) as per public procurement (preference to make in India) order 2017 .O.M No P- 45021/2/2017 – pp(BE - 11) dt 04/06/2020 subject to the conditions that the "class I Local Supplier" should agree to supply goods / provide service at L1 rate and furnish a certificate with the technical bid document that the goods/service provided by them consists local content equal to or more than 50%.(certificate from Chartered Accountant in case value of contract exceeds Rs 10 crore).</p> <ul style="list-style-type: none"> ➤ 'Class - I local supplier' means a supplier or service provider whose goods, services or works offered for procurement consists of local content equal to or more than 50% as defined under the above said order. Declaration to be provided as per Annexure-D per item/service/work. ➤ 'Class - II local supplier' means a supplier or service provider whose goods, services or works offered for procurement consists of local content equal to 20% but less than 50% as defined under the above said order. Declaration to be provided as per Annexure-D per item/service/work. ➤ 'Non – local supplier' means a supplier or service provider whose goods, services or works offered for procurement consists of local content less than 20% as defined under the above said order. ➤ 'Margin of purchase preference': - The margin of purchase preference shall be 20%. The Definition of the margin of purchase preference is defined in the Govt. of India Order No: P-

	<p>45021/12/2017-PP (BE-II) Dt.4th June, 2020) Order 2017. As per the Government of India Order – “Margin of Purchase Preference” means the maximum extent to which the price quoted by a “Class-I local supplier” may be above the L1 for the purpose of purchase preference.</p> <p>**Note: Local content percentage to be calculated in accordance with the definition provided at clause 2 of revised public procurement preference to Make in India Policy vide GoI Order no. P-45021/2/2017-PP (B.E.-II) dated 15.06.2017 (subsequently revised vide orders dated 28.05.2018, 29.05.2019 and 04.06.2020) MOCI order No. 45021/2/2017-PP (BE II) Dt.16th September 2020 & P-45021/102/2019-BE-II-Part(1) (E-50310) Dt.4th March 2021</p>
26)	<p>Evaluation of Bids Bid evaluation will take place in two stages.</p> <p>Stage I Technical Bid evaluation All bidders who have fully complied with bidder eligibility criteria I, II and technical evaluation (Annexure A) will only be considered for opening of price bid.</p> <p>Stage II: Price Bid Evaluation The price bid evaluation will be based on price quoted by the bidder. The rate quoted for TGA-DSC-DTA Simultaneous Thermal Analyser unit will alone be taken up for arrival of Lowest Bid (L1) value. Bid prices expressed in different currencies shall be converted to INR as per the prevailing Central Board of Indirect Taxes & Customs(CBIC) exchange rate on the date of opening of price bid</p>
27)	In accordance to the Rule 173 of GFR,2017 and relevant provisions thereof in Procurement Manuals, 2022,IC&SR, IITM reserves the right to carry out the negotiation process through its purchase/technical committee with L1/H1 (as applicable) vendor to ensure price reasonability before final recommendation to the Competent Authority. The negotiation details, if any, on case to case basis shall be recorded in minutes of meetings suitably for records.
28)	<p>Selection of successful bidder and Award of Order The order will be directly awarded to the technically qualified bidder as per the condition in para 3A of DIPP, MoCI Order No. 45021/2/2017-PP (BE II) dated 16th September 2020.</p>
29)	All information including selection and rejection of technical or financial bids of the prospective bidders will be communicated through e-Tender portal. In terms of Rule 173(iv) of General Financial Rule 2017, the bidder shall be at liberty to question the bidding conditions, bidding process and/or rejection of bids.
30)	The tenderer shall certify that the tender document submitted by him / her are of the same replica of the tender document as published by IIT Madras and no corrections, additions and alterations made to the same. If any deviation found in the same at any stage and date, the bid / contract will be rejected / terminated and actions will be initiated as per the terms and conditions of the contract.
31)	Clarification to the queries and doubts raised by the bidders will be issued as a corrigendum/addendum in the e-tenders portal.
32)	In the e-tender process, participation of bidders after the due date is not possible. The eligible bidders can login to the e-Procurement portal to ascertain the tender status.

ACKNOWLEDGEMENT

It is hereby acknowledged that I/We have gone through all the points listed under “Specification, Guidelines, Terms and Conditions” of tender document. I/We totally understand the terms and conditions and agree to abide by the same.

**SIGNATURE OF TENDERER ALONG WITH
SEAL OF THE COMPANY WITH DATE**

Bidder Eligibility Criteria and Technical Specification for TGA- DSC-DTA Simultaneous Thermal Analyser

Tender No. GTB16/MSR/2023/01/SIMULTHEANALY

Bidder Eligibility Criteria – I (Public Procurement – Preference to Make in India)

Only 'Class-I local suppliers' and 'Class-II local suppliers', as defined under DIPP, MoCI Order No. P-45021/2/2017-PP (BE-II) dated 16th September 2020 and other subsequent orders issued therein.

Participation of Non-local supplier may be subject to the limitation provided in para 4 (Exemption of Small Purchases) of DPIIT circular No. P-45021/2/2017-PP(BE-II) Dt 16.Sep.2020 (ANNEXURE – D)

Bidder Eligibility Criteria – II

1. Vendor Registration ID/Proof.
2. Land Border Certificate (ANNEXURE – E).
3. **OEM Certificate Form**-The Participating Bidder's firm shall be the Original Equipment Manufacturer (OEM) or OEM Certified authorized firm (ANNEXURE – F).
4. Non- Debarment Declaration (ANNEXURE – H).
5. Mandate Form (ANNEXURE – J)
6. EMD as per Tender to be remitted in the Account number as given in the (ANNEXURE – I) or EMD is exempted for Micro and Small Enterprises (MSE) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) and Startups as recognized by Department of Industrial Policy & Promotion (DIPP). (MSE/MSME/DIPP PROOF should be enclosed in the cover containing technical bid).
7. The vendor should have supplied 3 similar items to IIT, IISC or any government institution.
8. The Service Centre should be in Chennai for minimum of 10 years (supporting document should be submitted).

III. Technical Specification for TGA- DSC-DTA Simultaneous Thermal Analyser

High-Temperature TGA-DSC-DTA simultaneous Analyser for determination of Mass changes in wt% or mg, mass loss steps, Determination of residual mass, Peak temperatures of the 1st and 2nd derivative, endothermic and exothermic effects, Degree of crystallinity, glass transition temperature, enthalpy for the characterization of various materials (Metals, Polymers, wood, fabrics and Ceramics).

S.no	Requirement	Specification
1	Sample Temperature range	Up to 1600 °C System should be upgradable in future for temperatures up to 1800 °C or above.
2	System Design	Vertical with top loading, System must have inbuilt Peltier control system without any additional instrument like chiller for

		power & energy saving option. Instrument should be vacuum tight up to 10E-4 mbar. Instrument should have valves and gas frits for purging gas inlet to sample.
3	Furnace	<p>A dual furnace system with Silicon Carbide and Platinum Furnace.</p> <p>Silicon Carbide furnace, working temperature range 25 ... 1600°C high temperature tube furnace with SiC heating element, integrated exchangeable protective tube for gas flow with stop valve, air-cooled double shell, integrated control thermocouple type S, voltage supply 75 V max.</p> <p>Platinum furnace, temperature range 25 ... 1500°C high temperature tube furnace with PtRh meander heater, integrated protective tube for gas flow with stop valve, gas-tight heating conductor chamber for optional protective gas operation of the heater, air-cooled double shell, integrated control thermocouple type S, voltage supply 45 V max.</p> <p>The furnace should be operated using the OEM-based Latest Software Version. Also, the next upgradation of the software version should be compatible with the furnace and given when launched.</p>
4	Furnace hoist	Motor driven furnace hoist for holding two furnaces,
5	Sample carrier	Carrier arm for furnace system for the electric hoist, with manual rotation mechanism, prepared to take up a second furnace system, TG-DSC sample carrier system, also for Cp determinations, complete with radiation shield and thermocouples type S, TG-DTA sample carrier system, without radiation shield, without crucibles, thermocouples type S
6	Heating rate	0.001 to 50 °C/min or better
7	Sensors	Quickly interchangeable sensors for TGA-DSC, TGA-DSC-C _P and TGA-DTA with type S thermocouple
8	Temperature accuracy	± 1 °C or better
9	Temperature resolution	0.001 °C
10	Temperature Precision	± 0.3 °C or better
11	Balance resolution	0.1 µg or better over the entire weighing range
12	Weighing range	35 g
13	Balance drift	< 5µg/hour
14	TG signal precision/repeatability	±0.5%
15	TG signal accuracy	0.0003%
16	Peak to peak noise	Up to 4 µg
17	DTA sensor measuring range	±2500 µV
18	DTA digital resolution	0.76 nV
19	DSC sensor measuring range	± 3100 mW or better
20	DSC enthalpy accuracy	2% or better
21	Specific heat C_P measuring range	0 to 5 J/(g*K)
22	C_P accuracy	2-3 % or better

23	Gas Atmosphere	Inert, oxidizing, static, dynamic
24	Gas flow control	Integrated 3 Mass Flow Controller (MFC) with 3 inputs and 2 outputs for non-corrosive and non-explosive gases/gas mixture for accurate gas flow control (5 ml/min to 250 ml/min or better) with a resolution of 1 ml/min, should be calibrated for N ₂ with capability of default conversion factors for O ₂ , He, Ar, CO ₂ and other gases/gas mixtures on request. MFC should be software controlled.
25	Calibration kit (Temperature, Heat capacity C_p and enthalpy)	<p>Calibration sample kit with 8 substances 400 mg each (Indium, Tin, Zinc, Bismuth with >10 ppm silver, Aluminium, Silver, Gold, Nickel) for DSC/DTA calibration of enthalpy and temperature, Temperature range ambient ... 1500°C, in wooden case with foam lining and certificate of compliance, for use in Al₂O₃ crucibles.</p> <p>Al₂O₃ sample crucibles: Set of standard sample for calibration measurements (C_p or sensitivity/enthalpy), with purity certificate one sapphire disc each, Ø 5.2 mm, thickness 0.25, 0.5, 0.75, 1.0 mm, respectively.</p> <p>Calcium oxalate monohydrate, 2 g, for the verification of thermobalances regarding correct measurement of detected mass changes, packed in a glass bottle, with certificate of compliance</p>
26	Sample Crucibles with Lid	<p>Al₂O₃ and Pt/Rh Crucible</p> <p>(i) Al₂O₃ crucibles 0.2 ml. (ii) Al₂O₃ crucibles with lid 85 µl (outer bottom Ø 6.8 mm) (iii) Pt/Rh crucibles with lid 85 µl (outer bottom Ø 6.8 mm). Quantity – 4 Nos. Each.</p>
27	Software	<p>OEM software to operate and control the system with ease along with inbuilt calculation capabilities. DSC and TGA auto evaluation Specific Heat Capacity evaluation Should have operating instructions for the system.</p>
28	DSC and TGA auto evaluation facility	<p>DSC: Automatic evaluation of metal melting, which is used for calibration procedure, for evaluation of polymers and in general for endo and exothermic effects upon heating. For melting of metals, the evaluation range, onset and peak area for one melting peak should be found. For polymers the effects, such as melting, glass transition, crystallization, curing, evaporation of additives, melting of plasticizers, multiple melting peak and multiple glass transition should be found.</p> <p>TGA: automatic evaluation of mass change including both mass loss and mass gain. TGA Auto evaluation should analyse TGA curve and automatic calculation of DTG curve and analysis of it. For each mass change step, the evaluation range should be found automatically, and</p>

		automatic evaluation of it should be done on TGA and DTG curves. Overlapping steps should be evaluated separately if they have well-visible peak or well visible shoulder on DTG data. Threshold of the size of mass changes to be evaluated should be able to be changed. Furthermore, we should be able to select if the DTG curve and the residual mass are evaluated and shown
29	Software Features	<ul style="list-style-type: none"> • Calculation and graphic presentation of Cp, temperature-dependent, ability to add additional measuring curves, Cp curve comparison • Tabulated printout or ASCII file export of the calculated values, along with the DSC raw data, • Possibility of automatic determination of the sensor head sensitivity through evaluation of calibration measurements • Determination of single values of the Cp curve or DSC curves • Input routine for free definition of the Cp standard value tables
30	Software Compatibility	Should be compatible with Windows operating system
31	Computer specifications	RAM: 32 GB or better, Processor: Intel i5-13400 or better, OS: DOS, Windows 11 license key should be provided with the system. Graphics card: Dedicated graphics card with minimum 4 GB VRAM, Storage: 2 TB SSD or better, Monitor: 27-inch monitor, Mouse and Keyboard additional,
32	After-sales support	The company should have local service centre and application lab in Chennai for at least 15 years for better after sales support.
33	Warranty	1 year
34	Optional items	(i) AMC for 4 years.
		(ii) Temperature modulation and Kinetics software which is suitable for polymer materials.
		(iii) Tungsten crucibles with lid 85 μ l (outer bottom \varnothing 6.8 mm). Quantity – 2 Nos.

TECHNICAL BID PROFORMA

Tender No. GTB16/MSR/2023/01/SIMULTHEANALY

Item Name: TGA- DSC-DTA Simultaneous Thermal Analyser

1.0 Bidder Eligibility Criteria:

I	Bidder Eligibility Criteria-I (Public Procurement – Preference to Make in India)	Class I / Class II and Non- Local Suppliers	Local Content Percentage	Ref. Page No.
I	Only 'Class-I local suppliers' and 'Class-II local suppliers', as defined under DIPP, MoCI Order No. P-45021/2/2017-PP (BE II) dated 16th September 2020 and other subsequent orders issued therein. Participation of Non local supplier may be subject to the limitation provided in para 4 (Exemption of Small Purchases) of DPIIT circular No.P-45021/2/2017-PP(BE-II) Dt 16.Sep.2020 (ANNEXURE – D)			

II	Bidder Eligibility Criteria-II	Complied/Not Complied	Ref Page No.
1	Vendor Registration ID/Proof		
2	Land Border Certificate (ANNEXURE – E)		
3	OEM Certificate Form -The Participating Bidder's firm shall be the Original Equipment Manufacturer (OEM) or OEM Certified authorized firm (ANNEXURE – F)		
4	Non- Debarment Declaration (ANNEXURE – H).		
5	Mandate Form (ANNEXURE – J)		
6	EMD as per Tender to be remitted in the Account number as given in the(ANNEXURE I) or EMD is exempted for Micro and Small Enterprises (MSE) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) and Startups as recognized by Department of Industrial Policy & Promotion (DIPP). (MSE/MSME/DIPP PROOF should be enclosed in the cover containing technical bid).		
7	The vendor should have supplied 3 similar items to IIT, IISC or any government institution		
8	The Service Centre should be in Chennai for minimum of 10 years (supporting document should be submitted)		

3.0 Technical Compliance:

S.no	Requirement	Specification	Complied/Not Complied	Ref Page No.
1	Sample Temperature range	Up to 1600 °C System should be upgradable in future for temperatures up to 1800 °C or above.		
2	System Design	Vertical with top loading, System must have inbuilt Peltier control system without any additional instrument like chiller for power & energy saving option. Instrument should be vacuum tight up to 10E-4 mbar. Instrument should have valves and gas frits for purging gas inlet to sample.		
3	Furnace	<p>A dual furnace system with Silicon Carbide and Platinum Furnace.</p> <p>Silicon Carbide furnace, working temperature range 25 ... 1600°C high temperature tube furnace with SiC heating element, integrated exchangeable protective tube for gas flow with stop valve, air-cooled double shell, integrated control thermocouple type S, voltage supply 75 V max.</p> <p>Platinum furnace, temperature range 25 ... 1500°C</p> <p>high temperature tube furnace with PtRh meander heater, integrated protective tube for gas flow with stop valve, gas-tight heating conductor chamber for optional protective gas operation of the heater, air-cooled double shell, integrated control thermocouple type S, voltage supply 45 V max.</p> <p>The furnace should be operated using the OEM-based Latest Software Version. Also, the next upgradation of the software version should be compatible with the furnace and given when launched.</p>		

4	Furnace hoist	Motor driven furnace hoist for holding two furnaces,		
5	Sample carrier	Carrier arm for furnace system for the electric hoist, with manual rotation mechanism, prepared to take up a second furnace system, TG-DSC sample carrier system, also for Cp determinations, complete with radiation shield and thermocouples type S, TG-DTA sample carrier system, without radiation shield, without crucibles, thermocouples type S		
6	Heating rate	0.001 to 50 °C/min or better		
7	Sensors	Quickly interchangeable sensors for TGA-DSC, TGA-DSC-C _P and TGA-DTA with type S thermocouple		
8	Temperature accuracy	± 1 °C or better		
9	Temperature resolution	0.001 °C		
10	Temperature Precision	± 0.3 °C or better		
11	Balance resolution	0.1 µg or better over the entire weighing range		
12	Weighing range	35 g		
13	Balance drift	< 5µg/hour		
14	TG signal precision/repeatability	±0.5%		
15	TG signal accuracy	0.0003%		
16	Peak to peak noise	Up to 4 µg		

17	DTA sensor measuring range	$\pm 2500 \mu\text{V}$		
18	DTA digital resolution	0.76 nV		
19	DSC sensor measuring range	$\pm 3100 \text{ mW}$ or better		
20	DSC enthalpy accuracy	2% or better		
21	Specific heat C_p measuring range	0 to 5 J/(g*K)		
22	C_p accuracy	2-3 % or better		
23	Gas Atmosphere	Inert, oxidizing, static, dynamic		
24	Gas flow control	Integrated 3 Mass Flow Controller (MFC) with 3 inputs and 2 outputs for non-corrosive and non-explosive gases/gas mixture for accurate gas flow control (5 ml/min to 250 ml/min or better) with a resolution of 1 ml/min, should be calibrated for N_2 with capability of default conversion factors for O_2 , He, Ar, CO_2 and other gases/gas mixtures on request. MFC should be software controlled.		
25	Calibration kit (Temperature, Heat capacity C_p and enthalpy)	Calibration sample kit with 8 substances 400 mg each (Indium, Tin, Zinc, Bismuth with >10 ppm silver, Aluminium, Silver, Gold, Nickel) for DSC/DTA calibration of enthalpy and temperature, Temperature range ambient ... 1500°C, in wooden case with foam lining and certificate of compliance, for use in Al_2O_3 crucibles. Al_2O_3 sample crucibles: Set of standard sample for calibration measurements (C_p or sensitivity/enthalpy), with purity certificate one sapphire disc each, \varnothing 5.2 mm, thickness 0.25, 0.5, 0.75, 1.0 mm, respectively.		

		Calcium oxalate monohydrate, 2 g, for the verification of thermobalances regarding correct measurement of detected mass changes, packed in a glass bottle, with certificate of compliance		
26	Sample Crucibles with Lid	Al ₂ O ₃ and Pt/Rh Crucible (i) Al ₂ O ₃ crucibles 0.2 ml. (ii) Al ₂ O ₃ crucibles with lid 85 µl (outer bottom Ø 6.8 mm) (iii) Pt/Rh crucibles with lid 85 µl (outer bottom Ø 6.8 mm). Quantity – 4 Nos. Each.		
27	Software	OEM software to operate and control the system with ease along with inbuilt calculation capabilities. DSC and TGA auto evaluation Specific Heat Capacity evaluation Should have operating instructions for the system.		
28	DSC and TGA auto evaluation facility	DSC: Automatic evaluation of metal melting, which is used for calibration procedure, for evaluation of polymers and in general for endo and exothermic effects upon heating. For melting of metals, the evaluation range, onset and peak area for one melting peak should be found. For polymers the effects, such as melting, glass transition, crystallization, curing, evaporation of additives, melting of plasticizers, multiple melting peak and multiple glass transition should be found. TGA: automatic evaluation of mass change including both mass loss and mass gain. TGA Auto evaluation should analyse TGA curve and automatic calculation of DTG curve and analysis of it. For each mass change step, the evaluation range should be found automatically, and automatic evaluation of it should be done on TGA and DTG curves. Overlapping steps should be evaluated separately if they have well-visible peak or well visible shoulder on DTG data. Threshold of the size of mass changes to be evaluated should be able		

		to be changed. Furthermore, we should be able to select if the DTG curve and the residual mass are evaluated and shown		
29	Software Features	<ul style="list-style-type: none"> • Calculation and graphic presentation of Cp, temperature-dependent, ability to add additional measuring curves, Cp curve comparison • Tabulated printout or ASCII file export of the calculated values, along with the DSC raw data, • Possibility of automatic determination of the sensor head sensitivity through evaluation of calibration measurements • Determination of single values of the Cp curve or DSC curves • Input routine for free definition of the Cp standard value tables 		
30	Software Compatibility	Should be compatible with Windows operating system		
31	Computer specifications	RAM: 32 GB or better, Processor: Intel i5-13400 or better, OS: DOS, Windows 11 license key should be provided with the system. Graphics card: Dedicated graphics card with minimum 4 GB VRAM, Storage: 2 TB SSD or better, Monitor: 27-inch monitor, Mouse and Keyboard additional,		
32	After-sales support	The company should have local service centre and application lab in Chennai for at least 15 years for better after sales support.		
33	Warranty	1 year		

34	Optional items	(i)AMC for 4 years.		
		(ii)Temperature modulation and Kinetics software which is suitable for polymer materials.		
		(iii)Tungsten crucibles with lid 85 µl (outer bottom Ø 6.8 mm). Quantity – 2 Nos.		

**SIGNATURE OF BIDDER ALONG WITH
SEAL OF THE COMPANY WITH DATE**

FINANCIAL BID (PROFORMA) - BILL OF QUANTITIES (BOQ)

Item Name: TGA- DSC-DTA Simultaneous Thermal Analyser
Tender No. GTB16/MSR/2023/01/SIMULTHEANALY

It. No	Description of work	Quantity	Currency	Unit Rate Ex-Works	CIP / GST charges in value	Total (A+B)
				(A)	(B)	
1	TGA- DSC-DTA Simultaneous Thermal Analyser with one year warranty	1 No.	INR/USD EUR/CAD /JPY/GBP			
2	AMC for 4 years(Optional)	1 No.	INR/USD EUR/CAD /JPY/GBP			
3	Temperature modulation and Kinetics software which is suitable for polymer materials(Optional)	1 No.	INR/USD EUR/CAD /JPY/GBP			
4	Tungsten crucibles with lid 85 µl (outer bottom Ø 6.8 mm). Quantity – 2 Nos (Optional)	2 Nos	INR/USD EUR/CAD /JPY/GBP			
Grand Total						

Note:

1. Price bid as per this format to be uploaded only at the financial document column in CPP Portal. Price disclosure at the technical bid will result in disqualification
2. Technical Bid Should NOT Contain Price Bid/Financial Bid details (or) Indication. If the price Details are indicated, mentioned inside the Technical bid, then bid will be disqualified and neither the Technical Bid nor the Price Bid/Financial Bid will be considered.
3. The Value mentioned for Optional items, if any, will not be considered for arriving L1 vendor.

I/We the bidder accept all the terms and conditions as per tender including all technical & commercial conditions.

Date:
Place:

Authorized Signatory
 (_____)
 Seal and signature

**FORMAT FOR AFFIDAVIT OF SELF-CERTIFICATION UNDER PREFERENCE TO MAKE
IN INDIA – PER ITEM**

This letter should be on the letterhead of the quoting firm and should be signed by a competent authority. Non-submission of this will lead to Disqualification of bids.

Tender Reference Number:

Name of the item / Service:

Date: _____

I/We _____ S/o, D/o, W/o, _____

Resident of

Hereby solemnly affirm and declare as under:

That I will agree to abide by the terms and conditions of the Public Procurement (Preference to Make in India) Policy vide GoI Order no. P-45021/2/2017-PP (B.E.-II) dated 15.06.2017 (subsequently revised vide orders dated 28.05.2018, 29.05.2019 and 04.06.2020) MOCI order No. 45021/2/2017-PP (BE II) Dt.16th September 2020 & P- 45021/102/2019-BE-II-Part (1) (E-50310) Dt. 4th March 2021 and any subsequent modifications/Amendments, if any and

That the local content for all inputs which constitute the said item/service/work has been verified by me and I am responsible for the correctness of the claims made therein.

Tick (✓) and Fill the Appropriate Category	
<input type="checkbox"/>	I/We _____ [name of the supplier] hereby confirm in respect of quoted items that Local Content is equal to or more than 50% and come under “ Class-I Local Supplier ” category.
<input type="checkbox"/>	I/We _____ [name of the supplier] hereby confirm in respect of quoted items that Local Content is equal to 20% but less than 50% and come under “ Class-II Local Supplier ” category.
<input type="checkbox"/>	I/We _____ [name of the manufacturer] hereby confirm in respect of quoted items that Local Content is less than 20% come under ‘ Non – Local Supplier ’ category

- The details of the location (s) at which the local value addition is made and the proportionate value of local content in percentage

Address _____

Percentage of Local content: _____%

For and on behalf of (Name of firm/entity)

Authorized signatory (To be duly authorized by the Board of Directors)

<Insert Name, Designation and Contact No.>

[Note: In case of procurement for a value in excess of Rs. 10 Crores, the bidders shall provide this certificate from statutory auditor or cost auditor of the company (in the case of companies) or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content.

(To be given on the letter head of the bidder)

No. _____

Dated: _____

CERTIFICATE

(Bidders from India)

I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and hereby certify that I am not from such a country.

OR (*whichever is applicable*)

(Bidders from Country which shares a land border with India)

I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and hereby certify that I from _____ (Name of Country) and has been registered with the Competent Authority. I also certify that I fulfil all the requirements in this regard and is eligible to be considered. *(Copy/ evidence of valid registration by the Competent Authority is to be attached)*

Place:

Date:

Signature of the Tenderer
Name & Address of the
Tenderer with Office Stamp

OEM CERTIFICATION FORM
(In Original Letter Head of OEM)

Tender No: Dated:

We are Original Equipment Manufacturers (OEM) of..... (Name of the company) Ms..... (Name of the vendor) is one of our Distributors/Dealers/Resellers/Partners (tick one) for the and is participating in the above-mentioned tender by offering our product model.....(Name of the product with model number).

..... is authorized to bid, sell and provide service support warranty for our product as mentioned above.

Name and Signature of the authorized signatory of OEM along with seal of the company with Date

TENDER CHECKLIST – Mandatory to be filled and sent (inside the Main Bid Cover) along with Bidding Document.

- (1) I have registered as a Vendor with IC&SR. (Proof to be enclosed)
(ISO certificate, Active GSTIN certificate, valid PAN details)
- (2) Technical bid cover and Financial Bid cover to be submitted separated.
- (3) Completed and **Signed Form of Tender**. The Form of Tender document shall be signed by a person legally authorized.
- (4) Completed Technical Compliance Statement
- (5) Certification of Class I / Class II (**As a part of technical bid**) per item / service / work as per (**Annexure – D**)
- (6) EMD (Ref. tender document pg.no. 6, Point no.10, **Annexure – I**)
- (7) Land Border (**Annexure – E**)
- (8) Authorized agent certificate from OEM is mandatory if Indian agent/Indian office of OEM is participating in this tender on behalf of OEM(**Annexure F**)

The bid will be valid only if all the above documents are provided. Bidders are asked to supply and tick off the required information. Failure to provide any of the stated documents may result in the bid being considered as non-compliant and rejected.

Signature of the Bidder

FORM - A
NON- DEBARMENT DECLARATION

Date: XXXX

To,
The Indian Institute of Technology Madras,
Sardar Patel road,
Guindy, Chennai - 600036

Subject: Non-debarment declaration in connection with tender RFF No: XXXXXX for procurement of “XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX”

Dear Sir,

This is to notify you that our Firm/Company/Organization *<provide Name of the Firm/Company/Organization>* intends to submit a proposal in response to the invitation for procurement of “XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX” In accordance with the above we declare that:

- a. We are not involved in any major litigation that may have an impact of affecting or compromising the delivery of services as required under this assignment.

- b. We are not debarred by any Central/ State Government/ agency of Central/ State Government of India or any other country in the world/ Public Sector Undertaking/ any Regulatory Authorities in India or any other country in the world for any kind of fraudulent activities in last XX years.

Sincerely,

[BIDDERS NAME]

Name

Title Signature



CENTRE FOR INDUSTRIAL CONSULTANCY & SPONSORED RESEARCH (IC&SR)
INDIAN INSTITUTE OF TECHNOLOGY MADRAS
CHENNAI 600 036



ELECTRONIC CLEARING SERVICE (Credit Clearing)/ REAL TIME GROSS SETTLEMENT (RTGS) FACILITY FOR RECEIVING PAYMENTS

A. Details of Account Holder

Name of the Institution	Indian Institute of Technology - Madras
Complete Contact Address	Industrial Consultancy and Sponsored Research Indian Institute of Technology-Madras, IIT- Madras Campus Post Office, Sardar Patel Road, Guindy, CHENNAI - 600 036
Permanent Account Number (PAN)*	AAAAI3615G
GST REGISTRATION NO.	33AAAAI3615G1Z6
Telephone No./ Fax No.	Tel - 044-2257 8356
E- mail ID of the FO/AO/REG/DIR	dricrs@iitm.ac.in

B. Bank Account Details:

Institution Account Name (As per Bank Record)	The Registrar, Indian Institute of Technology - Madras
Account No.	2722101003872
IFSC CODE	CNRB0002722
SWIFT CODE	CNRBINBBIIT
Bank Name (in full)	Canara Bank
Branch Name	IIT-Madras Branch
Complete Branch Address	Canara Bank, IIT-Madras Branch, IIT- Madras Campus Post Office, Sardar Patel Road, Guindy, CHENNAI - 600 036
MICR No.	600015085
Account Type	Savings Account

Certified that the Institute's account is in an RTGS enabled branch.
I hereby declare that the particulars given above are correct and complete.

Date:

Signature of the Competent Authority
of the Institution with seal.

उप कुलसचिव (आई.टी. एवं एस.आर.)
DEPUTY REGISTRAR (IC & SR)
आई.आई.टी. मद्रास, चेन्नई
I.I.T. MADRAS, CHENNAI - 600 036.

MANDATE FORM

ELECTRONICS CLEARING SERVICE (CREDIT CLEARING)/REAL TIME GROSS SETTLEMENT (RTGS) FACILITY FOR RECEIVING PAYMENTS.

A. DETAILS OF ACCOUNT HOLDER:-

NAME OF ACCOUNT HOLDER	
COMPLETE CONTACT ADDRESS	
TELEPHONE NUMBER/FAX/E MAIL	

B. BANK ACCOUNT DETAILS:-

BANK NAME	
BRANCH NAME WITH COMPLETE ADDRESS, TELEPHONE NUMBER AND EMAIL	
WHETHER THE BRANCH IS COMPUTERISED?	
WHETHER THE BRANCH IS RTGS ENABLED? IF YES, THEN WHAT IS THE BRANCH <u>IFSC CODE</u>	
IS THE BRANCH ALSO NEFT ENABLED?	
TYPE OF BANK ACCOUNT(SB/CURRENT/CASH CREDIT)	
COMPLETE BANK ACCOUNT NUMBER(LATEST)	
MICR CODE OF BANK	

DATE OF EFFECT:

I hereby declare that the particulars given above are correct and complete. If the transaction is delayed or not effected at all for reasons of incomplete or incorrect information I would not hold the user institution responsible. I have read the option invitation letter and agree to discharge responsibility expected of me as a participant under the Scheme.

(.....)
Signature of Customer

Date:

Certified that the particulars furnished above are correct as per our records.

(Bank's Stamp)

(.....)
Signature of Customer

Date :

1. Please attach a photocopy of cheque along with the verification obtained from the bank.
2. In case your Bank Branch is presently not "RTGS enabled", then upon its up gradation to "RTGS Enabled" branch, please submit the information again in the above proforma to the Department at earliest.