

#### INDIAN INSTITUTE OF TECHNOLOGY MADRAS Chennai 600 036

Telephone: [044] 2257 9763 E-mail: tender@imail.iitm.ac.in



Date: 06.03.2024

The Senior Manager (Project Purchase)

Global Tender Reference No: GTE01/BOBYG/2024/21/INVERFLUOR

GEM NAR ID: GEM/GARPTS/06032024/J3LGEW4TY9K2 Due Date/Time: 12.03.2024 @ 3:00 PM

Dear Sir/Madam,

On behalf of the Indian Institute of Technology Madras, digitally signed online bids are invited in two bid system from Class-I & Class II and Non local suppliers, for the supply of: "Inverted Fluorescent Microscope with Live Cell Imaging Capability" Conforming to the specifications given in Annexure -A.

Tender Documents may be downloaded from Central Public Procurement Portal <a href="https://etenders.gov.in/eprocure/app">https://etenders.gov.in/eprocure/app</a>. Aspiring Bidders who have not enrolled / registered in e-procurement should enroll / register before participating through the website <a href="https://etenders.gov.in/eprocure/app">https://etenders.gov.in/eprocure/app</a>. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at "Help for Vendors". [Special Instructions to the Vendors / Bidders for the e-submission of the bids online through this eProcurement Portal"]

Bidders can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type 'IIT' Madras. Thereafter, click on "GO" button to view all IIT Madras tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website <a href="https://etenders.gov.in/eprocure/app">https://etenders.gov.in/eprocure/app</a> as per the schedule attached.

1)	Pre-bid Meeting	:	If required will be intimated
	Details		
2)	ICSR Vendor : Registration		<u>Vendor registration</u> : Vendor registration with IC&SR (IITM) is mandatory for bidders to participate in tenders.
			** For Vendor Registration & Guidelines, Please follow the website:  https://icandsr.iitm.ac.in/vendorportal;  Helpdesk: vendorhelpdesk@icsrpis.iitm.ac.in


<u>No manual bids will be accepted.</u> All tender documents including Technical and Financial bids should be submitted in the E-procurement portal.

Last date for receipt of tender	:	12.03.2024 @ 3:00 PM
Date & time of opening of tender	:	13.03.2024 @ 3:00 PM

## 3. Instructions to the Bidder:

<b>A</b> )	Searching for tender documents	:	• There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
			<ul> <li>Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective "My Tender" folder. This would enable the CPP Portal to intimate the bidders through SMS / email in case there is any corrigendum issued to the tender document.</li> </ul>
			• The bidder should make a note of the <b>unique Tender ID</b> assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.
B)	Assistance to bidders	:	<ul> <li>Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.</li> <li>Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is [0120-4200462, 0120-4001002, 0120-4001005]</li> </ul>
C)	Enrollment Process to Bidders	:	Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal URL:https://etenders.gov.in/eprocure/app by clicking on "Online Bidder Enrollment". Enrollment on the CPP Portal is free of charge.      As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.      Bidders are advised to register their valid email address and
			mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.

D) Proposet	ion of hids	<ul> <li>Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.)</li> <li>Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.</li> <li>Bidder then may log in to the site through the secured log-in by entering their user ID / password and the password of the DSC / eToken.</li> <li>Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through https://etenders.gov.in/eprocure/app</li> <li>Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site https://etenders.gov.in/eprocure/app under the "Information about DSC".</li> </ul>
D) Preparati	ion of bids :	<ul> <li>Bidder should take into account any corrigendum published on the tender document before submitting their bids.</li> <li>Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.</li> <li>Bidder, in advance, should prepare the bid documents to be submitted as indicated in the tender document / schedule and generally shall be in PDF / XLS formats as the case may be. Bid documents may be scanned with 100 dpi with black and white option.</li> <li>To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, GSTIN Details, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Documents" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.</li> </ul>



- The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- Bidder has to select the bid security declaration. Otherwise, the tender will be summarily rejected.
- A standard BOQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BOQ file, open it and complete the detail with their respective financial quotes and other details (such as name of the bidder). If the BOQ file is found to be modified by the bidder, the bid will be rejected.
- The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- The Tender Inviting Authority (TIA) will not be held responsible for any sort of delay or the difficulties faced during the submission of bids online by the bidders due to local issues.
- The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.
- More information useful for submitting online bids on the CPP Portal may be obtained at: https://etenders.gov.in/eprocure/app.
- All tender documents including pre-qualification bid, Technical Bid &Financial Bid should be submitted separately in online CPP portal as per the specified format only. Right is reserved to ignore any tender which fails to comply with the above instructions. No manual bid submission will be entertained.

<b>F</b> )	Marking on Technical Bid	• The bidder eligibility criteria, technical specification and supply of item for this tender is given in Annexure A.
		• The Bidders shall go through the specification and submit the technical bid.
		• The Technical bid should be submitted in the proforma as per Annexure-B in pdf format only through online (e-tender). No manual submission of bid will be entertained.
		• The technical bid should have a page-wise heading as "Technical Bid" and page no. in all pages with seal and signature of authorized signatory. The total no. of pages should be mentioned at the last page of the documents.
		• The technical bid should consist of bidder eligibility criteria details and all technical details along with catalogue/ pamphlet which will give a detailed description of product with technical data sheet so that technical compliance can be verified.
<b>G</b> )	Marking on Price Bid	• Financial bid (BoQ) should be submitted in the prescribed proforma format as per Annexure-C in xls format through e-tender only. No manual or other form of submission of Financial Bid will be entertained

4) **Preparation of Tender**: The bidders should submit the bids in two bid system as detailed below.

#### Bid I \_Technical Bid

Technical Bid and Annexures dully filled in, signed, and stamped on each page by the tenderer/ authorized representative of the tenderer.

The technical bid should consist of bidder eligibility criteria and technical specification compliance sheet as per Annexure-B.

#### Bid II \_Price Bid

The price bid should be submitted in the Tabular format (BoQ) as per the proforma (Annexure C) uploaded in the e-Tender web site. The Quoted price should be for supply and installation of the item and inclusive of all cost and statutory levies at IIT Madras.

#### 5) Price:

- a) The price should be quoted in net per unit (after breakup) and must include all packing, transit insurance and delivery charges to the **Department of Medical Science and Technology.**
- **b**) The offer/bid should be exclusive of taxes and duties. The percentage of tax & duties should be clearly indicated separately.
- c) In the case of import supply, the price should be quoted without custom duty. IIT Madras is eligible for concessional custom duty (not exceeding 5.5%) and the price should be quoted with detailed break up on EX-WORKS and CIP (stating the Cost, Insurance, Freight separately and other charges in detail etc.,) and indicating the mode of shipment. IIT M ICSR will provide all necessary documents for customs clearance of consignment including Customs Duty Exemption certificate etc.
- d) The rate quoted shall be all inclusive of all taxes and no extra payment will be made other than statutory revisions as per the terms and conditions stipulated in this contract document.
- e) The offer/bids should be submitted through online only through Single Stage Two Envelops System (Two Bid System). i.e. Technical Bid and Financial Bid separately.

#### 6) Agency Commission:

Agency commission, if any, will be paid to the Indian agents in rupees after receipt of the equipment and its satisfactory installation. Agency Commission will not be paid in foreign currency under any circumstances. The details should be explicitly shown in the tender document even in the case of 'Nil' commission. The tenderer should indicate the percentage of agency commission to be paid to the Indian agent. The Foreign Principal should indicate the percentage of payment and it should be included in the basic price quoted originally (if any).

#### 7) Tenderer shall submit along with this tender:

- (i) Proof of having ISO or other equivalent certification given by appropriate authorities.
- (ii) Name and full address of the Banker and their swift code and PAN No. and GSTIN number.
- (iii) GST registration proof showing registration number, area of registration etc.
- (iv) All of your future correspondences including Invoices should bear the GST No. and Area Code.

#### 8) Terms of Delivery:

Import Purchase – Responsibility of carriage of goods will be governed by Incoterms.

Domestic Purchase –Supplier will be fully responsible for the safe carriage, Installation/Commissioning of goods up to the **Department of Medical Science and Technology.** or named place as per PO, Insurance coverage will be in the scope of the supplier.

The tenderer should indicate clearly the time required for delivery of the item (subject to the approval of the Exclusive Purchase Committee-IIT-Madras). In case there is any deviation in the delivery schedule, liquidated damages clause will be enforced or penalty for the delayed supply period will be levied.

In the event of **delay or non-supply of materials/execution of Contract** beyond the date of delivery/completion of job. The penalty will be levied @1% per week of delay subject to a max of 10% of the value of purchase order and if the delay is more than accepted time frame by IIT M, the PO would be partially or fully cancelled and liquidated damages will be enforced accordingly.

#### 9) Period for which the offer will remain open:

The Tender shall remain open for acceptance/validity till: 120 days from the date of opening of the tender. However, the day up to which the offer is to remain open being declared closed holiday for the Indian Institute of Technology Madras, the offer shall remain open for acceptance till the next working day.

## 10) EMD:

The EMD of **Rs.6,70,000** to be transferred to the account details mentioned in Annexure I and proof should be enclosed in the Technical Bid. Any offer not accompanied with the EMD shall be rejected summarily as non-responsive.

As per rule no. 5.1.4 (vi) of the Manual of Procurement of Goods, no bid may be withdrawn in the interval between the deadline for submission of bids and the expiration of the period of bid validity. Withdrawal of a bid during this period will result in forfeiture of the bidder's bid security (EMD) and other sanctions.

The Institute shall not be liable for payment of any interest on EMD.

As per the Public Procurement Policy for MSEs, Order 2012 dated 25.03.2022, EMD is exempted for Micro and Small Enterprises (MSE) as defined in MSE Procurement Policy issued by the Department of Micro, Small and Medium Enterprises (MSME) and Startups as recognized by the Department of Industrial Policy & Dipperson (DIPP). (MSE/MSME/DIPP PROOF should be enclosed in the cover containing the technical bid)

#### 11) Performance Security: -

The successful bidder should submit Performance Security for an amount of 5% (As per Dept. of Expenditure OM No. F.1/2/2023-PPD dated 03.04.2023) of the basic invoice value of the contract/supply. The Performance Security may be furnished in the form of an Account Payee DD,FD Receipt in the name of "The Registrar, IIT Madras" from any scheduled commercial bank or Bank Guarantee from any scheduled commercial bank in India. The performance security should be furnished within 14 days from the date of the purchase order.

Performance Security in the form of Bank Guarantee: - ISn case the successful bidder wishes to submit Performance Security in the form of Bank Guarantee, the Bank Guarantee should be routed directly to IIT Madras from the Bank.

The Bank Guarantee should remain valid for a period of sixty days beyond the date of completion of all contractual obligations of the supplier including the warranty obligations.

12)	Indian agent: If an Indian agent is involved, the following documents must be enclosed.
12)	(i) Foreign Principal's pro-forma invoice indicating the commission payable to the Indian Agent
	and nature of after-sales service to be rendered by the Indian Agent.
	(ii) A Copy of the agency agreement with the foreign principal and the precise relationship between
	them.
	(iii) For the same tender, either the OEM or the authorized dealer/service provider can only quote.
	But both of them cannot quote separately for the same tender.
13)	The offers/bids should be submitted only for an item/Equipment of the exact standard that is acceptable to IIT Madras without Prejudice. The details of a list of customers in India for whom the item is already supplied with must accompany the quotations. Quotations for a prototype machine will not be accepted
14)	Original catalogue (not any photocopy) of the quoted model duly signed by the principals must accompany the quotation in the Technical bid.
15)	Compliance or Confirmation report with reference to the specifications and other terms & conditions should also be obtained from the Principal/OEM.
16)	Risk Purchase Clause
	In the event of failure of supply of the item/equipment within the stipulated delivery schedule, the purchaser has all the right to purchase the Item/Equipment from other sources on the total risk of the supplier under risk purchase clause.
17)	Payment:
	<ul> <li>(i) As per GFR 2017 Terms: 90% Payment after supply and 10% after installation are agreed to wherever the installation is involved. In the case of import supplies, the payment will be made only through 100% Letter of Credit i.e. (90% payment will be released against shipping documents and 10% after successful installation wherever the installation is being done)</li> <li>(ii) Advance Payment: No advance payment is generally admissible. In case a specific percentage of advance payment (not more than 30%) is required, the Vendor has to submit a Bank Guarantee from a scheduled commercial bank in India equivalent to the amount of advance payment.</li> </ul>
18)	On-site Installation:
	The Equipment/Item or Machinery has to be installed or commissioned by the successful bidder within the number of days (as prescribed by PI) from the date of receipt of the item at the site of IIT Madras.
19)	Warranty/Guarantee:
	The offer should clearly specify the warranty period for the machinery/equipment. Any extended warranty offered for the same has to be mentioned separately (For more details please refer our Technical Specifications).
	** Note: PO which involves Installation, Warranty shall be applicable from the date of Installation.
20)	Acceptance and Rejection:
	Failure to comply with any of the instructions stated in this document or offering unsatisfactory explanations for non-compliance will likely to lead to rejection of offers.
	I.I.T. Madras has the right to accept the whole or any part of the Tender or portion of the

quantity offered or reject it in full without assigning any reason.

#### 21) Debarment from Bidding:

In case of breach of Terms & Conditions, Bidder may be suspended from being eligible for bidding in any contract with the IIT Madras up to 2 Years [as per Rule 151(iii) of GFR] from the date as fixed by IIT Madras.

#### 22) Disputes and Jurisdiction:

Settlement of Disputes: Any dispute, controversy or claim arising out of or in connection with this PO including any question regarding its existence, validity, breach or termination, shall in the first instance be attempted to be resolved amicably by both the Parties. If attempts for such amicable resolution fails or no decision is reached within 30 days whichever is earlier, then such disputes shall be settled by arbitration in accordance with the Arbitration and Conciliation Act, 1996. Unless the Parties agree on a sole arbitrator, within 30 days from the receipt of a written request by one Party from the other Party to so agree, the arbitral panel shall comprise of three arbitrators. In that event, the supplier will nominate one arbitrator and the Project Coordinator of IITM shall nominate on arbitrator. The Dean IC&SR will nominate the Presiding Arbitrator of the arbitral tribunal. The arbitration proceeding shall be carried out in English language. The cost of arbitration and fees of the arbitrator(s) shall be shared equally by the Parties. The seat of arbitration shall be at IC&SR IIT Madras, Chennai.

- a. **The Applicable Law:** The Purchase Order shall be construed, interpreted and governed by the Laws of India. Court at Chennai shall have exclusive jurisdiction subject to the arbitration clause.
- b. Any legal disputes arising out of any breach of contact pertaining to this tender shall be settled in the court of competent jurisdiction located within the city of Chennai in Tamil Nadu.
- **Force Majeure:** The Supplier shall not be liable for forfeiture of its performance security, liquidated damages or termination for default, if and to the extent that, it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

For purposes of this Clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not limited to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.

If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such conditions and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

# 24) Eligibility Criteria:

- > As per the Government of India Order, only "Class I & II" and "Non Local suppliers" can also participate in this tender.
- Bidder should confirm their acceptance that they comply with the provisions with report to "Guidelines for eligibility of a bidder from a country which shares a land border with India as detailed at Annexure-E. The bidder should submit Certificate for "Bidder from/Not from Country sharing Land border with India & Registration of Bidder with Competent Authority" as per Order of DoE F.No.6/18/2019-PPD dated 23.07.2020 and

#### No.F.7/10/2021-PPD(1) dated 23.02.2023.

- > Selection of Successful bidder and Award of Order Evaluation and Award of contract will be done as per GOI MOCI Order No. 45021/2/2017-PP (BE II) Dt.16th September 2020 & P- 45021/102/2019-BE-II-Part(1) (E-50310) Dt.4th March 2021 and any subsequent Modifications/Amendments and latest orders if any issued by Govt. of India.
- Preference to "class I Local Suppliers": preference will be given to "class 1 local suppliers" (subject to class -I local supplier's quoted price falling within the margin of purchase preference ) as per public procurement (preference to make in India) order 2017 .O.M No P- 45021/2/2017 pp(BE 11) dt 04/06/2020 subject to the conditions that the "class 1 Local Supplier" should agree to supply goods / provide service at L1 rate and furnish a certificate with the technical bid document that the goods/service provided by them consists local content equal to or more than 50%.( certificate from Chartered Accountant in case value of contract exceeds Rs 10 crore).
  - > 'Class I local supplier' means a supplier or service provider whose goods, services or works offered for procurement consists of local content equal to or more than 50% as defined under the above said order. Declaration to be provided as per Annexure-D per item/service/work.
  - > 'Class II local supplier' means a supplier or service provider whose goods, services or works offered for procurement consists of local content equal to 20% but less than 50% as defined under the above said order. Declaration to be provided as per Annexure-D per item/service/work.
  - ➤ 'Non local supplier' means a supplier or service provider whose goods, services or works offered for procurement consists of local content less than 20% as defined under the above said order.
  - ➤ 'Margin of purchase preference': The margin of purchase preference shall be 20%. The Definition of the margin of purchase preference is defined in the Govt. of India Order No: P-45021/12/2017-PP (BE-II) Dt.4th June, 2020) Order 2017. As per the Government of India Order "Margin of Purchase Preference" means the maximum extent to which the price quoted by a "Class-I local supplier" may be above the L1 for the purpose of purchase preference.

\*\*Note: Local content percentage to be calculated in accordance with the definition provided at clause 2 of revised public procurement preference to Make in India Policy vide GoI Order no. P-45021/2/2017-PP (B.E.-II) dated 15.06.2017 (subsequently revised vide orders dated 28.05.2018, 29.05.2019and 04.06.2020) MOCI order No. 45021/2/2017-PP (BE II) Dt.16th September 2020 & P-45021/102/2019-BE-II-Part(1) (E-50310) Dt.4th March 2021

## **Evaluation of Bids**

Bid evaluation will take place in two stages.

#### Stage I Technical Bid evaluation

All bidders who have fully complied with bidder eligibility criteria I, II and technical evaluation (Annexure A) will only be considered for opening of price bid.

#### Stage II: Price Bid Evaluation

The price bid evaluation will be based on price quoted by the bidder. The rate quoted for **Inverted Fluorescent Microscope with Live Cell Imaging Capability** unit will alone be taken up for arrival of Lowest Bid (L1) value.

Bid prices expressed in different currencies shall be converted to INR as per the prevailing **Central Board of Indirect Taxes & Customs(CBIC)** exchange rate on the date of opening of price bid

In accordance to the Rule 173 of GFR,2017 and relevant provisions thereof in Procurement Manuals, 2022,IC&SR, IITM reserves the right to carry out the negotiation process through its purchase/technical

	committee with L1/H1 (as applicable) vendor to ensure price reasonability before final recommendation
	to the Competent Authority. The negotiation details, if any, on case to case basis shall be recorded in
	minutes of meetings suitably for records.
28)	Selection of successful bidder and Award of Order
20)	The order will be directly awarded to the technically qualified bidder as per the condition in para 3A of
	DIPP, MoCI Order No. 45021/2/2017-PP (BE II) dated 16th September 2020.
29)	All information including selection and rejection of technical or financial bids of the prospective bidders
	will be communicated through e-Tender portal. In terms of Rule 173(iv) of General Financial Rule 2017,
	the bidder shall be at liberty to question the bidding conditions, bidding process and/or rejection of bids.
30)	The tenderer shall certify that the tender document submitted by him / her are of the same replica of the
	tender document as published by IIT Madras and no corrections, additions and alterations made to the
	same. If any deviation found in the same at any stage and date, the bid / contract will be rejected /
	terminated and actions will be initiated as per the terms and conditions of the contract.
31)	Clarification to the queries and doubts raised by the bidders will be issued as a corrigendum/addendum
	in the e-tenders portal.
32)	In the e-tender process, participation of bidders after the due date is not possible. The eligible bidders can
	login to the e-Procurement portal to ascertain the tender status.

#### **ACKNOWLEDGEMENT**

It is hereby acknowledged that I/We have gone through all the points listed under "Specification, Guidelines, Terms and Conditions" of tender document. I/We totally understand the terms and conditions and agree to abide by the same.

SIGNATURE OF TENDERER ALONG WITH SEAL OF THE COMPANY WITH DATE

#### Bidder Eligibility Criteria and Technical Specification for Inverted Fluorescent Microscope with Live Cell Imaging Capability

Tender No. GTE01/BOBYG/2024/21/INVERFLUOR

#### Bidder Eligibility Criteria – I (Public Procurement – Preference to Make in India)

Only 'Class-I local suppliers' and 'Class-II local suppliers', as defined under DIPP, MoCI Order No. P-45021/2/2017-PP (BE-II) dated 16<sup>th</sup> September 2020 and other subsequent orders issued therein.

Participation of Non-local supplier may be subject to the limitation provided in para 4 (Exemption of Small Purchases) of DPIIT circular No. P-45021/2/2017-PP(BE-II) Dt 16.Sep.2020 (ANNEXURE – D)

#### Bidder Eligibility Criteria – II

- 1. Vendor Registration ID/Proof.
- 2. Land Border Certificate (ANNEXURE E).
- 3. **OEM Certificate Form-**The Participating Bidder's firm shall be the Original Equipment Manufacturer (OEM) or OEM Certified authorized firm (**ANNEXURE F**).
- 4. Non- Debarment Declaration (ANNEXURE H).
- 5. Mandate Form (ANNEXURE J)
- 6. EMD as per Tender to be remitted in the Account number as given in the **ANNEXURE I** or EMD is exempted for Micro and Small Enterprises (MSE) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) and Startups as recognized by Department of Industrial Policy & Promotion (DIPP). (MSE/MSME/DIPP PROOF should be enclosed in the cover containing technical bid).

# III. Technical Specification for Inverted Fluorescent Microscope with Live Cell Imaging Capability

### **High Resolution Confocal Microscopy for Live Imagining**

S. No.	Technical Specifications of Inverted Fluorescent Microscope with Live Cell Imaging Capability		
i	Super resolution microscopy system for fluorescence imaging of various samples like live cells, virus, tissues, Drosophila, microbial, and plant samples, solid and solution of different types of fluorescence materials.		
ii	Super-resolution in both 2D and 3D.		

iii	The system should have fluorescence LIFE-TIME based species separation facility.				
iv	The fully automated super resolution system should be capable of highly sensitive spectral confocal, FRET,FLIM FRET, FRAP imaging of fixed as well as live biological samples.				
V	The system should include multichannel fluorescence imaging, Z-stack, colocalization, FRAP, photo-activation, time-lapse imaging.				
The	system should be able to carry out confocal microscopy imaging as well as super				
resol	ution imaging with the same imaging hardware and software.				
1	Microscope System:				
A)	Research-grade motorized inverted microscope:				
	a) The microscope body should have built-in motorized Z movement with step size of				
	atleast 5 nm or better, with automatic refocusing to allow long-term drift-free imaging.				
	b) Dedicated TFT / LCD touch panel control for the microscope.				
	c) The microscope should be equipped with hardware LED/IR laser based multimode				
	focusdrift correction/management system for conducting long time live cell imaging				
	applications without focus drift.				
	d) It should have motorized beam path selection between eye observation and				
	confocalimaging.				
	e) The microscope should be equipped with 12 Volt 100 W halogen or equivalent LEDillumination for transmitted light (Bright field & DIC) applications.				
	f) Illumination Source: High power LED.				
	g) Motorized 6 position condenser with DIC prisms for all objectives with analyzer,				
	polarizer and DIC slider should be included				
	h) Fully motorized fluorescence turret with band pass fluorescence filters (Appropriate				
	Filter Cubes) for DAPI, FITC/GFP, Cy3/Rhodamine & Cy5 fluorescence				
	i) A motorized XY scanning stage, part of the system, should come with universal sample				
	holder attachments for glass slide, 35 mm imaging dish, petri-plates and multi-well				
	plates. It should have navigation (whole-slide overviewing) and multi-position imaging				
	capabilities				
j) A dedicated piezo/galvo Z-stage should be quoted for precise and fast z-move Minimum travel range should be 500nm					
<b>B</b> )	Objectives:				
	a) 10X Objective Lens, apochromat, NA = 0.4				
	b) 20X Objective Lens, apochromat, NA = 0.75				
	c) 40X Objective Lens, apochromat, NA = 0.95				
	d) 63X oil immersion Objective Lens, apochromat, NA = 1.4				
2	e) Include Low fluorescent immersion oil				
2.	Scan Head:				
	a) Should be having at least 3-axis galvano scanning mirrors				
	b) Beam scanning in XY and piezo/galvo scanning in Z for 3D imaging.				
	c) Galvo scanner with dedicated UV and Visible port				

- d) Image rotations upto 180 degrees or above of the field of view (FOV)
- e) Image tileing and reconstruction in 3D
- f) Suitable for wavelengths ranging from 410 nm to 850 nm
- g) FOV of the system should be 20-22 mm or more.
- h) Should be capable of capturing images at different resolutions from 16 x 16 pixels up to at 8K x 8K pixels (64 Mpixels)
- i) Imaging Speed: at least 10 fps (frames per second) in the 512 x 512 pixel mode.
- j) AOTF/AOM controlled Synchronization with laser pulse sequence
- k) Also quote for the required hardware/module to enable the system as a fluorescence LIFE-TIME based species separation system and time gated detection facility to separate signals from autofluorescence. The pulsed laser for the fluorescence LIFE-TIME based contrastimaging/species separation should cover the excitations of all the dyes including blue, green, yellow, orange and red excitations and should be able to do spectral profiling for excitation wavelengths as well along with the standard emission spectral profiling. It should also be able to perform life-time based FRET experiments.

#### **3** Detection System:

- a) Motorized computer controlled continuously variable confocal pinhole
- b) The system should have at least 4 built-in point spectral detectors for 4 colour simultaneous detection facility
- c) All detectors must be high sensitive HyD detectors or APDs, all the detectors should be having photon counting capability
- d) The system must have a transmitted light PMT detector and compatible to capture DIC images
- e) Should have gated detection facility

#### 4 Excitation Lasers:

 $405 \pm 5$  nm; cw; Average Power: 50 mW; preferably through a separate port

#### **AND**

White light Laser: Wavelength continuously tunable between 485 - 685 nm; Average Power ~1.5 mW or greater per wavelength; should be fitted with AOBS (or AOTF) for precise selection of excitation wavelengths

#### Or individual monochromatic pulse lasers lines as follows

445/448nm, 488nm, 514/515nm, 561nm, 594nm, 635/638/640nm, 680/685nm, 730nm and 780nm

#### 5 Software:

- a) Should control all motorized functions of the microscope, excitation and depletion lasers, all parameters of image acquisition and image analysis both in confocal and super-resolution mode
- b) Should save of all instrument parameters (metadata) along with the image forreproducibility of experiments
- c) The imaging software should control all the motorized functions of the confocalmicroscope, multi-dimensional acquisition

- d) Standard geometry measurements like length, areas, angles etc. including intensity measurements should be standard feature of the software
- e) Real time/online super resolution enhancement acquisition module with 10fps @ 512x512 pixels which can provide 120nm XY and 200nm Z resolution, Spectral imaging, Multi point imaging, image stitching/auto montage; macro imaging capabilities, deep tissue imaging should be included; should be capable of future upgrades with HDR imaging capability and spectral unmixing
- f) Co-localization with histogram analysis, intensity profiles for quantification etc., multi-export formats for data output
- g) Advanced measurements like FRET (Ratio, acceptor photo-bleaching and sensitized emission and life time based FRET) FLIM-FRET, FRAP, Photo-Activation, Colocalization should be possible. Co-localization, FRET, FRAP analysis should be part of the software
- h) Raw data should be made available to the user for independent data processing
- i) Software should be capable of 3D rendering of images, i.e. provide for 3D visualization
- j) Deconvolution software to further improve the Confocal and Super Resolution images.

#### 6 Optical Table:

Suitable optical table to be provided with the setup for super-resolution microscopy as per following specifications:

- (i) Confocal factory recommended Vibration Free table.
- (ii) Computer table
- (iii) Laser rack

#### **7** PC Workstation:

The system should be supplied with latest and compatible computer workstation tried & tested in factory by the manufacturer. A high-performance professional graphics card (16 GB or higher) with advanced Pascal GPU architecture addressing the highest demands in 3D visualization and computing acceleration should be offered.

The system should have at least the following specifications: Windows 10 Professional (64 bit) operating system, Intel XEON gold 8 Core or better processor, minimum 64 GB or higher RAM and NVIDIA 16 GB graphic card, 256 GB SATA SSD, 1TB M.2 SSD, 6 TB SATA HDD, Ethernet Controller, 2 x USB 2.0, 8 x USB 3.0,

CD/ DVD writer, IEEE 1394 Firewire with Key Board and Mouse with 37-38" High resolution LED UHD 4K Monitor or better

#### **8** CO2 incubator for Live-cell imaging:

- (i) Stage top incubator chamber
- (ii) Temperature control up to 40 °C or above
- (iii) Control of CO2
- (iv) Control of Humidity
- (v) Integration into the microscope system

#### 9 Warranty:

Complete Comprehensive Warranty for 3 years should be included.

# TECHNICAL BID PROFORMA Tender No. GTE01/BOBYG/2024/21/INVERFLUOR

## Item Name: Inverted Fluorescent Microscope with Live Cell Imaging Capability

#### **Bidder Eligibility Criteria:** 1.0

Ι	Bidder Eligibility Criteria-I (Public Procurement – Preference to Make in India)	Class I / Class II and Non- Local Suppliers	Local Content Percentage	Ref. Page No.
	Only 'Class-I local suppliers' and 'Class-II local suppliers', as defined under DIPP, MoCI Order No. P-45021/2/2017-PP (BE II) dated 16th September 2020 and other subsequent orders issued therein.			
I	Participation of Non local supplier may be subject to the limitation provided in para 4 (Exemption of Small Purchases) of DPIIT circular No.P-45021/2/2017-PP(BE-II) Dt 16.Sep.2020 (ANNEXURE – D)			

II	Bidder Eligibility Criteria-II	Complied/Not Complied	Ref Page No.
1	Vendor Registration ID/Proof		
2	Land Border Certificate (ANNEXURE – E)		
3	<b>OEM Certificate Form</b> -The Participating Bidder's firm shall be the Original Equipment Manufacturer (OEM) or OEM Certified authorized firm ( <b>ANNEXURE</b> – <b>F</b> )		
4	Non- Debarment Declaration (ANNEXURE – H).		
5	Mandate Form (ANNEXURE – J)		
6	EMD as per Tender to be remitted in the Account number as given in the <b>ANNEXURE I</b> or EMD is exempted for Micro and Small Enterprises (MSE) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) and Startups as recognized by Department of Industrial Policy & Promotion (DIPP). (MSE/MSME/DIPP PROOF should be enclosed in the cover containing technical bid).		

## **3.0Technical Compliance:**

S. No.	Technical Specifications of Inverted Fluorescent Microscope with Live Cell Imaging Capability	Complied/Not Complied	Reference page no.
i	Super resolution microscopy system for fluorescence imaging of various samples like live cells, virus, tissues, Drosophila, microbial, and plant samples, solid and solution of different types of fluorescence materials.		
ii	Super-resolution in both 2D and 3D.		
iii	The system should have fluorescence LIFE-TIME based species separation facility.		
iv	The fully automated super resolution system should be capable of highly sensitive spectral confocal, FRET, FLIM FRET, FRAP imaging of fixed as well as live biological samples.		
V	The system should include multichannel fluorescence imaging, Z-stack, co-localization, FRAP, photo-activation, time-lapse imaging.		
	system should be able to carry out confocal microscopy imaging as the same imaging hardware and software.	s well as super resol	ution imaging
1	Microscope System:		
A)	Research-grade motorized inverted microscope:		
	a) The microscope body should have built-in motorized Z movement with step size of atleast 5 nm or better, with automatic refocusing to allow long-term drift-free imaging.		
	b) Dedicated TFT / LCD touch panel control for the microscope.		
	c) The microscope should be equipped with hardware LED/IR laser based multimode focusdrift correction/management system for conducting long time live cell imaging applications without focus drift.		
	d) It should have motorized beam path selection between eye observation and confocalimaging.		
	e) The microscope should be equipped with 12 Volt 100 W halogen or equivalent LEDillumination for transmitted light (Bright field & DIC) applications.		
	f) Illumination Source: High power LED.		
	g) Motorized 6 position condenser with DIC prisms for all objectives with analyzer, polarizer and DIC slider should be included		

	h) Fully motorized fluorescence turret with band pass fluorescence filters (Appropriate Filter Cubes) for DAPI, FITC/GFP, Cy3/Rhodamine & Cy5 fluorescence		
	i) A motorized XY scanning stage, part of the system, should come with universal sample holder attachments for glass slide, 35 mm imaging dish, petri-plates and multi-well plates. It should have navigation (whole-slide overviewing) and multi-position imaging capabilities		
	j) A dedicated piezo/galvo Z-stage should be quoted for precise and fast z-movement.Minimum travel range should be 500nm		
<b>B</b> )	Objectives:		
	a) 10X Objective Lens, apochromat, NA = 0.4		
	b) 20X Objective Lens, apochromat, NA = 0.75		
	c) 40X Objective Lens, apochromat, NA = 0.95		
	d) 63X oil immersion Objective Lens, apochromat, NA = 1.4		
	e) Include Low fluorescent immersion oil		
2.	Scan Head:		
	a) Should be having at least 3-axis galvano scanning mirrors		
	b) Beam scanning in XY and piezo/galvo scanning in Z for 3D imaging		
	c) Galvo scanner with dedicated UV and Visible port		
	d) Image rotations upto 180 degrees or above of the field of view (FOV)		
	e) Image tileing and reconstruction in 3D		
	f) Suitable for wavelengths ranging from 410 nm to 850 nm		
	g) FOV of the system should be 20-22 mm or more.		
h) Should be capable of capturing images at different resolutions from 16 x 16 pixels up to at 8K x 8K pixels (64 Mpixels)			
	i) Imaging Speed: at least 10 fps (frames per second) in the 512 x 512 pixel mode.		
	j) AOTF/AOM controlled Synchronization with laser pulse sequence		

	k) Also quote for the required hardware/module to enable the system as a fluorescence LIFE-TIME based species separation system and time gated detection facility to separate signals from autofluorescence. The pulsed laser for the fluorescence LIFE-TIME based contrastimaging/species separation should cover the excitations of all the dyes including blue, green, yellow, orange and red excitations and should be able to do spectral profiling for excitation wavelengths as well along with the standard emission spectral profiling.  It should also be able to perform life-time based FRET experiments		
3	Detection System:		
	a) Motorized computer controlled continuously variable confocal pinhole		
	b) The system should have at least 4 built-in point		
	spectral detectors for 4 colour simultaneous detection facility		
	c) All detectors must be high sensitive HyD detectors or APDs,		
	all the detectors should be having photon counting capability		
	d) The system must have a transmitted light PMT detector and compatible to capture DIC images		
	e) Should have gated detection facility		
4	Excitation Lasers:		
	405 ± 5 nm; cw; Average Power: 50 mW; preferably through a		
	separate port		
	AND		
	White light Laser: Wavelength continuously tunable between 485 –		
	685 nm; Average Power ~1.5 mW or greater per wavelength; should		
	be fitted with AOBS (or AOTF) for precise selection of excitation		
	wavelengths		
	Or individual monochromatic pulse lasers lines as follows		
	445/448nm, 488nm, 514/515nm, 561nm, 594nm, 635/638/640nm, 680/685nm, 730nm and 780nm		
5	Software:	1	
	a) Should control all motorized functions of the microscope, excitation and depletion lasers, all parameters of image acquisition and image analysis both in confocal and super-resolution mode		

	b) Should save of all instrument parameters (metadata) along with the image forreproducibility of experiments		
	c) The imaging software should control all the motorized functions of the confocalmicroscope, multi-dimensional acquisition		
	d) Standard geometry measurements like length, areas, angles etc. including intensity measurements should be standard feature of the software		
	e) Real time/online super resolution enhancement acquisition module with 10fps @ 512x512 pixels which can provide 120nm XY and 200nm Z resolution, Spectral imaging, Multi point imaging, image stitching/auto montage; macro imaging capabilities, deep tissue imaging should be included; should be capable of future upgrades with HDR imaging capability and spectral unmixing		
	f) Co-localization with histogram analysis, intensity profiles for quantification etc., multi-export formats for data output		
	g) Advanced measurements like FRET (Ratio, acceptor photo- bleaching and sensitized emission and life time based FRET) FLIM-FRET, FRAP, Photo-Activation, Co-localization should be possible. Co-localization, FRET, FRAP analysis should be part of the software		
	h) Raw data should be made available to the user for independent data processing		
	i) Software should be capable of 3D rendering of images, i.e. provide for 3D visualization		
	j) Deconvolution software to further improve the Confocal and Super Resolution images		
6	<b>Optical Table:</b> Suitable optical table to be provided with the setup for super-resolutio specifications:	n microscopy as per fo	llowing
	(i) Confocal factory recommended Vibration Free table		
	(ii) Computer table		
	(iii) Laser rack		

7	PC Workstation:
	The system should be supplied with latest and compatible computer
	workstation tried & tested in factory by the manufacturer. A high-
	performance professional graphics card (16 GB or higher) with
	advanced Pascal GPU architecture addressing the highest demands
	in 3D visualization and computing acceleration should be offered.
	The system should have at least the following specifications:
	Windows 10 Professional (64 bit) operating system, Intel XEON
	gold 8 Core or better processor, minimum 64 GB or higher RAM
	and NVIDIA 16 GB graphic card, 256 GB SATA SSD, 1TB M.2
	SSD, 6 TB SATA HDD, Ethernet Controller, 2 x USB 2.0, 8 x
	USB 3.0,
	CD/ DVD writer, IEEE 1394 Firewire with Key Board and Mouse
0	with 37-38" High resolution LED UHD 4K Monitor or better
8	CO2 incubator for Live-cell imaging:
	(i) Stage top incubator chamber
	(ii) Temperature control up to 40 °C or above
	(iii) Control of CO2
	(iv) Control of Humidity
	(v) Integration into the microscope system
9	Warranty
	Complete Comprehensive Warranty for 3 years should be included.

SIGNATURE OF BIDDER ALONG WITH SEAL OF THE COMPANY WITH DATE

#### FINANCIAL BID (PROFORMA) - BILL OF QUANTITIES (BOQ)

# Item Name: Inverted Fluorescent Microscope with Live Cell Imaging Capability Tender No. GTE01/BOBYG/2024/21/INVERFLUOR

It. No	Description of work	Quantity	Currency	Unit Rate Ex- Works	CIP / GST charges in value	Total (A+B)
				(A)	<b>(B)</b>	
1	Inverted Fluorescent Microscope with Live Cell Imaging Capability with 3 years warranty	1 No	INR/USD/EUR/CAD/ JPY/GBP/AUD/SGD/CHF			
	Grand Total					

#### Note:

- 1. Price bid as per this format to be uploaded only at the financial document column in CPP Portal. Price disclosure at the technical bid will result in disqualification
- 2. Technical Bid Should NOT Contain Price Bid/Financial Bid details (or) Indication. If the price Details are indicated, mentioned inside the Technical bid, then bid will be disqualified and neither the Technical Bid nor the Price Bid/Financial Bid will be considered.

I/We the bidder accept all the terms and conditions as per tender including all technical & commercial conditions.

Date:	Authorized Signatory
Place:	()
	Seal and signature

# $\frac{FORMAT\ FOR\ AFFIDAVIT\ OF\ SELF-CERTIFICATION\ UNDER\ PREFERENCE\ TO\ MAKE}{IN\ INDIA-PER\ ITEM}$

This letter should be on the letterhead of the quoting firm and should be signed by a competent authority. Non-submission of this will lead to Disqualification of bids.

Tender Reference Number:					
Name of the item / Service:					
Date:					
I/WeS/o, D/o, W/o,					
Resident of Hereby solemnly affirm and declare as under: That I will agree to abide by the terms and conditions of the Public Pro India) Policy vide GoI Order no. P-45021/2/2017-PP (B.EII) dated vide orders dated 28.05.2018, 29.05.2019and 04.06.2020) MOCI order Dt.16th September 2020 & P- 45021/102/2019-BE-II-Part (1) (E-5031 subsequent modifications/Amendments, if any and	ocurement (Preference to Make in 15.06.2017 (subsequently revised er No. 45021/2/2017-PP (BE II)				
That the local content for all inputs which constitute the said item/servi and I am responsible for the correctness of the claims made therein.	ce/work has been verified by me				
Tick (✓) and Fill the Appropriate Category					
I/We[name of the supplier] hereby contact that Local Content is equal to or more than 50% and come under category.  I/We[name of the supplier] hereby contact that Local Content is equal to 20% but less than 50% and come	firm in respect of quoted items "Class-I Local Supplier" firm in respect of quoted items				
that Local Content is equal to 20% but less than 50% and come category.	under "Class-II Local Supplier"				
I/We [name of the manufacturer] hereby confirm that Local Content is less than 20% come under 'Non – Local S					
The details of the location (s) at which the local value addition is malocal content in percentage	ade and the proportionate value of				
	ent:% ods:				
For and on behalf of(Name of firm/e	entity)				
Authorized signatory (To be duly authorized by the Board of Directors) <insert and="" contact="" designation="" name,="" no.=""></insert>					
[Note: In case of procurement for a value in excess of Rs. 10 Crore certificate from statutory auditor or cost auditor of the company (in the practicing cost accountant or practicing chartered accountant (in a companies) giving the percentage of local content.	ne case of companies) or from a				

## **Land Boarder Sharing Declaration**

(To be given on the letter head of the bidder)

In-line with Department of Expenditure's (DoE) Public Procurement Division Order vide ref. F.No.6/18/2019-PPD dated 23.07.2020 & 24.7.2020

Tender No	<del></del>	Dated:	
	CERTIFI	<u>ICATE</u>	
	(Bidders fro	om India)	
Division Order (Public page 24.7.2020) regarding re	procurement no 1, 2 & 3 vide estrictions on procurement fr	ent of Expenditure's (DoE) Public ref. F.No.6/18/2019-PPD dated it rom a bidder of a country which s (Name of th	23.07.2020 & hares a land
a) Not from such a cour	ntry and eligible to be conside	ered for this tender.	
	OR	l .	
(B	idders from Country which sh	ares a land border with India)	
Country) and has been	n registered with the Composerd and is eligible to be cons	/are from etent Authority. I also certify th idered. (Copy/ evidence of valid r	nat I fulfil all the
Place: Date:		Signature of th Name & Address of the Bidder v	

# OEM CERTIFICATION FORM (In Original Letter Head of OEM)

Tender No	:					Dated:			
We are O	riginal Equip	ment Manufacture	ers (OEM) o	f			(Nar	me of	
the compa	ny) Ms			(	Name	of the v	endor) i	s one	
of our	Distribu	itors/Dealers/Rese	ellers/Partne	ers (tid	k	one)	for	the	
				ar	d is	particip	ating ir	the	
above-me	entioned	tender	by	offering	)	our	pr	oduct	
model		(Nan	ne of the pro	duct with	mode	l number	r).		
				is au	thoriz	ed to bid	d, sell aı	nd provid	de
		nty for our product					,	•	

Name and Signature of the authorized signatory of OEM along with seal of the company with Date

# <u>TENDER CHECKLIST – To be filled Mandatorily and sent (inside the Main Bid Cover) along with Bidding Document.</u>

٠,	I have registered as a Vendor with IC&SR. (Proof to be enclosed) (ISO certificate, Active GSTIN certificate, valid PAN details)	
(2)	Technical bid cover and Financial Bid cover are submitted separately.	
(3)	Completed and <b>Signed the Tender Form</b> . The Form of Tender document was signed by a legally authorized person. (Proof of Authorization to be enclosed)	
(4)	Completed Technical Compliance Statement	
(5)	Certification of Class I / Class II Supplier (Goods, Services, or Works) is submitted as part of the Technical bid. (Annexure $-D$ )	
(6)	EMD as per tender norms is deposited and the proof is $enclosed(Annexure - I)$	
(7)	Land Border sharing declaration document is submitted. (Annexure – E)	
(8)	An authorized agent certificate from OEM is filled and submitted. (It is mandatory if an Indian agent/Indian office of OEM is participating in this tender on behalf of OEM (Annexure F)	
as	he bid will be valid if all the above documents are provided. Bidders are sked to supply and tick off the required information. Failure to provide any of the stated documents as per tender norms may result in the bid being	

considered non-compliant and rejected.

Signature of the Bidder

#### FORM - A NON- DEBARMENT DECLARATION

**Date: XXXX** 

To,
The Indian Institute of Technology Madras,
Sardar Patel road,
Guindy, Chennai - 600036

Dear Sir,

- a. We are not involved in any major litigation that may have an impact of affecting or compromising the delivery of services as required under this assignment.
- b. We are not debarred by any Central/ State Government/ agency of Central/ State Government of India or any other country in the world/ Public Sector Undertaking/ any Regulatory Authorities in India or any other country in the world for any kind of fraudulent activities in last XX years.

Sincerely,

[BIDDERS NAME]

Name

Title Signature



# CENTRE FOR INDUSTRIAL CONSULTANCY & SPONSORED RESEARCH (IC&SR) INDIAN INSTITUTE OF TECHNOLOGY MADRAS CHENNAI 600 036



# ELECTRONIC CLEARING SERVICE (Credit Clearing)/ REAL TIME GROSS SETTLEMENT (RTGS) FACILITY FOR RECEIVING PAYMENTS

#### A. Details of Account Holder

Name of the Institution	Indian Institute of Technology - Madras		
Complete Contact Address	Industrial Consultancy and Sponsored Research Indian Institute of Technology-Madras, IIT- Madras Campus Post Office, Sardar Patel Road, Guindy, CHENNAI - 600 036		
Permanent Account Number	<i>'</i>		
(PAN)*	AAAAI3615G		
GST REGISTERATION NO.	33AAAAI3615G1Z6		
Telephone No./ Fax No.	Tel - 044-2257 8356		
E- mail ID of the FO/AO/REG/DIR	dricsr@iitm.ac.in		

#### **B. Bank Account Details:**

Institution Account Name (As per Bank	The Registrar, Indian Institute of
Record)	Technology - Madras
Account No.	2722101003872
IFSC CODE	CNRB0002722
SWIFT CODE	CNRBINBBIIT
Bank Name (in full)	Canara Bank
Branch Name	IIT-Madras Branch
Complete Branch Address	Canara Bank,
	IIT-Madras Branch,
	IIT- Madras Campus Post Office,
	Sardar Patel Road,
	Guindy, CHENNAI - 600 036
MICR No.	600015085
Account Type	Savings Account

Certified that the Institute's account is in an RTGS enabled branch. I hereby declare that the particulars given above are correct and complete.

Date: 04/08/2023

कृतं कंनरा बैक / For CANARA BANK

সাঁধৰানী / Officer স্বৰ্ভ সাই গাইল / IIT Chennal Branch গ্ৰহনষ্ট / Chennal - 600 036

> কথৈলৈ কদিলা.স M. KAROLINE LEMINA স্থিকাথী OFFICER S.P. No:64356

Signature of the Competent Authority of the Institution with seal.

उप कुलसचिव (आईसी एवं एसआर) DEPUTY REGISTRAR (IC & SR) अईआईटी मद्रास (I.I.T. MADRAS

Phone: +91 (0) 44 2257 8062 / 8061 / 8060

Fax: +91 (0) 44 2257 0545 / 2257 8366

email : deanicsr@iitm.ac.in

website : http://www.iitm.ac.in

#### MANDATE FORM

#### ELECTRONICS CLEARING SERVICE (CREDIT CLEARING)/REAL TIME GROSS SETTLEMENT (RTGS) FACILITY FOR RECEIVING PAYMENTS.

COMPLETE CONTACT ADDRESS	
FLEDLIONE NUMBER /FAY/F MAII	
ELEPHONE NUMBER/FAX/E MAIL	
BANK ACCOUNT DETAILS: -	
BANK NAME	
BRANCH NAME WITH COMPLETE ADDRESS,	
ELEPHONE NUMBER AND EMAIL	
VHETHER THE BRANCH IS COMPUTERISED?	
VHETHER THE BRANCH IS RTGS ENABLED? IF YES,	
HEN WHAT IS THE BRANCH <u>IFSC CODE</u>	
STHE BRANCH ALSO NEFT ENABLED?	
YPE OF BANK ACCOUNT(SB/CURRENT/CASH CREDIT)	
COMPLETE BANK ACCOUNT NUMBER(LATEST)	
MICR CODE OF BANK	
DATE OF EFFECT:  Thereby declare that the particulars given above are correct and complete. If the state of t	er institution responsible. I ha
	(Signature of Bidder
Date: Certified that the particulars furnished above are correct as per our records. Bank's Stamp)	

- 1. Please attach a photocopy of the cheque along with the verification obtained from the bank.
- In case your Bank Branch is presently not "RTGS enabled", then upon its upgradation to  $\hbox{``RTGS Enabled'' branch, please submit the information again in the above pro-form a to the Department at the earliest.}$